

NOVEMBER 2001

ADVANCED SUBSIDIARY LEVEL

MARK SCHEME

MAXIMUM MARK : 60

SYLLABUS/COMPONENT : 8701/2

**CHEMISTRY
(Structured Questions)**




Page 1 of 3	Mark Scheme	Syllabus	Paper
	AS Level Examinations – June 2001	8701	2

Question Number	Mark Scheme Details	Part Mark
1 (a)	<p>Mg 1s² 2s² 2p⁶ 3s² } (1)</p> <p>Mg²⁺ 1s² 2s² 2p⁶ } (1)</p> <p>O 1s² 2s² 2p⁴ } (1)</p> <p>O²⁻ 1s² 2s² 2p⁶ }</p>	[2]
(b) (i)	<p>• ○ ● ○ ● is Mg²⁺ regular (1)</p> <p>○ ● ○ ● ○ is O²⁻</p> <p>● ○ ● ○ cations surrounded by anions etc. (1)</p>	[2]
(ii)	<p>Two physical properties</p> <p>insulator ions unable to move</p> <p>high m.p./b.p. forces between doubly charged ions are strong</p> <p>insoluble in water</p> <p>conducts when molten (1) for each</p>	[2]
(iii)	Furnace linings, electrical insulators, spark plugs, ceramics any two	[1]
(c) (i)	CO (1) and water vapour (1) [or from equations]	[1]
(ii)	<p>CaO + H₂O → Ca(OH)₂ (1)</p> <p>Ca(OH)₂ + CO₂ → CaCO₃ + H₂O OR CaO + CO₂ → CaCO₃ (1) max 3</p>	[3]

[Total: 10]

- 2 (a) (i) Rate of forward reaction is equal to rate of backward or equivalent. (1)
- (ii)



activation energy mentioned (1)

two E_a peaks (1)

(1)

[5]

- (b) (i)
$$K_c = \frac{[\text{ester}][\text{water}]}{[\text{acid}][\text{alcohol}]} \quad (1)$$
- (ii) Since same number of terms in expression, top & bottom or equivalent (1) [2]
- (c) (i) ethanol = ethanoic acid = 0.43 (1)
- ethyl ethanoate = 0.57 (1)
- water = 1.57 (1)
- (ii)
$$K_c = \frac{0.57 \times 1.57}{0.43 \times 0.43} = 4.84 \quad (1)$$
 [4]

[marked consequentially from (i)]

[Total: 11]

Page 2 of 3	Mark Scheme	Syllabus	Paper
	IGCSE Examinations – November 2001	8701	2

- 3 (a) red / brown liquid / vapour (1) [1]
- (b) Stronger van der Waals' forces between molecules (1)
since bromine is a bigger molecule / more electrons than chlorine (1)
and has more induced dipoles on its surface (1) Max (2) [2]
- (c) (i) $2P + 5Cl_2 \rightarrow 2PCl_5$ (1)
- (ii) $PCl_5 + 4H_2O \rightarrow H_3PO_4 + 5HCl$ (1)
- (iii) $NaCl + AgNO_3 \rightarrow AgCl \downarrow + NaNO_3$
OR $Cl^-_{(aq)} + Ag^+_{(aq)} \rightarrow AgCl_{(s)}$ (1)
- (iv) $AgCl + 2NH_3 \rightarrow Ag(NH_3)_2^+_{(aq)} + Cl^-$ OR to $Ag(NH_3)_2Cl$ (1) [4]
- (d) (i) $CH_2=CH_2 + Br_2 \rightarrow CH_2BrCH_2Br$ (1)
- (ii) Electrophilic addition (1)
- (iii) Electron-rich double bond attracts Br_2 which is then polarised



Final addition of Br^- [5]

[Total: 12]

- 4 (a) N_2 zero } (1) NO_2^- + 3 } (1)
 NH_4^+ - 3 } NO_3^- + 5 } [2]
- (b) (i) The triple bond (high energy) needs to be broken (1)
- (ii) gives NH_4^+ directly / gives soluble N to soil (1) [2]
- (c) (i) $6.3 \times 10^{-9} \text{ mol dm}^{-3}$ (1)
- (ii) Since H^+ is a product, and this is removed (1)
- (iii) lime / a base / ammonia (1) [3]
- (d) Waterlogged soils will contain very little oxygen / will discourage nitrifying bacteria (1) [1]

- (e) (i) H^{\oplus} charge (1) To include dative bond
- $$\begin{array}{c} H^{\oplus} \\ \times \times \\ H \times N \bullet H \\ \bullet \times \times \\ H \end{array}$$

- (ii) tetrahedral, 109 or $109\frac{1}{2}^\circ$ (1) [2]


[Total: max 10]

- 5 (a) (i) $CH_3(CH_2)_9CHBrCH_2Br$ (1)
- (ii) $CH_3(CH_2)_9CHBrCH_3$ (1)
- (iii) $CH_3(CH_2)_9CO_2H$ (1)
- (iv) $CH_3(CH_2)_9CH(OH)CH_3$ (1) [4]


Page 3 of 3	Mark Scheme	Syllabus	Paper
	AS Level Examinations – June 2001	8701	2

(b) (i) optical isomerism (1)

(ii)




(1) each




[3]

(c)



trans

(1) each



cis

[2]

[Total: 9]

6

A Only alcohol

sodium (1) – bubbles of gas / H₂ (1)

OR PCl₅ (1) misty fumes (1)

OR carboxylic acid + catalyst (1) smell of ester (1)

[2]

Not H⁺/Cr₂O₇²⁻ or H⁺/MnO₄⁻

B Only ketone

DNP reagent gives red precipitate (1)

does not give Tollens or Fehlings

OR H⁺/Cr₂O₇²⁻ tests (1)

[2]

C alkene and aldehyde

decolourises Br₂ (water) (1)

red/brown ppt with Benedicts or Fehlings

OR Ag mirror – Tollens (1)

DNP test (1) if not used elsewhere

[2]

D aldehyde only

DNP gives red ppt (1)

Benedicts/Tollens/Fehlings positive (1)

(as C)

[2]

[Total: 8]