

NOVEMBER 2002

GCE Advanced Level

MARK SCHEME
MAXIMUM MARK : 120
SYLLABUS/COMPONENT : 9705 /3 DESIGN AND TECHNOLOGY (WRITTEN 2)

Page 1	Mark Scheme	Syllabus	Paper
	A Level Examinations – November 2002	9705	3

Section A

Part A – Product Design

- 1 (a) appropriate material including:
- aluminium
 - mild steel
 - appropriate wood laminate
- 1
- Reasons including:
- strength
 - comfort
- 2 [3]
- (b) description to include:
- appropriate method;
 - shaping;
 - forming;
 - drilling.
- quality of description:
- fully detailed 3 - 6
 - some detail, 0 - 2
- quality of sketches up to 2 [8]
- (c) explanation could include:
- change in process;
 - change in materials;
 - use of templates, jigs, formers;
 - simplification of design.
- quality of explanation:
- logical, structured 4 - 7
 - limited detail, 0 - 3
- quality of sketches up to 2 [9]

[Total: 20]

Page 3	Mark Scheme	Syllabus	Paper
	A Level Examinations – November 2002	9705	3

Part B – Practical Design

- 4 (a) description of process
- fully detailed 3 - 5
 - some detail, 0 - 2
- quality of sketches up to 2 7 x 2 [14]
- (b) die casting:
- complex shape;
 - quality finish;
 - can be repeated;
- extrusion:
- little wastage;
 - once set up, vast production runs;
 - reliable dimensions;
- blow moulding:
- once set up, vast production runs;
 - complex shape;
 - speed of production. 3 x 2 [6]
- [Total: 20]
- 5 (a) explanation: monocoque – shell structure
frame – components 2
- examples: egg; 2 [4]
pylon
- (b) graphic method (create parallelogram) 1 x 2
- Correct answer 10.8 N, 10.4 N (+or- .3) 1 x 2 [4]
- (c) understanding may include:
- capital letters for spaces between forces; 2
 - lower case on vector diagrams 2
- reference to forces / framework diagram 2
- sketch/s 2 [6]
- (d) tray: ribs, fold over top
- bookshelf: brace
- bolted structure: gusset plate 2 x 3 [6]
- [Total: 20]

- 6 (a) $R = \frac{R1 \times R2}{R1 + r2}$ 1
- $\frac{220}{32}$ 1
- 6.875K Ω 1
(or calculation leading to correct answer 3 marks) [3]

- (b) diode: suppress noise and back emf.s;
steer electronic signals;
convert ac to dc in a rectifier circuit.

Strain gauge: wires stretch – resistance changes
Sensor in structures

Explanations 2 x 2
Applications 1 x 2 [6]

- (c) (i) digital devices – inputs and outputs either logic 0 or logic 1 2

(ii) NAND	0	0	1
	0	1	1
	1	0	1
	1	1	0
OR	0	0	0
	0	1	1
	1	0	1
	1	1	1
NOR	0	0	1
	0	1	0
	1	0	0
	1	1	0

for each; 1 mark for symbol
2 marks for truth table

[9]

[Total: 20]

Page 5	Mark Scheme	Syllabus	Paper
	A Level Examinations – November 2002	9705	3

Part C – Graphic Products

7	correct exploded view	2	
	correct isometric sketch	2	
	approx twice full size	1	
	quality of linework	3	
	overall shape / proportion (each component 1, 2 for main arm)	9	
	thick / thin line technique	3	
			[Total; 20]
8	(a) pyramid;		
	- accuracy (inc true length)	2	
	- correct net	4	
	- tabs	1	
	cone:		
	- accuracy	2	
	- correct net	5	
	- tabs	1	[15]
	(b) description could include:		
	- templates;		
	- cutters/creasers;		
	- assembling.		
	Quality of description up to 5 marks		[5]
			[Total: 20]
9	(a) considerations could include;		
	- language;		
	- shock value?		
	- Print volume;		
	- Audience.		
	For four considerations (qualified statements)	1 x 4	[4]
	(b) appropriate symbol	4	
	quality	3	
	monochrome	1	[8]
	(c) appropriate unit	3	
	dimension	1	
	folding/disassembly	2	
	communication	2	[8]
			[Total: 20]

Page 6	Mark Scheme	Syllabus	Paper
	A Level Examinations – November 2002	9705	3

Section B

Questions 10, 11, 12

(A)	Analysis		5	[5]
(S)	Specification		5	[5]
(I)	Ideas	range	5	
		annotation related to specification	5	
		marketability	5	
		selection / rejection of ideas	5	
		communication	5	[25]
(D)	Development	clear development of selected idea/s	5	
		reasoning	5	
		materials	3	
		construction	7	
		communication	5	[25]
(P)	Proposed Solution		10	
	details / dimensions		5	[15]
(E)	Evaluation		5	[5]
(T)	Total			[80]