mmn. Xiremedabers.com

CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the October/November 2012 series

9705 DESIGN AND TECHNOLOGY

9705/13 Paper 1, maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| Page 2 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9705 | 13 |

Section A

| 1 | (a) (i) | Suitable softwood named e.g. pine. spruce, cedar, parana pine, douglas fir | (1) | [1] | | |
|---|-----------|--|----------------|----------|--|--|
| | (ii) | Suitable sheet material named e.g. MDF, plywood | (1) | [1] | | |
| | (b) (i) | Process of making handle described Assembly of handle described Details of tools, equipment and safety precautions | (0-2) (0-2) | | | |
| | | (if necessary) | (0–2) | [6] | | |
| | (ii) | Process of making joint described Details of tools, equipment and safety precautions | (0-3) | | | |
| | | (if necessary) | (0-3) | [6] | | |
| | (iii) | Process of attaching base described | (0-3) | | | |
| | | Details of tools, equipment and safety precautions (if necessary) | (0-3) | [6] | | |
| | | | | | | |
| | | | | | | |
| 2 | (a) App | propriate scale used | (1) (0–2) | | | |
| | Bas | se | (1) | . | | |
| | GIL | ue tabs | (0–2) | [6] | | |
| | | b) Corrugations shown Two outer surfaces shown | | | | |
| | (c) (i) | Process described | (0-2) | | | |
| | (ii) | Process described | (0-2) | | | |
| | (iii) | Process described | (0-2) | [6] | | |
| | Usi De | king stencil described ing stencil described tails of tools, equipment and safety precautions | (0–2) (0–2) | | | |
| | (if r | necessary) | (0–2) | [6] | | |
| | | | [Total: 20 | | | |

| | Page 3 | | Mark Scheme | Syllabus | Paper | , |
|---|---|-------------|--|----------------|-------------------------|-----|
| | | | GCE AS/A LEVEL – October/November 2012 | 9705 | 13 | |
| 3 | (a) Suitable sheet material named e.g. acrylic, perspex, polystyrene, aluminium, stainless steel Suitable reason for choice given e.g. easy to clean, no surface finish required, easy to bend | | | | (1) (1) | [2] |
| | (b) (i | Smo Deta | ing out described pothing edges described all safety precautions ecessary) | | (0-2) (0-2) | [6] |
| | (ii | Deta | ding process described ails of tools, equipment and safety precautions ecessary) | | (0–3) (0–3) | [6] |
| | (iii | Deta | ing process described ails of tools, equipment and safety precautions ecessary) | | (0–3) (0–3) | [6] |
| | | | [Total: | 201 | | |
| | | | | | [Total. | |
| | | | Section B | | | |
| 4 | (a) Problem 1 described Problem 2 described e.g. related to pieces not fully slotting together because slots are not long enough, bird would not stand up (b) Explanation of how problem 1 could be overcome Explanation of how problem 2 could be overcome e.g. making slots an appropriate length so that pieces will join together correctly, making feet more stable by increasing size or adding more material to increase weight at base | | | | (0-2) (0-2) | [4] |
| | | | | (0-3) (0-3) | [6] | |
| | `´ e | .g. card | ate explanations 2 × 1 mark box can be recycled, plastic inner packaging urrently be recycled | | (2) | [2] |
| | È | xplanat | has been analysed and relevant issues/points identified ion of why issues/points are considered relevant examples/evidence used to support conclusions | I | (0-3) (0-3) (0-2) | [8] |
| | | | | [Total: 20 | | |

| | | | GCE AS/A LEVEL – October/November 2012 | 9705 | 13 | |
|---|-----|---|---|------|-------------------------|----------------------|
| 5 | (a) | Appropriate explanation e.g. finger cut-out which enables bottle to be easily removed from the holder | | | (0–2) | [2] |
| | (b) | Problem 1 de Problem 2 de e.g. related t the holder of | escribed o there being no finger cut-outs, hard to get | | (0–2) (0–2) | [4] |
| | (c) | Explanation e.g. add fing | of how problem 1 could be overcome of how problem 2 could be overcome er cut-outs to the design, slope edges of ound corners | | (0-3) (0-3) | [6] |
| | (d) | Explanation | s been analysed and relevant issues/points identified of why issues/points are considered relevant mples/evidence used to support conclusions | | (0-3) (0-3) (0-2) | [8] : 20] |
| | | | | | [Total | 0] |
| 6 | (a) | | ketch correctly explain how the knock down be used to join leg and rail together | | (0–2) | [2] |
| | (b) | | | | (0–2) (0–2) | [4] |
| | (c) | Explanation | of how problem 1 could be overcome of how problem 2 could be overcome one leg and two rails to produce a workable design | | (0-3) (0-3) | [6] |
| | (d) | Explanation | s been analysed and relevant issues/points identified of why issues/points are considered relevant mples/evidence used to support conclusions | | (0-3) (0-3) (0-2) | [8] |
| | | | | | [Total: | : 20] |

Mark Scheme

Syllabus

Paper

Page 4

| | J | GCE AS/A LEVEL – October/November 2012 | 9705 | 13 | |
|-----|--|---|------------------|--------------------------|------|
| (a) | One pre-conceived idea presented OR | | (0-4) | | |
| | The development and selection of a range of ideas into a single design proposal which would appear to work but lacks some technical detail OR | | (5–8) | | |
| | proposal solution v Clarity ar | elopment and selection of a range of ideas into a sing I that includes sufficient technical detail to show that t would clearly work nd quality of sketching and explanatory notes on (reasons for selection) | _ | (9–12) (0–4) (0–4) | [20] |
| (b) | As for pa | art (a) | | | [20] |
| (c) | As for pa | art (a) | | | [20] |
| (d) | | wing will exhibit a reasonable standard of outcome an quired design features | d show some | (0-5) | |
| | | wing will exhibit a good standard of outcome and show eatures required to make the product function as inter | | (6–9) | |
| | The draw | wing will be completed to a high standard of outcome gn features required to make the product function as i | - | (10–14) | |
| | Some us drawing OR | se made of colour and tone to enhance the visual imp | act of the | (0–2) | |
| | | e has been made of colour and tone to enhance the ving | visual impact of | (3–4) | |
| | Very goo | od use has been made of colour, tone and material re the visual impact of the drawing | presentation to | (5–6) | [20] |
| | | | [Total | : 80] | |

Mark Scheme

Syllabus

Paper

Questions 8 and 9 as for Question 7

Page 5

7