



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CHEMISTRY

5070/13

Paper 1 Multiple Choice

October/November 2010

1 hour

Additional Materials: Multiple Choice Answer Sheet
 Soft clean eraser
 Soft pencil (type B or HB recommended)



READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.

This document consists of **18** printed pages and **2** blank pages.



- 1 The boiling points of various gases found in the air are shown below.

	°C
argon	-186
carbon dioxide	-78
nitrogen	-198
oxygen	-183

If the air is cooled, the first substance to condense is water.

If the temperature is lowered further, what is the next substance to condense?


- A argon
 - B carbon dioxide
 - C nitrogen
 - D oxygen
- 2 Substance X dissolves in water to form a colourless solution. This solution reacts with aqueous lead(II) nitrate in the presence of dilute nitric acid to give a yellow precipitate.

What is substance X?


- A calcium iodide
- B copper(II) chloride
- C iron(II) iodide
- D sodium chloride

- 3 The fractional distillation apparatus shown is to be used for separating a mixture of two colourless liquids. A thermometer is missing from the apparatus.

Where should the bulb of the thermometer be placed?



4 The diagram shows a diffusion experiment.



Which gas, when present in the beaker over the porous pot, will cause the water level at Y to rise?


- A carbon dioxide, CO_2
- B chlorine, Cl_2
- C methane, CH_4
- D nitrogen dioxide, NO_2

5 Hydrogen can form both H^+ ions and H^- ions.

Which one of the statements below is correct?

- A An H^+ ion has more protons than an H^- ion.
- B An H^+ ion has no electrons.
- C An H^- ion has one more electron than an H^+ ion.
- D An H^- ion is formed when a hydrogen atom loses an electron.

- 6 The diagram shows apparatus used to obtain carbon monoxide.



What is the main purpose of Y?

- A to dry the gas
 - B to prevent water being sucked back on to the hot carbon
 - C to remove carbon dioxide from the gas
 - D to remove hydrogen chloride from the gas
- 7 A dark, shiny solid, X, conducts electricity.


Oxygen combines with X to form a gaseous oxide.

What is X?

- A graphite
 - B iodine
 - C iron
 - D lead
- 8 Which substance could be sodium chloride?

	melting point / °C	conduction of electricity	
		when liquid	in aqueous solution
A	-114	nil	good
B	180	nil	nil (insoluble)
C	808	good	good
D	3550	nil	nil (insoluble)


- 9 The diagram shows the molecule ethyl propanoate.



How many bonding pairs of electrons are there in the molecule?

- A** 13 **B** 16 **C** 17 **D** 20
- 10 The conduction of electricity by metals is carried out by the movement of
- A** electrons only.
B electrons and positive ions.
C negative ions only.
D negative ions and positive ions.
- 11 What is the concentration of iodine molecules, I_2 , in a solution containing 2.54 g of iodine in 250 cm^3 of solution?
- A** 0.01 mol/dm^3
B 0.02 mol/dm^3
C 0.04 mol/dm^3
D 0.08 mol/dm^3


12 The energy profile for the forward direction of a **reversible** reaction is shown.



Which row correctly shows the sign of both the activation energy and the type of the enthalpy change for the **reverse** reaction?

	sign of activation energy	type of enthalpy change
A	negative	endothermic
B	negative	exothermic
C	positive	endothermic
D	positive	exothermic

13 The diagram shows the results of an electrolysis experiment using inert electrodes.




Which could be liquid X?

- A** aqueous copper(II) sulfate
- B** concentrated aqueous sodium chloride
- C** dilute sulfuric acid
- D** ethanol

14 In which reaction is nitric acid acting as an oxidising agent?





- A $\text{Cu} + 4\text{HNO}_3 \rightarrow \text{Cu}(\text{NO}_3)_2 + 2\text{H}_2\text{O} + 2\text{NO}_2$
 B $\text{CuO} + 2\text{HNO}_3 \rightarrow \text{Cu}(\text{NO}_3)_2 + \text{H}_2\text{O}$
 C $\text{Na}_2\text{CO}_3 + 2\text{HNO}_3 \rightarrow 2\text{NaNO}_3 + \text{H}_2\text{O} + \text{CO}_2$
 D $\text{NaOH} + \text{HNO}_3 \rightarrow \text{NaNO}_3 + \text{H}_2\text{O}$

15 The equation shows the formation of sulfur trioxide in the Contact process.



What would **decrease** the yield of sulfur trioxide in a given time?

- A addition of more oxygen
 B an increase in pressure
 C an increase in temperature
 D removal of $\text{SO}_3(\text{g})$ from the reaction chamber
- 16 Which graph represents how the rate of reaction varies with time when an excess of calcium carbonate reacts with dilute hydrochloric acid?



17 The tests below were carried out on a solution containing ions of the metal X.

test	observation
add sodium chloride solution	no change
add sodium sulfate solution	no change
add sodium hydroxide solution	a precipitate was formed, soluble in excess of the hydroxide

What is metal X?

- A calcium
- B iron
- C lead
- D zinc

18 A student mixed together aqueous solutions of Y and Z. A white precipitate formed.

Which could **not** be solutions Y and Z?

	solution Y	solution Z
A	hydrochloric acid	silver nitrate
B	hydrochloric acid	sodium nitrate
C	sodium chloride	lead(II) nitrate
D	sodium chloride	silver nitrate

19 Sulfur is burnt in air.

Which statement about this reaction is correct?

- A Sulfur is oxidised to sulfur trioxide.
- B The gas formed turns aqueous potassium dichromate(VI) from orange to green.
- C The reaction is reversible.
- D The reaction needs a catalyst.


20 Which property is common to calcium, potassium and sodium?

- A Their atoms all lose two electrons when they form ions.
- B They all form carbonates which are insoluble in water.
- C They are all less dense than water.
- D They are all metallic.

21 Which set of the electronic structures are **only** found in metals?

- A** 2, 1 2, 8, 1 2, 8, 8, 1
B 2, 5 2, 6 2, 7
C 2, 7 2, 8, 7 2, 8, 18, 7
D 2, 8, 3 2, 8, 4 2, 8, 5


22 The diagram shows processes that take place in the manufacture of ammonia.



What are substances W and X and catalyst Y?

	W	X	Y
A	air	oil	iron
B	air	oil	vanadium(V) oxide
C	oil	air	iron
D	oil	air	vanadium(V) oxide

23 The position of metal M in the reactivity series is shown.




Which method will be used to extract M from its ore?

- A** electrolysis of its aqueous sulfate
B electrolysis of its molten oxide
C reduction of its oxide by heating with coke
D reduction of its oxide by heating with hydrogen

- 24 When zinc is added to a solution of a metal sulfate, the metal is deposited and zinc ions are produced in solution.

Which metal is deposited?


- A calcium
 - B copper
 - C magnesium
 - D potassium
- 25 The diagram shows the structure of brass.



Why is brass harder than pure copper?

- A The zinc atoms form strong covalent bonds with copper atoms.
- B The zinc atoms prevent layers of copper atoms from slipping over each other easily.
- C The zinc atoms prevent the 'sea of electrons' from moving freely in the solid.
- D Zinc atoms have more electrons than copper atoms.

26 Using the apparatus shown, chlorine is passed through the tube.






After a short time, coloured substances are seen at P, Q and R.

What are these coloured substances?

	at P	at Q	at R
A	green gas	red brown vapour	violet vapour
B	green gas	violet vapour	black solid
C	red brown vapour	violet vapour	black solid
D	violet vapour	red brown vapour	red brown vapour



27 In the electrolysis of molten aluminium oxide for the extraction of aluminium, the following three reactions take place.



Which reactions take place at the anode?

- A** 1 only **B** 2 only **C** 1 and 3 **D** 2 and 3

28 Which equation in the blast furnace extraction of iron is **not** a redox reaction?



29 Which statement about the material used for aircraft bodies is correct?


Aircraft bodies are made from

- A an aluminium alloy because pure aluminium is too soft.
- B pure aluminium because of its high melting point.
- C pure aluminium because of its low density.
- D pure aluminium because of its resistance to corrosion.

30 Which natural process can cause nitrogen oxides to be formed in the atmosphere?

- A bacterial decay of plants
- B lightning activity
- C photosynthesis
- D respiration

31 Which type of water in the left hand column is linked correctly to a statement in the right hand column?







32 A catalytic converter in a car exhaust system speeds up the change of pollutants into less harmful products.

Which change does **not** occur in a catalytic converter?

- A carbon dioxide → carbon
- B carbon monoxide → carbon dioxide
- C nitrogen oxides → nitrogen
- D unburned hydrocarbons → carbon dioxide and water

33 Which formula represents a compound likely to undergo addition polymerisation?



34 Which statement about ethanol is correct?


- A** It is an unsaturated compound.
- B** It is formed by the catalytic addition of steam to ethene.
- C** It is formed by the oxidation of ethanoic acid.
- D** It reacts with ethyl ethanoate to form an acid.

35 An organic compound has an empirical formula C_2H_4O .

What is the compound?

- A** butanoic acid
- B** butanol
- C** ethanoic acid
- D** ethanol


36 Five structures are shown.



Which structures represent identical molecules?

- A 1 and 3 only
- B 2 and 3 only
- C 1, 3 and 4 only
- D 1, 3 and 5 only


37 The diagrams show two organic compounds.



Which statement about the compounds S and T is correct?

- A Both S and T react with sodium carbonate.
- B S and T react together to form the ester ethyl propanoate.
- C T can be changed into S using acidified potassium dichromate(VI).
- D They are in the same homologous series.

38 Polymer X has the structure shown.



The list shows four terms that can be applied to polymers.

- 1 addition polymer
- 2 condensation polymer
- 3 polyamide
- 4 polyester

Which two terms can be applied to polymer X?

- A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

39 In which reaction is water produced?


- A** manufacture of ethanol from ethene
- B** manufacture of margarine from vegetable oils
- C** manufacture of poly(ethene) from ethene
- D** manufacture of *Terylene* from a carboxylic acid and an alcohol

40 The results of tests on compound Z are shown.


test	result
add bromine water	turns colourless
add aqueous sodium carbonate	carbon dioxide formed

What is compound Z?


A




B



C



D



DATA SHEET
The Periodic Table of the Elements

I		Group										III	IV	V	VI	VII	O																																																																																																																																																									
		II	III	IV	V	VI	VII	VIII	IX	X	XI							XII																																																																																																																																																								
7 Li Lithium 3	9 Be Beryllium 4	1 H Hydrogen 1	11 B Boron 5	12 C Carbon 6	13 Al Aluminium 13	14 Si Silicon 14	15 P Phosphorus 15	16 S Sulfur 16	17 Cl Chlorine 17	18 Ar Argon 18	19 F Fluorine 9	20 Ne Neon 10	21 Sc Scandium 21	22 Ti Titanium 22	23 V Vanadium 23	24 Cr Chromium 24	25 Mn Manganese 25	26 Fe Iron 26	27 Co Cobalt 27	28 Ni Nickel 28	29 Cu Copper 29	30 Zn Zinc 30	31 Ga Gallium 31	32 Ge Germanium 32	33 As Arsenic 33	34 Se Selenium 34	35 Br Bromine 35	36 Kr Krypton 36	37 Rb Rubidium 37	38 Sr Strontium 38	39 Y Yttrium 39	40 Zr Zirconium 40	41 Nb Niobium 41	42 Mo Molybdenum 42	43 Tc Technetium 43	44 Ru Ruthenium 44	45 Rh Rhodium 45	46 Pd Palladium 46	47 Ag Silver 47	48 Cd Cadmium 48	49 In Indium 49	50 Sn Tin 50	51 Sb Antimony 51	52 Te Tellurium 52	53 I Iodine 53	54 Xe Xenon 54	55 Cs Caesium 55	56 Ba Barium 56	57 La Lanthanum 57	58 Ce Cerium 58	59 Pr Praseodymium 59	60 Nd Neodymium 60	61 Pm Promethium 61	62 Sm Samarium 62	63 Eu Europium 63	64 Gd Gadolinium 64	65 Tb Terbium 65	66 Dy Dysprosium 66	67 Ho Holmium 67	68 Er Erbium 68	69 Tm Thulium 69	70 Yb Ytterbium 70	71 Lu Lutetium 71	72 Ra Radium 88	73 Fr Francium 87	74 Ac Actinium 89	75 Re Rhenium 75	76 Os Osmium 76	77 Ir Iridium 77	78 Pt Platinum 78	79 Au Gold 79	80 Hg Mercury 80	81 Tl Thallium 81	82 Pb Lead 82	83 Bi Bismuth 83	84 Po Polonium 84	85 At Astatine 85	86 Rn Radon 86	87 Fr Francium 87	88 Ra Radium 88	89 Ac Actinium 89	90 Th Thorium 90	91 Pa Protactinium 91	92 U Uranium 92	93 Np Neptunium 93	94 Pu Plutonium 94	95 Am Americium 95	96 Cm Curium 96	97 Bk Berkelium 97	98 Cf Californium 98	99 Es Einsteinium 99	100 Fm Fermium 100	101 Md Mendelevium 101	102 No Nobelium 102	103 Lr Lawrencium 103	104 U Uranium 92	105 Np Neptunium 93	106 Pu Plutonium 94	107 Am Americium 95	108 Cm Curium 96	109 Bk Berkelium 97	110 Cf Californium 98	111 Es Einsteinium 99	112 Fm Fermium 100	113 Md Mendelevium 101	114 No Nobelium 102	115 Lr Lawrencium 103	116 Rf Rutherfordium 104	117 Db Dubnium 105	118 Sg Seaborgium 106	119 Bh Bohrium 107	120 Hs Hassium 108	121 Mt Meitnerium 109	122 Ds Darmstadtium 110	123 Rg Roentgenium 111	124 Cn Copernicium 112	125 Nh Nihonium 113	126 Fl Flerovium 114	127 Mc Moscovium 115	128 Lv Livermorium 116	129 Ts Tennessine 117	130 Og Oganesson 118	131 Uu Ununennium 119	132 Uub Unbibium 120	133 Uut Untrium 121	134 Uuq Unquadrium 122	135 Uuq Unquadrium 122	136 Uuh Unhexium 123	137 Uuh Unhexium 123	138 Uu Ununium 124	139 Uu Ununium 124	140 Ce Cerium 58	141 Pr Praseodymium 59	142 Nd Neodymium 60	143 Pm Promethium 61	144 Nd Neodymium 60	145 Sm Samarium 62	146 Eu Europium 63	147 Gd Gadolinium 64	148 Tb Terbium 65	149 Dy Dysprosium 66	150 Ho Holmium 67	151 Er Erbium 68	152 Tm Thulium 69	153 Yb Ytterbium 70	154 Lu Lutetium 71	155 U Uranium 92	156 Np Neptunium 93	157 Pu Plutonium 94	158 Am Americium 95	159 Cm Curium 96	160 Bk Berkelium 97	161 Cf Californium 98	162 Es Einsteinium 99	163 Fm Fermium 100	164 Md Mendelevium 101	165 No Nobelium 102	166 Lr Lawrencium 103	167 U Uranium 92	168 Np Neptunium 93	169 Pu Plutonium 94	170 Am Americium 95	171 Cm Curium 96	172 Bk Berkelium 97	173 Cf Californium 98	174 Es Einsteinium 99	175 Fm Fermium 100	176 Md Mendelevium 101	177 No Nobelium 102	178 Lr Lawrencium 103

*58-71 Lanthanoid series
†90-103 Actinoid series

Key

a	X
b	
†	

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.