



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/02
Paper 2			May/June 2008
			1 hour 15 minutes
Candidates ans	swer on the Question Paper.		
No Additional N	Naterials are required.		

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES

Answer all questions.


A copy of the periodic table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.


For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
Total	

This document consists of **16** printed pages.



1 The diagram shows the structures of some substances containing carbon.

For Examiner's Use




(a) Answer these questions using the letters A, B, C, D, E or F.

	(i)	Which one of these structures is ionic?	 [1]
	(ii)	Which one of these structures represents ethanol?	 [1]
(	iii)	Which one of these structures represents a gas which turns limewater milky?	 [1]
(	iv)	Which one of these structures is an unsaturated hydrocarbon?	 [1]
(b)	Des	scribe a chemical test for an unsaturated hydrocarbon.	
	tes	t	
	res	ult	[2]

(c)	State the chemical name of structure <b>B</b> .		For Examiner's
		[1]	Use
(d)	Structure <b>F</b> has several uses. Which one of the following the box.	owing is a correct use of structure <b>F</b> ?	
	for cutting metals		
	as a lubricant		
	for filling balloons		
	as an insulator	[1]	
(e)	The structures <b>A</b> to <b>E</b> are compounds. What do you	understand by the term compound?	
		[1]	
(f)	State the type of bonding in structure <b>A</b> .		
		[1]	
		[Total: 10]	

The diagram shows a statue in a park in an industrial town. The statue is made from limestone.

For Examiner's Use



statue when first erected



the same statue after 20 years

[1]

(a)	State the name of the chemical present in limestone.	
		[1]
(b)	Use ideas about the chemistry of atmospheric pollutants to suggest how and why the statue changes over 20 years.	
		[4]
(c)	Parts of the statue are joined together with iron pins. After 30 years, the arm falls off the	he

© UCLES 2008 0620/02/M/J/08

Suggest why the arm falls off.

statue.

(i)	What do you unde	rstand by the term isoto	ppes?
(ii)	The table shows the	ne number of subatomic	particles in an atom of iron.
	type of particle	number of particles	relative charge on the particle
	electron	26	
	neutron	30	
	proton	26	
iii)		e to show the relative che of nucleons in this isoto	·
Soi	me isotopes are rad	ioactive. State one indu	strial use of radioactive isotopes.
Iror	n reacts with very di	lute nitric acid.	
		Fe + 2HNO <sub>3</sub> →	Fe(NO <sub>3</sub> ) <sub>2</sub> + H <sub>2</sub>

[1]

For Examiner's Use

[Total: 13]

3 The table shows the concentration of some ions present in seawater.

For Examiner's Use


name of ion	formula of ion	concentration of ion in g/dm³
bromide	Br⁻	0.07
calcium	Ca <sup>2+</sup>	0.4
chloride	C <i>l</i> −	19.1
magnesium	Mg <sup>2+</sup>	1.2
potassium	K⁺	0.3
sodium	Na⁺	10.6
	SO <sub>4</sub> <sup>2-</sup>	0.8

(a)	Which negative ion has the highest concentration in seawater?	
		[1]
(b)	State the name of the ion with the formula $SO_4^{2-}$ .	
		[1]
(c)	Which two ions in the table are formed from Group I elements?	
	and	[1]
(d)	When seawater is evaporated a number of different compounds are formed. State the name of the compound which is present in the greatest quantity.	
		[1]
(e)	State the names of two ions in the table which move to the cathode when seawate electrolysed.	er is
	and	[2]

(f)	Wh	en concentrated seawater is electrolysed, chlorine is formed at one of the electrodes.	For Examiner's
	(i)	To which Period in the Periodic Table does chlorine belong?	Use
		[1]	
	(ii)	Draw the electronic structure of a chlorine molecule. Show only the outer electrons.	
		[2]	
(g)		nking water can be obtained by purifying seawater. Dain why distillation rather than filtration is used to purify seawater for drinking.	
		[2]	
		[Total: 11]	

4 The diagram shows a water treatment works.

For Examiner's Use



(c) The aluminium ions in aluminium sulphate cause clay particles to clump together. Describe a test for aluminium ions.

test	
result	
	[3]

(d) Why is chlorine added to the water?



For Examiner's Use

(e)	Wh	orine is in Group ${ m VII}$ of the Periodic Table. en chlorine reacts with a solution of potassium bromide, the solution turns a dish – brown colour.
	(i)	Write a word equation for this reaction.
		[2]
	(ii)	Explain why iodine does not react with a solution of potassium bromide.
		[1]
(f)	Wh	en chlorine reacts with sodium to form sodium chloride, energy is released.
	(i)	State the name given to a reaction which releases energy.
		[1]
	(ii)	What type of bonding is present in sodium chloride?
		[1]
	(iii)	Explain what happens in terms of electron transfer when a sodium atom reacts with a chlorine atom.
		[2]
		[Total: 14]

		y crystals of magnesium sulphate can be made by reacting excess magnes with dilute sulphuric acid.	sium	For Examiner's Use
(a)		ring the reaction, bubbles of a colourless gas are given off. te the name of this gas.		
			[1]	
(b)	(i)	Why is excess magnesium used?		
	(ii)	How is the excess magnesium removed from the reaction mixture?	[1]	
	(,		[1]	
(c)		scribe how you can obtain pure dry crystals of magnesium sulphate from a solunagnesium sulphate.	ution	
			[2]	
(d)	(i)	Describe one other reaction that makes magnesium sulphate.		
			[1]	
	(ii)	Write a word equation for the reaction you suggested in part (d)(i).		
			[1]	
(	(iii)	Magnesium sulphate can be used as a medicine. Explain why the chemicals us in medicines need to be as pure as possible.	sed	
			[1]	
			- 1	
				1

(e) A student repeats the experiment using excess sulphuric acid. She obtains 24 g of magnesium sulphate from 4.8 g of magnesium. How much magnesium sulphate can the student obtain from 1.2 g of magnesium?

For Examiner's Use

[1]

(f) A sample of 20 g of impure magnesium sulphate contains 19.5 g of magnesium sulphate.


Calculate the percentage purity of the magnesium sulphate.

[1]

[Total: 10]

**6** Petroleum is separated into useful fractions by distillation.

For Examiner's Use



(a)	(i)	What do you understand by the term fraction?	
			•••••
			[1]
	(ii)	Which fraction has the lowest boiling point?	
			[1]
	(iii)	Describe how distillation is used to separate these fractions.	
			[2]
			<u>.</u>
	(iv)	State a use for	
		the paraffin fraction,	
		the bitumen fraction.	[2]

(b)	Eth	ene can be made by c	racking certain	hydrocarbon fractior	ns.	For Examiner's
	(i)	Explain what is mean	t by the term cr	acking.		Use
						[1]
	(ii)	Complete the equation	n for the cracki	ng of tetradecane, C	<sub>14</sub> H <sub>30</sub> .	
			C <sub>14</sub> H <sub>30</sub>	+ C <sub>2</sub> H <sub>4</sub>		[1]
(c)		anol is formed when s alyst of phosphoric aci		th ethene at high pro	essure and temperatur	re. A
			ethene + stea	am ⇌ ethanol		
	(i)	What is the function of	of the catalyst?			
						[1]
	(ii)	What is the meaning	of the symbol <del>←</del>	<b>≥</b> ?		
						[1]
	(iii)	Ethanol is also forme What is this process of Put a ring around the	called?	_	on.	
		addition com	bustion	fermentation	neutralisation	[1]
	(iv)	Phosphoric acid is a tophosphoric acid is ad		te what you would o	bserve when a solutior	n of
		blue litmus,				
		a solution of sodium	carbonate.			[2]
					[Total:	13]

7 A student placed a crystal of copper(II) sulphate in a beaker of water.

After one hour the crystal had completely disappeared and a dense blue colour was observed in the water at the bottom of the beaker. After 48 hours the blue colour had spread throughout the water.

For Examiner's Use

	copper(II) sulphate crystal	after 1 hour	after 48 hours
(a)	Use the kinetic particle theory to	explain these observations.	
			[2]
(b)	Describe the arrangement and r	motion of the particles in the o	copper(II) sulphate crystal.

**(c)** Copper ions can be separated from other metal ions by paper chromatography. Draw a labelled diagram of the apparatus for paper chromatography.

arrangement

[2]

In your diagram include


motion

- the solvent,
- the spot where the solution containing copper ions is placed.

[2]

(d) Copper can be purified by electrolysis.





(i) Choose a word from the list below which describes the pure copper foil. Put a ring around the correct answer.

	anion	anode	cathode	cation	electrolyte	[1]
(ii)	Describe wha	at happens du	ring this electroly	sis to		
	the pure cop	per foil,				
	the impure co	opper foil				[2]
					[To	otal: 9]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

								Gro	Group								
_	=											=	2	>	IN	IIA	0
							Hydrogen 1										4 <b>He</b> lium
Lithium 3 23 23 Na Sodium 11	Beryllium 4 24 Z4 Magnesium 12	_ E E				-		7				11 Boron 5 Aluminium 13	Carbon 28 Silicon Silicon 14	Nitrogen 7 Nitrogen 31 91 Phosphorus 15	16 Oxygen 8 32 Sulphur 16	19 Fluorine 9 35.5 <b>C.1</b> Chlorine	20 Ne n 10 Ar Argan 18
39 K	Ca Calcium	Scandium 21	48 <b>T</b> Ttanium	51 Vanadium 23	Cr Chromium	Manganese	56 Iron	59 <b>Co</b> Cobalt	59 <b>Nicke</b> l Nickel	64 Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germaniu	AS Arsenic	Selenium	80 <b>Br</b> Bromine 35	84 <b>Kr</b> ypton 36
Rubidium 37	Strontium 38	89 <b>×</b>	2r Zirconium 40	93 <b>Nb</b> Niobium	96 <b>Mo</b> Molybdenum 42		101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 Pd Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium	Sn Tin		128 <b>Te</b> Tellurium	127 <b>I</b> lodine	131 <b>Xe</b> Xenon 54
133 Cs Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>H</b> Hafnium 72	181 <b>Ta</b> Tantalum	184 <b>W</b> Tungsten 74		190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold	201 <b>Hg</b> Mercury 80	204 <b>T 1</b> Thallium	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth	<b>Po</b> Polonium 84	At Astatine 85	Radon 86
Francium 87	226 <b>Ra</b> Radium 88	Actinium Actinium 89															
*58-71 †90-10	*58-71 Lanthanoid serie	*58-71 Lanthanoid series 190-103 Actinoid series		140 <b>Ce</b> Cerium	Pr Praseodymium 59	Neodymium	Pm Promethium 61	Sm Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	Dy Dy Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium	173 <b>Yb</b> Ytterbium 70	Lutetium
Key	а <b>Х</b>	<ul><li>a = relative atomic mass</li><li>X = atomic symbol</li><li>b = proton (atomic) number</li></ul>	nic mass bol nic) number	232 <b>Th</b> Thorium	Pa Protactinium 91		Neptunium 93	<b>Pu</b> Plutonium	Am Americium 95	Cm Curium 96	<b>BK</b> Berkelium 97	Cf Californium 98	<b>ES</b> Einsteinium 99		Md Mendelevium 101	Nobelium 102	Lr Lawrencium 103

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).