

Cambridge IGCSE™

COMPUTER SCIENCE

0478/23 May/June 2022

Paper 2 Problem Solving and Programming MARK SCHEME Maximum Mark: 50

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question •
- the specific skills defined in the mark scheme or in the generic level descriptors for the question .
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the • scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do .
- marks are not deducted for errors •
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Please note the following further points:

The words in **bold** in the mark scheme are important text that needs to be present, or some notion of it needs to be present. It does not have to be the exact word, but something close to the meaning.

If a word is underlined, this exact word must be present.

A single forward slash means this is an alternative word. A double forward slash means that this is an alternative mark point.

Ellipsis (...) on the end of one-mark point and the start of the next means that the candidate **cannot** get the second mark point without being awarded the first one. If a mark point has an ellipsis at the beginning, but there is no ellipsis on the mark point before it, then this is just a follow-on sentence and **can** be awarded **without** the previous mark point.

Question	Answer	Marks					
	Section A						
1(a)	Many correct answers, the names used must be meaningful. The names given are examples only. One mark per mark point, max four						
	• Variable ClientName						
	Use Storing the name of the person making the booking						
	• Array BookingsLarge[]						
	Use Storing the bookings for the large meeting room						
	 Task 1 – setting up a booking system structure for the meeting rooms Set up suitable data structures for each of the three meeting rooms to store: when it is booked during a fixed eight-week period the client's name (the person making the booking) a unique booking code the cost of the booking. 						
	Task 2 – booking a meeting room Extend the program in Task 1 to enable bookings to be made so that the client enters their name, the meeting room required and the day of the booking. After the data has been entered, the program should check if the requested day is available for the required meeting room and if not , the client should be allowed to enter an alternative day or exit the program.						
	If the requested day is available, the booking details and cost of the booking should be output for the client to confirm. Once confirmed, a unique booking code should be generated and stored in both the appropriate meeting room data structure and the unique booking code data structure. The client's name and cost of the booking should be stored in the appropriate data structures set up in Task 1 .						
	Bookings of more than one day must be entered as separate single day bookings.						

Question	Answer	Marks				
1(b)	One mark per mark point, max two					
	 MP1 input a piece of normal test data that should be accepted // use Large, Small1 or Small2 to check that these data are accepted // use a menu and check the input matches the available options MP2 Input a piece of erroneous test data that should be rejected // entry of anything that is not Large, Small1 or Small2 should be rejected // anything not on the menu should be rejected 					
	Explanation Task 2					
1(c)	One mark per mark point, max four					
	MP1 introduce a (new) variable/array for the number of days for the booking // introduce a (new) variable/array for the number of days for booking the same room // identify the number of days the same room has been booked by the same client					
	MP2 use a conditional/IF statement to check if the length of the booking is 2 to 6 inclusive / 2, 3, 4, 5, or 6 //Use a CASE statement					
	MP3 if it is, get the daily rate for the room booking					
	MP4 multiply the number of days for the booking by the room rate					
	MP5 multiply the total cost of the booking by 70%/.7// reduce the total cost by 30%					
	Explanation Task 2					

	Алошог							
Question	Answer	Marks						
1(d)	One mark per mark point, max six							
	 MP1 output all relevant input data using suitable variables for client name, meeting room choice, the booking day and the booking cost MP2 attempt to provide appropriate messages to accompany given output MP3 input with messages to confirm booking MP4 conditional statement or WHILE to check for a positive confirmation input MP5 attempt at generation of booking code MP6 fully unique booking code generated MP7 identification of meeting room using CASE or IF statements MP8 storage of booking code in both meeting room and booking code arrays/lists MP9 storage of client name and booking cost in appropriate arrays/lists Relevant parts of Task 2 for this question: output the booking details and cost of the booking 							
	 output the booking details and cost of the booking take confirmation from client 							
	 take confirmation from client generate a unique booking code 							
	 store the booking details. 							
	Assume the booking is for a single day and the requested booking day is available.							
	<pre>Example answer //Assume variables representing the current index position for the client //related arrays, ClientIndex, and index for date related arrays, //DateIndex, have been used OUTPUT "Your name is ", ClientName, Meeting Room ", MeetingRoom, " starting on ", StartDay, " cost of booking ", BookingCost OUTPUT "Is this correct (Y or N)" INPUT Confirm The a circum "W"</pre>							
	IF Confirm = "Y" THEN							
	BookingCode ← BookingCode + 1 CASE OF MeetingRoom							
	'Lg': MeetingLarge[DayIndex] BookingCode							
	'S1': MeetingSmall1[DayIndex] ← BookingCode							
	'S2': MeetingSmall2[DayIndex] ← BookingCode							

Answer	Marks
ENDCASE BookingCode[ClientIndex] ← BookingCode ClientName[ClientIndex] ← ClientName BookingCost[ClientIndex] ← BookingCost //No ELSE clause is specified in the task or the question //so, ignore it if one is given ENDIF	
One mark per mark point, max fourMP1select the room whose records are to be searched // input the room whose records are to be searchedMP2use a suitable loop (to search through the array that stores the bookings data for that room)MP3use an IF statement/conditional statement to check if the current array element has a bookingMP4 if not, use the array index to output the day representedMP5check each element in the array until all array elements have been checked	4
 Task 3 – using the booking data Extend the program in Task 1 and Task 2 to make use of the data that is available, to: select a meeting room and output the days when it is free total and output the amount of money currently taken for all three meeting rooms check the bookings for a specific client. 	
	<pre>ENDCASE BookingCode[ClientIndex] ← BookingCode ClientName[ClientIndex] ← ClientName BookingCost[ClientIndex] ← BookingCost //No ELSE clause is specified in the task or the question //so, ignore it if one is given ENDIF One mark per mark point, max four MP1 select the room whose records are to be searched // input the room whose records are to be searched MP2 use a suitable loop (to search through the array that stores the bookings data for that room) MP3 use an IF statement/conditional statement to check if the current array element has a booking MP4 if not, use the array index to output the day represented MP5 check each element in the array until all array elements have been checked Task 3 – using the booking data Extend the program in Task 1 and Task 2 to make use of the data that is available, to: select a meeting room and output the days when it is free total and output the amount of money currently taken for all three meeting rooms </pre>

Question	Answer									
			Section B							
2	One mark	ne mark per row, max four								
				Types of	test data					
		Description	Boundary	Erroneous / Abnormal	Extreme	Normal				
		test data that is always on the limit of acceptability			✓					
		test data that is either on the limit of acceptability or test data that is just outside the limit of acceptability	4							
		test data that will always be rejected		✓						
		test data that is within the limits of acceptability			✓	1				

Question	Answer	Marks
3	One mark per mark point, max four	4
	 variables are used to represent values that can change during the execution of a program // variables can be used to store the results of calculations / counting / totalling // can store values entered by the user variable example – any data that is input into a program such as a date constants represent values that must stay the same throughout the execution of a program constant example – any value that does not change, such as Pi in mathematical formulae 	

Question						Answer					M	/larks
4(a)	One m MP1 MP2 MP3 MP4 MP5 MP6 MP7	correct I correct L correct T correct N correct S correct C	rk point, ma n column ogic colum est column umber colur tore [Coun ount and L ut and OUT	n mn t] column imit colur	nns							7
		In	Logic	Test	Number	Store [Count]	Count	Limit	Out	OUTPUT		
							0	5				
		1	TRUE	2	9							
				3								
			FALSE									
		2	TRUE	2	5							
				3		5	1					
		3	TRUE	2	8							
			FALSE									
		4	TRUE	2	10							
			FALSE									
		5	TRUE	2	7							
				3		7	2		0	5		
									1	7		

Question	Answer	Marks				
4(b)	 One mark per mark point, max two to find / output prime numbers store prime numbers in an array 					
4(c)	One mark per mark point, max three MP1 insert a WHILE loop // pre-condition loop MP2 after Input Number MP3 with a condition to enter the loop Number < 3 MP4 an error message included within the loop to ask for a re-entry of Number MP5 with another input prompt for Number MP6 ENDWHILE closes the loop and the program carries on from REPEAT in the original algorithm	3				
	<pre>One mark per mark point, max three MP1 insert a REPEAT loop // post-condition loop MP2 before Input Number MP3 a conditional statement should be placed after Input Number MP4to check if Number < 3 MP5 if the number entered is <3, an error message included within the loop to ask for a re-entry of Number MP6 UNTIL Number >= 3 closes the loop and the program carries on from REPEAT in the original algorithm</pre>					

Question	Answer	Marks
	Answer	Marks

Question	Answer									
6(a)	Larger							1		
6(b)	One mark per mark pocorrect fields corre	ectly named and	table names					3		
		correct sort and show box rows								
	Field:	PlanetName	Larger	YearLength						
	Table:	PLANETS	PLANETS	PLANETS						
	Sort:	Ascending								
	Show:	V								
	Criteria:		Yes	>365						
	or:									