Candidate Name

International General Certificate of Secondary Education	
CAMBRIDGE INTERNATIONAL EXAMINATIONS	

DESIGN AND TECHNOLOGY PAPER 3 Realisation OCTO 0445/3

OCTOBER/NOVEMBER SESSION 2002

1 hour

Candidates answer on the question paper. No additional materials are required.

TIME 1 hour

To be taken together with Paper 1 in one session of 2 hours 45 minutes.

## **INSTRUCTIONS TO CANDIDATES**

Write your name, Centre number and candidate number in the spaces at the top of this page.

Answer any **two** questions.

Write your answers in the spaces provided on the question paper.


## **INFORMATION FOR CANDIDATES**

The number of marks is given in brackets [ ] at the end of each question or part question.

FOR EXAMINER'S USE		
1		
2		
3		
4		
TOTAL		

## This question paper consists of 12 printed pages.

1



- (a) Give two reasons why mild steel tube would be suitable for the side frames of the footrest.
  - (i) .....
  - (ii) .....[2]
- (b) Using notes and sketches describe how the steel tube at joint A could be:
  - (i) cleaned ready for joining;

(iii) brazed.

[4]

[4]

(c) The foot support area is to be made from mild steel sheet which has been folded to shape.

3

Using notes and sketches show:

(i) the development of the sheet metal prior to bending;

(ii) how the sheet would be folded to the shape;

(iii) how the corners of the folded support would be joined.

[4]

[4]

(d) The foot support needs to be set at different angles to provide people with a range of comfortable resting positions.

4

Show by means of a sketch how the front of the foot support area could be made to adjust up and down.

Ø 280

- material M2 thick (a) Name a suitable plastic for the paint holder and give two reasons for your choice. **(i)** \_\_\_\_\_ (ii) ..... (iii) ......[3] (b) Using notes and sketches describe the following stages of making the paint holder by each of the following methods: (i) Vacuum Forming. 1. the table set up and former; 2. holding the plastic;
- 2 The design for plastic paint holder is shown below.

[3]

[3]

3. heating the plastic;

6

**4.** forming the shape.

(ii) Injection Moulding.

1. machine set up and mould;

2. holding the plastic;

[3]

[3]

[3]

[3]

3. heating the plastic;

[3]

**4.** forming the shape.

[3]


(c) Explain how **one** of the following may cause problems when producing the plastic holder.

7

## either

- a former with no draft or rounded corners;
- or
- a mould that is cold.

 **3** The drawing below shows a triangular plate made from sheet material, it forms part of a self assembly outdoor children's playhouse kit.



(a) Compare the following sheet materials which could be used for the plate and state **one** advantage and **one** disadvantage with each.

Material	Advantage	Disadvantage
Plywood		
Nylon		
Brass		

[6]

- (b) Choose **one** of the materials named in (a) and using notes and sketches describe each of the following stages of making the plate. Name all tools and equipment used.
  - (i) marking out the outline shape;

[4]

[4]

[4]

[4]

(ii) marking out the holes and slots;


(iii) drilling the holes;

(iv) cutting out the slots;

(v) cutting the outline shape;

(vi) finishing.

4 The outline design for wooden mechanical toy is shown below.



- (a) Name two properties that a wood should have to be suitable for a child's toy.
  - (i) .....
  - (ii) .....[2]

(b) Show by means of sketches how the frame may be:

(i) joined together at X;

(ii) joined together at Y.

(c) Describe with aid of notes and sketches how **one** of the joints given in answer to (b) could be made.

[8]

Turn over for parts (d) and (e)

- (d) Use notes and sketches to show the following stages in drilling the holes in the **two** side pieces of the frame prior to joining.
  - (i) holding the two pieces of material;

(ii) safety checks;

(iii) drilling the holes.

[3]

[3]

[3]

(e) Explain what happens when the handle on the toy is turned as shown.

.....[3]