Centre Number	Candidate Number	Name

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

DESIGN AND TECHNOLOGY

0445/03

Paper 3 Realisation

October/November 2006

1 hour

Candidates answer on the Question Paper. No Additional Materials are required.

To be taken together with Paper 1 in one session of 2 hours 45 minutes.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer two questions.

You may use a calculator.

The number of marks is given in brackets [] at the end of each question or part questions.

At the end of the examination, fasten all your work securely together.

FOR EXAMINER'S USE				
1				
2				
3				
4				
TOTAL				

1 Fig. 1 shows the basic design for an adjustable mirror. The side view shows details of a mirror tile and its backing material.





Fig. 1

(a) The base and uprights are to be cut from a single length of hardwood as shown in Fig. 2.

Complete Fig. 2 to show how the base and uprights could be marked out to avoid waste.



SCALE 1:3

Fig. 2

[5]

© UCLES 2006 0445/03/O/N/06

(a)	(1)	the mirror backing.	TOT
		1	••••
		2	[2]
	(ii)	Name a suitable adhesive that could be used to glue the mirror tile to the manufactured board backing.	the
			[1]
(c)	(i)	Name two methods of joining the upright to the base at A .	
		1	••••
		2	[2]
	(ii)	Sketch one of the joining methods you have named in part (c) (i).	

[4]

(iii)	Use notes and sketches to show four of the main stages in making one of joints named in part (c) (i) .	the
	Do not include marking out.	
	Chosen joint	
	Stage 1	
		[2]
	Stage 2	
	Stage 3	[2]
	Stage 3	
	Stage 4	[2]
		[2]

(d) Fig. 3 shows a side view of the adjustable mirror with the right hand upright removed.

The mirror is pivoted between the uprights and is to be held at any angle between 0°-45°.




Fig. 3

Use notes and sketches to show a suitable pivot and locking method by which the mirror could be held at any angle, $(0^{\circ}-45^{\circ})$, between the uprights.

Name the materials and fittings you would use.

[2]

Fig. 4 shows views of a free-standing clock. 2

The clock is made from two separate pieces of acrylic.




Fig. 4

(a)	State two properties of acrylic that makes it a suitable material for this clock.
	1
	2 [2]
(b)	Give two reasons why a designer would construct a mock-up model of the clock before making it from acrylic.
	1
	2 [2]

© UCLES 2006 0445/03/O/N/06

(C)	piece of acrylic.	sketches	to snow	now	tne	CIOCK	stand	coula	be	marked	out	on	one
													[8]
(d)	Name two tools	that could	be used	l to m	nark	out the	e shap	e.					
	1												
	2											••••	[2]

(e)	Use notes	and	sketches	to	describe	the	following	stages	when	producing	the	two	90°
	bends in th	e clo	ock stand.										

(i) Heating the plastic.

[3]

(ii) Bending the plastic to the required shape.

[5]

(f)	Des	scribe three of the main stages in finishing the edges of the acrylic.	
	1		
	2		
	3		
			[3]
(g)	The	ere is a risk that sheet acrylic could crack when being drilled.	
	Des	scribe how this risk can be minimised.	
			[2]
(h)		Name a solvent used to fix the clock face to the stand.	
			[1]
	(ii)	State two safety precautions you would take when using solvents.	
		1	
		2	[2]
			[-]

3 Fig. 5 shows details of a table on which drinks and snacks could be placed.

The table top can be adjusted to different heights.

The table top has been lifted off to show the frame to which it will be attached.




Fig. 5

[1
 L'.

© UCLES 2006 0445/03/O/N/06

(a) Name a suitable manufactured board for the table top.

(a)	wa	nutactured boards without a melamine facing require an applied finish.	
	(i)	State a suitable finish for the table top and give one reason for your choice.	
		Finish	
		Reason [2	<u>']</u>
	(ii)	Use notes and sketches to describe how the table top is prepared and your chose finish applied.	n

(c) The table top is to be connected to the T frame by a method that allows it to be removed for maintenance.

Use notes and sketches to show a suitable method.

[4]

(d) Use notes and sketches to show how the T frame could be adjusted and locked at **three** different heights. Give details of any fittings you use.

[4]

(e)	Use notes and sketches to show two improvements you could make to the design the table top.	n of
	Improvement 1	
		[2]
	Improvement 2	
		[2]
(f)	State two methods of joining the steel tube at A .	
	1	
	2	[2]

(g) Us	se notes and sketches to show the following stages when making the tubular same.	steel
(i)	Marking the steel tube to length.	
		[3]
(ii)	Cutting the steel tube to length.	
		[3]
(iii)	Squaring the ends of the steel tube.	
		[3]

[3]

4 Fig. 6 shows an incomplete DVD storage unit made mainly from a good quality hardwood.

The unit will store twenty DVDs. Four DVDs are shown in position.




Fig. 6

(a)	State two visual characteristics of hardwoods that give them a high-quality appearance.
	1
	2[2]
(b)	Give three design requirements for the DVD storage unit.
	1
	2

(c) Fig. 7 shows a length of hardwood from which the two sides and the top are to be made.




Fig. 7

Name **three** tools that would be used to prepare the wood to the finished width of 120 mm.

1	
2	
3	[3

- (d) Use notes and sketches to show how:
 - (i) the DVDs are spaced 10 mm apart within the storage unit;

(ii) the DVDs could be prevented from falling through the back of the unit.

[5]

[5]

(e) Fig. 8 shows the plinth made from four pieces of wood joined at the corners by means of a glued mitre joint.




Fig. 8

Use notes and sketches to show how the following stages could be carried out:

(i) marking out the 45° mitres;

[3]

(ii) cutting the mitres at 45°;

(iii) holding the four sides together while the glue is setting;

[3]

(iv) checking that the plinth is square.

[3]

© UCLES 2006 0445/03/O/N/06

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.