## MARK SCHEME for the October/November 2014 series

## 7048 CDT: DESIGN AND COMMUNICATION

7048/01

Paper 1, maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Cambridge O Level - October/November 2014         7048         01           1 (a) (i) TABLE added (lower or upper case in any size/position) [1] TABLE added in correct position and in capitals [1] All letters of a height consistent with the given T [1]         (ii) Right half of table top added in good proportion [1] Some attempt at drawing A+B [1] Well-proportioned drawing [1]         (ii) Part A and part B of the base drawn assembled [1] Part A and part B shown exploded [1] Part B shown sliding into part A slots aligned [1]         (iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]         (iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]           (b) The function of the instruction leaflet is to communicate information. Accept, show how to it together, show the parts but not assembly instructions as this in the Q1 (a)           (c) Paper weight – 80 gsm to 160 gsm (or g/m <sup>2</sup> ) [1] Printing method – photocopying, laser printer, ink jet [1]           (d) (i) 'Front view Base 100 high [1] Base 100 high [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1] <b>Brackets</b> At least one bracket shown (side or front) [1]         *for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top           (ii) Plan Any circle drawn [1] Circle Ø120 [1]         *candidates who turn the base through 45 degrees must be allowed to score maximum marks           (e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] Fir	Cambridge O Level - October/November 2014         7048         61           I         (a) (i) TABLE added (lower or upper case in any size/position) [1] TABLE added in correct position and in capitals [1] All letters of a height consistent with the given T [1]         [3]           (ii) Right half of table top added in good proportion [1] Some attempt at drawing A+B [1]         [3]           (iii) Right half of table top added in good proportion [1] Some attempt at drawing A+B [1]         [3]           (iii) Part A and part B of the base drawn assembled [1] Part A and part B of the base drawn assembled [1] Part B shown sulding into part A slots aligned [1]         [3]           (iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]         [3]           (b) The function of the instruction leaflet is to communicate information. Accept, show how to put it together, show the parts but not assembly instructions as this in the Q1 (a)         [1]           (c) Paper weight - 80gsm to 160gsm (or g/m <sup>2</sup> ) [1] Printing method - photocopying, laser printer, ink jet [1]         [2]           (d) (i) *Front view Base 100 high [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]         [8]           *for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks - base tapered, edge of second base drawn and thickness to top         [6]           (ii) Plan Any circle drawn [1] Circle Ø120 [1]         [2]         [3]           (e) Trunc	Page 2	2	Mark Scheme	Syllabus	Paper
<ul> <li>(a) (i) TABLE added (lower or upper case in any size/position) [1] TABLE added in correct position and in capitals [1] All letters of a height consistent with the given T [1]</li> <li>(ii) Right half of table top added in good proportion [1] Some attempt at drawing A+B [1] Well-proportioned drawing [1]</li> <li>(iii) Part A and part B of the base drawn assembled [1] Part B shown stiding into part A slots aligned [1]</li> <li>(iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]</li> <li>(b) The function of the instruction leaflet is to communicate information. Accept, show how to it together, show the parts but not assembly instructions as this in the Q1 (a)</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1]</li> <li>(d) (i) "Front view Base 100 high [1] Base 80 wide [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1] Brackets At least one bracket shown (side or front) [1]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> </ul>	<ul> <li>(a) (i) TABLE added (lower or upper case in any size/position) [1] TABLE added in correct position and in capitals [1] All letters of a height consistent with the given T [1] [3]</li> <li>(ii) Right half of table top added in good proportion [1] Some attempt at drawing A+B [1] [3]</li> <li>(iii) Part A and part B of the base drawn assembled [1] Part A and part B shown exploded [1] Part A and part B shown exploded [1] Part A and part B shown exploded [1] Part B shown sliding into part A slots aligned [1] [3]</li> <li>(iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1] [3]</li> <li>(b) The function of the instruction leaflet is to communicate information. Accept, show how to put it together, show the parts but not assembly instructions as this in the Q1 (a) [1] Printing method – photocopying, laser printer, ink jet [1] [2]</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1] [2]</li> <li>(d) (i) "Front view Base 100 high [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1] [8]</li> <li>"for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edg of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1] [2]</li> <li>"candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1] [3]</li> <li>(i) 20 [1]</li> <li>(i) 20 [1]</li> </ul>			Cambridge O Level – October/November 2014	7048	01
<ul> <li>(ii) Right half of table top added in good proportion [1] Some attempt at drawing A+B [1] Well-proportioned drawing [1]</li> <li>(iii) Part A and part B of the base drawn assembled [1] Part A and part B shown exploded [1] Part A and part B shown exploded [1] Part B shown sliding into part A slots aligned [1]</li> <li>(iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]</li> <li>(b) The function of the instruction leaflet is to communicate information. Accept, show how to it together, show the parts but not assembly instructions as this in the Q1 (a)</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1]</li> <li>(d) (i) "Front view Base 100 high [1] Base 80 wide [1] Base 80 wide [1] Base 80 wide [1] Base at one bracket shown (side or front) [1]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>(ii) Right half of table top added in good proportion [1] Some attempt at drawing [A] [1] Well-proportioned drawing [1] [3]</li> <li>(iii) Part A and part B of the base drawn assembled [1] Part A and part B shown exploded [1] Part B shown sliding into part A slots aligned [1] [3]</li> <li>(iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1] [3]</li> <li>(b) The function of the instruction leaflet is to communicate information. Accept, show how to put it together, show the parts but not assembly instructions as this in the Q1 (a) [1] Printing method – photocopying, laser printer, ink jet [1] [2]</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1] [2]</li> <li>(d) (i) *Front view Base 100 high [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1] [8]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1] [2]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1] [3]</li> <li>(if) 20 [1]</li> </ul>	1 (a)	(i)	TABLE <b>added</b> (lower or upper case in any size/position) [1] TABLE added in correct <b>position</b> and in <b>capitals</b> [1] All letters of a <b>height consistent</b> with the given T [1]		[3]
<ul> <li>(iii) Part A and part B of the base drawn assembled [1] Part B shown silding into part A slots aligned [1] Part B shown sliding into part A slots aligned [1]</li> <li>(iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]</li> <li>(b) The function of the instruction leaflet is to communicate information. Accept, show how to it together, show the parts but <b>not</b> assembly instructions as this in the Q1 (a)</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1]</li> <li>(d) (i) "Front view Base 100 high [1] Base 80 wide [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1] Brackets At least one bracket shown (side or front) [1]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>(iii) Part A and part B of the base drawn assembled [1] Part A and part B shown exploded [1] Part B shown sliding into part A slots aligned [1]</li> <li>(i) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]</li> <li>(i) The function of the instruction leaflet is to communicate information. Accept, show how to put it together, show the parts but not assembly instructions as this in the Q1 (a)</li> <li>(i) The function of the instruction leaflet is to communicate information. Accept, show how to put it together, show the parts but not assembly instructions as this in the Q1 (a)</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1]</li> <li>(d) (i) *Front view Base 100 high [1] Base 80 wide [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [21]</li> </ul>		(ii)	Right half of table top added in good proportion [1] Some attempt at drawing A+B [1] Well-proportioned drawing [1]		[3]
<ul> <li>(iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]</li> <li>(b) The function of the instruction leaflet is to communicate information. Accept, show how to it together, show the parts but not assembly instructions as this in the Q1 (a)</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1]</li> <li>(d) (i) *Front view Base 100 high [1] Base 80 wide [1] Base 80 wide [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>(iv) Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]</li> <li>(j) The function of the instruction leaflet is to communicate information. Accept, show how to put it together, show the parts but not assembly instructions as this in the Q1 (a)</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1]</li> <li>(d) (i) *Front view Base 100 high [1] Base 80 wide [1] Base 80 wide [1] Base 80 wide [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1]</li> <li>(i) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*condicates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(j) 20 [1]</li> </ul>	(1	iii)	Part A and part B of the base drawn assembled [1] Part A and part B shown exploded [1] Part B shown sliding into part A slots aligned [1]		[3]
<ul> <li>(b) The function of the instruction leaflet is to communicate information. Accept, show how to it together, show the parts but not assembly instructions as this in the Q1 (a)</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1]</li> <li>(d) (i) *Front view Base 100 high [1] Base 80 wide [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>(b) The function of the instruction leaflet is to communicate information. Accept, show how to put it together, show the parts but not assembly instructions as this in the Q1 (a) [1]</li> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1] [2]</li> <li>(d) (i) *Front view Base 100 high [1] Base 80 wide [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1] [8]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1] [2]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1] [3]</li> <li>(f) 20 [1]</li> </ul>	(1	iv)	Appropriate colour added (brown, orange or yellow) [1] Any grain shown [1] End grain (annual rings) matches side grain [1]		[3]
<ul> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1]</li> <li>(d) (i) *Front view Base 100 high [1] Base 80 wide [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>(c) Paper weight – 80 gsm to 160 gsm (or g/m<sup>2</sup>) [1] Printing method – photocopying, laser printer, ink jet [1]</li> <li>(d) (i) *Front view Base 100 high [1] Base 80 wide [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1]</li> <li>(z) [1]</li> </ul>	(b)	The it to	function of the instruction leaflet is to communicate information. Accepted gether, show the parts but <b>not</b> assembly instructions as this in the	cept, show Q1 (a)	how to put [1]
<ul> <li>(d) (i) *Front view Base 100 high [1] Base 80 wide [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>(d) (i) *Front view Base 100 high [1] Base 80 wide [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]</li> <li>Brackets At least one bracket shown (side or front) [1] [8]</li> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1] [2]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1] [3]</li> <li>(f) 20 [1]</li> </ul>	(c)	Pap Prin	er weight – 80gsm to 160gsm (or g/m²) [1] ting method – photocopying, laser printer, ink jet [1]		[2]
Brackets         At least one bracket shown (side or front) [1]         *for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top         (ii) Plan         Any circle drawn [1]         Circle Ø120 [1]         *candidates who turn the base through 45 degrees must be allowed to score maximum marks         (e) Truncated cone drawn [1]         Two concentric circles match the truncated cone [1]         First angle projection symbol (correct orientation) [1]         (f) 20 [1]         12 [1]	Brackets       At least one bracket shown (side or front) [1]       [8]         *for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top       [8]         (ii) Plan       Any circle drawn [1]       [2]         `circle Ø120 [1]       [2]         *candidates who turn the base through 45 degrees must be allowed to score maximum marks       [8]         (e) Truncated cone drawn [1]       Two concentric circles match the truncated cone [1]       [3]         [f] 20 [1]       [3]	(d)	(i)	*Front view Base 100 high [1] Base 80 wide [1] Base tapered to 40 at the top [1] Edge of second base drawn [1] to width of 4 [1] Top 120 wide [1] and 4 thick [1]		
<ul> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>*for correct interpretation of shape but totally wrong sizes award a maximum of 3 marks – base tapered, edge of second base drawn and thickness to top</li> <li>(ii) Plan <ul> <li>Any circle drawn [1]</li> <li>Circle Ø120 [1]</li> </ul> </li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1]</li> <li>Two concentric circles match the truncated cone [1]</li> <li>First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1]</li> <li>(a) [2] [2]</li> </ul>			Brackets At least one bracket shown (side or front) [1]		[8]
<ul> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>(ii) Plan Any circle drawn [1] Circle Ø120 [1]</li> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>		*for <u>bas</u>	correct interpretation of shape but totally wrong sizes award a maxi e tapered, edge of second base drawn and thickness to top	mum of 3 m	narks –
<ul> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>*candidates who turn the base through 45 degrees must be allowed to score maximum marks</li> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1] [3]</li> <li>(f) 20 [1] 12 [1]</li> </ul>		(ii)	<b>Plan</b> Any circle drawn [1] Circle Ø120 [1]		[2]
<ul> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1]</li> <li>(f) 20 [1] 12 [1]</li> </ul>	<ul> <li>(e) Truncated cone drawn [1] Two concentric circles match the truncated cone [1] First angle projection symbol (correct orientation) [1] [3]</li> <li>(f) 20 [1] 12 [1]</li> </ul>		*car mar	ndidates who turn the base through 45 degrees must be allowed to s ks	score maxir	num
(f) 20 [1] 12 [1]	(f) 20 [1] 12 [1]	(e)	Trui Two Firs	ncated cone drawn [1] o concentric circles match the truncated cone [1] t angle projection symbol (correct orientation) [1]		[3]
		(f)	20 [ 12 [	1] 1]		[2]
[Total:	[Total: 30]					[Total: 30]

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	7048	01
2 (a)	Overall height correct (200) [1] Overall width correct (250) [1] Two radii present [1] Two accurate radii [1] Length of head [1] Two accurate radii [1] Cut out between legs correct to overlay mark for width [1] Height [1] Two radii [1] Cut out between front leg and trunk correct to overlay or candidate solu Height [1] Diameter 20 semi circle [1]	ition width [ <sup>,</sup>	1] [12]
(b)	One mark for each appropriate method (Velcro, double sided tape, glue latex, contact adhesive) $[1 \times 2]$	e, sticky pad	ls, silicon, [2]
(c)	Felt tipped pen, China graph pencil, marker pen, whiteboard marker or	highlighter.	[1]
(d)	Some rendering added to the pen [1] Gradation shows an attempt to make surface appear round [1] High quality rendering with reflective surface shown [1]		[3]
(e)	There a number of potential solutions to this question but most will invo	lve 'rolling'	or 'drilling'
	Answer shows a method of holding the pen but does not take account of the fact that the elephant shape is attached to a wall (typically a hole) [1] <u>Or</u> Answer shows a method of holding the pen [1] and does take account of the fact that the		
	(typically 'rolling' or bending the end and drilling) [1]		[2]
	Sketch in isometric and correct plane [1] Sketch includes thickness and curves [1]		[2]
(f)	Front and back drawn to the width of the base [1] Lid added approximately the same size as the base [1] Two sides added [1] Two sides added with same width as front/back [1] Four working glue tabs added [1] Fold in flap added [1] Fold lines shown in correct or similar convention [1] Hole for eye in the correct quarter (four possible solutions) [1]		[8]
			[Total: 30]

Ρ	age 4	4	М	ark Scheme	Syllabus	Paper
			Cambridge O Leve	el – October/November 2014	7048	01
3	(a)	(i)	Cylinder or cylindrical [1]			[1]
		(ii)	Triangular prism [1] Hole for candle in top [1]			
			Hexagonal prism [1] Hole for candle in top [1]			
			Cone [1] Truncated cone [1] Hole for candle in top [1]			[7]
	(b)	(i)	<b>Plan</b> Outer square drawn [1] Correct size and position [ Inner square drawn [1] Correct size and position [ At least one line drawn to l	1] 1] link the corners of the outer and inner sq	uares [1]	101
		(ii)	All four lines clearly shown	1 [1]		[6]
		()	Two lines projected at righ Top width correct to overla	t angles to surface X on the front view on any [1]	r compass n	nethod [1]
			Bottom width correct to over Shape lined in to overlay o	erlay [1] or candidate's solution [1]		[4]
	(c)	Bo	ttom edge drawn to VP2 and	d equal in length to given base line [1]		
		Ve Tw To To	rtical line drawn in proportion o sloping lines drawn in prop o four lines to VP1 & VP2 [1 o smaller than base [1]	n [1] portion [1] ]		

Recess for candle drawn [1] Good quality ellipse (bottom edge not required) [1]

If the candle holder is drawn in the incorrect proportions (too tall), the last two marks for the ellipse cannot be awarded as the top surface will not be seen. [7]

[Total: 25]

Pa	age (	5	Mark Scheme	Syllabus	Paper
			Cambridge O Level – October/November 2014	7048	01
4	(a)	(i)	<b>Card A</b> X and Y linked by a mechanism [1] Pivots labelled [1] Mechanism works (push/pull mechanism) [1]		[3]
		(ii)	Card B *Centre pivot or any slider [1] Disc drawn or slider appropriate size & works [1] Arrow/s show rotational movement [1] *accept solutions that slide but only award maximum marks if the s	trip is long e	[3] enough
		(iii)	Card C Z, X and Y linked by a mechanism [1] Fixed pivots labelled [1] Moving pivot labelled [1] Mechanism works [1]		[4]
	(b)	(i)	Three equal width bars [1] Suitable scale used (probably 1000 to 10mm) [1] Data correctly plotted [1] Both axes labelled [1] Colour used to enhance the bar chart [1]		[5]
		(ii)	One mark for each method of data presentation up to 2 marks. For line graph, pictograph, histogram $[2 \times 1]$	example, p	ie chart, [2]
	(c)	(i)	Base drawn of correct length (60 mm) [1] Base drawn to the correct width (40 mm) [1] Back drawn of correct height (40 mm) and joining base [1] Any pop-up drawn [1] A pop up drawn to size (any position) [1] Pop-up drawn in correct position [1]		[6]
		(ii)	There are two alternatives pop-up cut out Pop-up added (separate piece) Some thick lines added [1]		
			Thick and thin lines added correctly [1]		[2]
					[Total: 25]

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	7048	01
5 (a)	Base Any square base drawn in planometric [1] Base the correct size (50 mm × 50 mm) [1] Thickness added [1] Thickness of top and inside line drawn accurately [1] Large square tube Large square tube drawn in planometric and correct position [1] Large tube of correct height [1]		[4]
	23 mm square (plus or minus 2 mm) [1]		
	Thickness shown [1] nside detail shown [1]		[5]
	Small square tube		
	Small square tube Small square tube drawn in planometric and correct position [1] Small tube of correct height [1] 23 mm square (plus or minus 2 mm) [1] Thickness shown [1]		
	nside detail shown [1]		[5]
	Do <b>not</b> award the first mark in each group if in isometric or 30/60 planor mark 11) Orthographic gets height and position marks only (max 3)	metric (max	imum
(b)	Tray drawn (accept sketch or instruments) [1] ₋arge square tube drawn horizontally [1] ₋arge square tube in position in the tray (may be shown by arrows) or 'ł	novering' at	oove [1] [3]
	Tray drawn with large square tube horizontal [1] Small square tube drawn horizontally [1] Small square tube in position in the tray (may be shown by arrows). Co visible if placed in position [1]	mplete end	must be [3]
(c)	100 mm 50 mm (plus or minus 2 mm)		[2]
(d)	Hatching to tray correctly added [1] Hatching to small tube correctly added [1]		
	Hatching in different orientation/spacing/angles [1]		[3]
			[Total: 25]

Pa	age 7	Mark Scheme	Syllabus	Paper
		Cambridge O Level – October/November 2014	7048	01
6	(a)	Approximate shape of arms drawn [1] Arms symmetrical around the centre line [1] Proportion (long arms) [1]		[3]
		Chest 'V' drawn [1]		[1]
		Approximate shape of legs drawn [1] Legs symmetrical around the centre line [1]		[2]
	(b)	<b>Front view</b> Any Pentagon drawn [1] Regular pentagon [1] Pentagon constructed* of the correct size (overlay) [1] Pentagon in the correct orientation [1]		[4]
		*Construction by protractor or using the length of one side		
		<b>Plan</b> Plan projected from the front view (Outer two lines) [1] Inner two lines/centre line [1] Height of plan correct (10 mm) [1]		[3]
	(c)	Correct colours used (black/white/grey/blue) [1] Some shading present [1] Gradation makes bar appear round [1] Appropriate shading applied to top [1]		[4]
	(d)	Major axis correct length (100) and vertical [1] Minor axis correct length (60) and horizontal [1] Some construction evident [1] Most construction present [1] All construction clearly visible [1] Minimum of 6 points correctly plotted [1] 7 or more points correctly plotted [1] Profile accurately drawn to overlay [1]		
		*Solutions drawn in the wrong orientation can be awarded the last 6 ma	arks	[8]
				[Total: 25]