MARK SCHEME for the May/June 2013 series

0417 INFORMATION AND COMMUNICATION TECHNOLOGY

0417/21

Paper 2 (Practical Test A), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



	Page 2		/lark Scheme	Syllabus	Paper	
		IGCSE	E – May/June 2013	0417	21	
Centre Number					06	6_0417_21_MS v3.doc
Header Centre No left, file name right a	ligned 1 mark		ore Wind En		t by: Can	didate Name
	Da	a entry 100% a	ccurate, centre aligned 1 mark bld & underlined 1 mark		~ • • • • • • • •	
<u>A Global Pc</u>	ower Source	Denma lead du	re wind farm being installed ork in 1991. Europe has taken he to strong wind resources, shal	the Italic, bo		e, 18 pt sans-serif 1 mark 1 mark
	Wind harnesses the of the win	and G	n the North Sea and the Baltic S overnment recognition of the re wind will play to meet renewa	role dema able cont	and. Surrounded inental shelf v	ree times its electricity d by a large shallow with good access to nd constant offshore
	P New subhead 100% W All subheads (6) for ge converting kinetic	matted centre, s	rect location 1 mark sans-serif, 14 pt, bold, u/l 1 mark og in North America, Canada	wind enor	ls it is ideally mous potential	placed to exploit the for offshore wind shore wind farm
	energy into Offshore wind power	Asia. Onsho	re wind energy potential	. arou	nd the land 1	ea is relatively shallow masses allowing for to be driven into the
is widely	as the future of		trated in agricultural and indust			an attempting to
Appropriate image in Text wrap, aligned le Resized 3.5 cm high,		1 mark 1 mark 1 mark	north-western Europe. The large potential is found in low de the North Sea, the Baltic Seas	epth of t and farm	urbines. To da	icated floating system ite, 9 offshore wind built around the UK
	g at the rate of 30% extensively used in United States.	opport Medite offshor	unities in areas of erranean and Black Seas. The d re potential is even larger but co	the equa eep capa	ting to 778.4 city. The UK ha	0 offshore turbines, 4 MW of installed as a target of securing y needs for electricity,
From an emerging years ago, wind e into a n Body te	fuel source twenty	mean o	levelopment is <u>slow.</u> Footer Date left, Name a	heat & Cand Number rig		nd farms in the UK nore of power are:
business. 1 3 column 12 pt, se	ns, 1.5 cm col spacing	1 mark 1 mark 1 mark	bridge International Examinations 2	013	Nam	e, Candidate Number

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – Mav/June 2013	0417	21

~ ~ ~ ~

© Camb

Centre Number v3.doc

Name	Sea	Capacity
Thanet	North Sea	300
Gunfleet Sands	North Sea	172
Inner Dowsing	North Sea	120
Lynn	North Sea	97
Kentish Flats	North Sea	90

DB extract

Inserted in correct place within column width	1 mark
UK, Operational, North Sea	1 mark
Capacity >=90	1 mark
Descending order of Capacity	1 mark
Fields Name. Sea. Capacity in order	1 mark
 	

Asia will soon overtake Europe as the region with the largest capacity.

Europe's offshore wind potential is huge with the technical potential of offshore wind being six to seven times greater than projected electricity demand. At the end of 2010 there were 1.136 offshore wind turbines installed and connected to the grid on 45 wind farms in 9 countries with an operating capacity of 2,396 MW. The 9 European countries with offshore wind power capacity in 2010 were:

	Offshore wind p	ower in Europe	but via undersea	cables.
	Country	Capacity (MW)	more reliable at	sea,
	UK	1341	more consistent.	
	Denmark	854	public opposit	
	Netherlands	249	The main bene	Square 1.5 line
	Belgium	195	include:	1.5 line
	Sweden	164	TT1	
	Germany	92	 Higher with 	ind spe
Ì	Finland	26	 More ofter 	n winc
	Ireland	25	 Lass truly 	-1
	Norway	2.3	 Less turbu 	lience
			 Minimal 	visual i
			se	impact
	Data entry 100% aWTop row cells mergIaiTop row only text b30Font matches bodyMTop two rows only	ged oold and centred / text shaded grey	2 marks 1 mark 1 mark 1 mark 1 mark 1 mark 1 mark	sea i ot blo ins, tre put an
	MW) was use large construction. These dwarfed by subsequent	projects will be	electricity yield p	er win
	are planned, includin 9,000 MW, Norfolk and Irish Sea (4,200 N	Bank (7,200 MW),	Wind E Over the past 10	
	Offsho than of transpo	e margins 2 cm, left & rig phans, split lists/tables, pacing, 1 cls below paras w extract & table	1 m ht 2.5 cm 1 m blank pages 1 m s & subheads, 1 m	nark nark nark nark
		1 1 1 1 1 1 1	1 4	

s. The wind is much

06 0417 21 MS

giving better and and there is far less

ublic opposit	Bullets	
The main bend	Square bullets applied	1 mark
nclude:	1.5 line spacing	1 mark

- eeds
- ıdy
- offshore
- impact

t

is steadier, more ocked by obstacles rees and buildings, and more consistent esults in higher nd turbine.

gy Future

global wind power srow at an over 30%. technology bosts have hodern wind ver ratings, Document complete/paragraphs intact 1 mark

Name, Candidate Number

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0417	21

Centre Number v3.doc

efficiency and reliability. Countries all over the world are setting targets for wind power. It is estimated that 40,000 wind turbines will be installed in the next 10 years. The European Union has set ambitious targets to provide 20% of Europe's energy from renewable sources by 2020. As a proven source of clean, affordable energy, wind resources have a vital role to play in realising these goals.

Conventional fuels have a dangerous impact on the climate and the drive for a future of cleaner, more sustainable energy technologies means wind power will go from strength to strength.

06 0417 21 MS

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0417	21

06	0417	21	MS	v3.doc


Power from No	orth and	Irish Seas ———	Title –	correct, 100	% accurate	1 mark			
Country	ID	Name	Number	Distance	Operationa	l Capaci	ty Heig	nt Sea	Turbine_Capacity
Belgium	BE06	Belwind	66	46.0	Ye	s 3.	30 117.0) North Sea	5.0
Belgium	BE02	Bligh Bank	55	42.0	Ye	s 1	65 117.0) North Sea	3.0
Belgium	BE07	C-power II	60	27.0	Ye	s 2	16 130.0) North Sea	3.6
Belgium	BE04	Eldepasco	36	37.0	Ye	s 2	16 130.0) North Sea	6.0
Belgium	BE05	The				٩	30) North Se-	5.0
Denmark	DK02	3 records added, 100			3 marks	1	⁵⁰ Calcul	ated field	2.0
Denmark	DK05	Sorted by Country, th Specified fields in co		е	1 mark 1 mark	2		ig 100% accurate	1 mark 2.3
Germany	DE01	All Data and labels all fu			1 mark			ated field	2 marks 5.0
Germany	DE01 DE09	En Landscape, 1 page v	•		1 mark		5 Forma	tted to 1 dp	1 mark 5.0
Germany	DE10	Hookarer	Ł	0.4	ré) s	5 151.0) North Sea	5.0
Ireland	IE01	Arklow Bank	7	10.0	Ye	s S	25 129.0		3.6
Netherlands	NL02	Egmond aan Zee	36	10.0	Ye		08 115.0		3.0
Netherlands	NL01	Princess Amalia	60	23.0	Ye		20 99.0	North Sea	2.0
Norway	NR01	Hywind	1	10.5	Ye		2 106.2		2.0
United Kingdom	UK04	Barrow	30	10.0	Ye	S	90 120.0) Irish Sea	3.0
United Kingdom	UK10	Beatricee Demonstration	2	23.0	Ye	s	10 170.0) North Sea	5.0
United Kingdom	UK14	Blyth	2	1.0	Ye	s	4 95.0	North Sea	2.0
United Kingdom	UK07	Burbo Bank	(So	arch			137.0) Irish Sea	3.6
United Kingdom	UK11	Gunfleet Sands			ea or Irish Sea	1 mark	120.3	North Sea	3.6
United Kingdom	UK09	Inner Dowsing		perational = `		1 mark	133.5	5 North Sea	4.0
United Kingdom	UK06	Kentish Flats	5	0.5		J	115.0) North Sea	3.0
United Kingdom	UK08	Lynn	27	5.2	Ye	s	97 133.5	5 North Sea	3.6
United Kingdom	UK02	North Hoyle	30	8.0	Ye	S	50 107.0) Irish Sea	2.0
United Kingdom	UK03	Rhyl Flats	25	8.0	Ye	S	90 133.5	5 Irish Sea	3.6
United Kingdom	UK05	Robin Rigg	60	- 25-	Vo	<u>~</u> 7	1 <u>6 125</u> .() Irish Sea	3.6
United Kingdom	UK01	Scroby Sands	30		lated Sum of I		mark .0) North Sea	2.0
United Kingdom	UK19	Thanet	100	Labe	100% accura	te 1ı	nark ار) North Sea	3.0
United Kingdom	UK21	Walney	51	14.11	re re	s 1	84 137.() Irish Sea	3.6
	Total turb	ines in operation	1002						
							٦		

Candidate details on right 1 mark


Name, Centre Number, Candidate Number

© Cambridge International Examinations 2013

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0417	21



Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0417	21



Page 8	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0417	21

Step 2 & 3 Contact details and distribution list

Ca) 2 9 0	👍 🗇 🔻	E	nergy Team - Distri	bution List		
Distributio	n List Insert	Format Text				
Save & X Delete	Members Notes	Select Add	Remove Update	E-mail Meeting	Cati	
Actions	Show		mbers	Communicate		
Name: Energy Team						
🗋 Name			E-m			
Hussain Syed			a.amar@cie.org.uk h.syed@cie.org.uk			
S Oliver Johnson (d	.johnson@cie.org.u	k)	o.jo	hnson@cie.org.uk		
			•	l Amar, a.amar ain Syed, h.sye		1 ma 1 ma
	C		•	r Johnson, o.jol list named Ene	hnson@cie.org.u ergy Team	k 1 ma 1 ma

Step 28 Database field structure

Step 28 Data	base field structure	(100% accurate)
Field	Name Data Ty	2 contacts stored in Energy Team group
ID	Text	
Country	Text	
Number	Number	
Name	Text	
Distance	Number	*
Operational	Yes/No	
Capacity	Number	
Depth	Number	
Height	Number	
Diameter	Number	Database structure
Sea	Text	Correct field names and data types
		Distance and Height formatted
General Lookup		to 1 dp
Field Size	Single	Operational as yes/no on report
Format	Fixed	Boolean/logical set in design
Decimal Places	1	
Input Mask		
Caption		
Default Value		
Validation Rule		
Validation Text		
Required	No	
Indexed	No	
Smart Tags		
Text Align	General	

Database structure		
Correct field names and data types Distance and Height formatted	1 mark	
to 1 dp	1 mark	
Operational as yes/no on report	1 mark	
Boolean/logical set in design	1 mark	

1 mark

Page 9	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0417	21

Step 51 Email Message

🕞 🕞 🥑 🎍 🗢 🗢 Offshore wind farms - Message (H	ITML)	
Message Insert Options Format Text		
Arial • 11 • Ař Paste Ø Z U III • Ař Paste Ø Z III • Ař Clipboard © Basic Text © Names	Enllow Up → option:	
To Energy Team		
Send Cc <u>design.h@cie.org.uk;</u>		1
Account Subject: Offshore wind farms	To: Energy Team group	1 mark
	Cc: design.h@cie.org.uk	1 mark
Name	Subject: Offshore wind farms	1 mark
Centre number	Report file attached (doc or rtf)	1 mark
Candidate number	Message text & personal details correct	1 mark
	The annual report is attached for your inform	mation.
The annual report is attached for your information.		