

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

INFORMATION AND COMMUNICATION TECHNOLOGY

0417/31

Paper 3 Practical Test B

May/June 2018

MARK SCHEME
Maximum Mark: 80

			ı
Pul	hlic	shed	١

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

 $\mathsf{IGCSE}^{\intercal \mathsf{M}} \text{ is a registered trademark}.$

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit
 is given for valid answers which go beyond the scope of the syllabus and mark scheme,
 referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2018 Page 2 of 11

Browser view In browser with no letters vis borders and gridlines visible Table 1 Centre aligned in window Brickwork image Top left Correct text 100% accurate Top centre In h2 Top right paving.jpg image placed Resized to match left image Third row Text from file BBtext1.txt In h1 Last row left Text placed with candidates details at end, first para in h2 & rest in h3 1 Last row right Image BBmap.png placed



© UCLES 2018 Page 3 of 11

```
Head section
<!DOCTYPE html>
                          Stylesheet BBstyle.css attached
<html>
 <head>
 <link rel="stylesheet" href="BBstyle.css">
 </head>
                                                         1
                          width:1200px
<body>
  width:1200px;">
                          Top row
                                  height:300
   <img src="brickwork.jpg" alt="Image of a</pre>
brick wall">
                          Cell 1
                                  width:400
    <h2>Click on an image for further
details</h2>
                          Cell 2
                                  colspan=2
    width:400
    <img src="paving.jpg" alt="Image of block</pre>
paving" width=394px">
                          Cell 3
                                  width:400
    Row 2
                                  height:250
   Hyperlink
                               From BBlogo.jpg to href="BBcontact.htm" 1
                               Target = "_new"
    <a href="BBcontact.htm" target=" new"><img
src="BBlogo.jpg" alt="Bobby's Bricks logo"></a>
    Rows 2 & 3 colspan=4
   Row 3
                                  height:150
   <h1>Bobby's Bricks is a small family-run building
company operating in East Anglia in the United Kingdom. We specialise in
all types of brickwork, blockwork and groundwork. We also have our own
specialists in plastering, block paving and carpentry. </h1>
    Row 4
                                                         1
                                  height:300
   Both cells
                                  colspan=2
   <h2>We will undertake building
projects in other regions of the world. </h2><h3>Web page design and
creation by: <a href="http://www.hothouse-design.co.uk"</pre>
target=" self">Hothouse Design</a>. Web page last edited by: A Candidate
zz999 9999</h3>
                        Hyperlink
                                From Hothouse Design only
    href=http://www.hothouse-design.co.uk
                                                             1
                                target="_self"
```

© UCLES 2018 Page 4 of 11

<pre><img "blackadder="" alt="Image of</pre></th></tr><tr><td>·</td><td>attribute appropriate alt text for all 4 images 1</td></tr><tr><td></td><td></td></tr><tr><th></th><th>h1, h2, h3 all have priority font as Zapf Chancery 1</th></tr><tr><td></body>
</html></td><td> then secondary font as Blackadder ITC 1</td></tr><tr><th>3, 22 22.22</th><th>" and="" both="" chancery"="" in<="" itc"="" src="BBmap.png" th="" zapf=""/></pre>				
	speech marks 1			
Evidence 3	h1, h2, h3 all have text-align:center 1 Fonts and text-align applied once to all 3 styles 1			
	Tortis and text-align applied orice to all 5 styles			
body { background-color: #cfc5ab}	{ background-color: #cfc5ab}			
h1,h2,h3 { font-family: "Zapf Chancery","Blackadder ITC",serif;				
text-align: center;}	h1 color:#ff0000 1			
h1 { color: #ff0000;}	h2,h3 color:#0000ff 1			
h2,h3 { color: #0000ff;}				
Tab	ole border 4px and cell border 2px 1			
Tab	ole,td Border-color: #ff0000 1			
table,td { border-color: #ff0000; border-	collapse: collapse; border-style:solid;}			
table {border-width: 4px; }				
1 //	{border-width: 2px;}			

4 from:

Fonts match the style in company logo Fonts may be part of corporate house style. Font colour matches that in logo for style h1. Fonts are script fonts so are more difficult to read. Poor contrast between text & background


(1 mark for each)

Evidence 5

- a) *
- b) /
- c) ^
- d) <>


© UCLES 2018 Page 5 of 11

Rows 1 and 2	
A1 to C1 and A2 to C2 merged	1
Sans-serif centre aligned, black font	1
Grey background	1
Row 1 font 2× height of row 2	1
Row 3	
Row height less than half row 4	1
Column A in rows 4-11	
Sans-serif right aligned	1
Sheet	
A1:C12 fully visible incl row and column headings	1




Evidence 7

Validation rule restricts either the letter S or the letter D 1
Validation rule restricts to allow only S or D 1



© UCLES 2018 Page 6 of 11




-4	A
1	
2	
4	Thickness of wall - single skin or double skin?
5	Length of wall will be:
6	Height of wall will be:
7	Type of brick chosen
8	
9	You are planning a wall made from
10	The wall will be
11	You will need to buy

Footer Automated filename with path on right

D:\CI\0417\2018\j1831_ZZ999_9999.xlsx

© UCLES 2018 Page 7 of 11

A Candidate ZZ999 9999



D:\CI\0417\2018\j1831 ZZ999 9999.xlsx

© UCLES 2018 Page 8 of 11

A Candidate ZZ999 9999

4	С
1	
2	
4	Please enter 5 or D
5	Length in centimetres
6	Height in centimetres
7	Please enter brick code
8	
9	bricks
10	skin
11	bricks

D:\CI\0417\2018\j1831_ZZ999_9999.xlsx

© UCLES 2018 Page 9 of 11

A Candidate ZZ999 9999

	A	В	С
1	Bobby's E	3ric	ks
2	Cost estimator for	brick	walls
4	Thickness of wall - single skin or double skin?	S	Please enter S or D
5	Length of wall will be:	400	Length in centimetres
6	Height of wall will be:	60	Height in centimetres
7	Type of brick chasen	٧	Please enter brick code
8			
9	You are planning a wall made from	Valley Stone	bricks
10	The wall will be	single	skin
11	You will need to buy	239	bricks

Data as shown 1
Single page and fully visible with no excessive spaces 1

© UCLES 2018 Page 10 of 11

A Candidate ZZ999 9999

Bobby's Bricks Cost estimator for brick walls			
Thickness of wall-singleskin or doubleskin?	D	Please enter Sor D	
Length of wall will be:	400	Length in centimetres	
Height of wall will be:	50	Height in centimetres	
Type of brick chasen	٧	Please enter brick code	
You are planning a wall made from	Valley Stone	brids	
The wall will be	double	skin	
You will need to buy	365	brids	

Data as shown, single page and fully visible

1

© UCLES 2018 Page 11 of 11