MAN, PallaCar

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2007 question paper

0580 and 0581 MATHEMATICS

0580/04 and 0581/04 Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme	Syllab
	IGCSE – October/November 2007	0580/0581

Abbreviations

In addition to those already seen the following may crop up.

cao - correct answer only

ww - without working

www – without wrong working

oe – or equivalent

soi – seen or implied

bod – benefit of doubt

art – anything rounding to

isw – ignore subsequent working

 $ft-follow\ through$

oor – out of range

isr – ignore subsequent rounding

rot – rounded or truncated

mog – marks on graph

Pape.

SCanningage.com

		2.
Page 3	Mark Scheme	Syllab. Saper
	IGCSE – October/November 2007	0580/0581

1 (a)	(i)	385 × 0.9 oe	M1	Implied by ans 346 or 347 www2 www2
1 (4)	(-)	(\$) 346.5 (0) cao	A1	www2
		(\$) 5 10.5(0)	711	36
	(ii)	$385 \div 1.1(0)$ oe	M 1	, c
	()	(\$) 350 cao	A1	www2
(b)	(i)	22	M1	
(0)	(1)	$\frac{23}{23+19} \times 210$ oe	1411	
		23+19		
		115 cao	A1	www2
	(ii)	their (i) $\times 2.50 + (210 - \text{their (i)}) \times 1.50$	M1	(287.5 + 142.5)
		(\$) 430 cao	A1	www2
	(iii)	$\{\text{their (ii)} - 410\} / 410 \ (\times 100) \text{ oe}$	M1	Dep on (ii) being greater than 410
	` ´	4.88	A1	www2 (4.878)
		7.00		After M0, SC1 for 104.9 or better or 4.9 ww
(c)		2.6(210 - x) or $1.4(210 - x)$ seen	M 1	
()		2.6(210 - x) + 1.4x = 480	M1	Allow $2.6x + 1.4(210 - x) = 480$
		546 - 480 = 2.6x - 1.4x		, ,
		or $2.6x - 1.4x = 480 - 294$	M1	Dep on M2
		55 cao	A1	if trial and error, B4 or B0
				if using simultaneous equations
				x + y = 210 M1
				1.4x + 2.6y = 480 M1
				variable eliminated by correct method M1d
				After 0 scored, SC2 for ans 155

	(i) (ii)	6 4.5	B1 B1	
	(iii)	$(1 \times 1 + 2 \times 2 + 4 \times 3 + 7 \times 4 + 4 \times 5 +$	M1	Allow 1 slip
		$8 \times 6 + 2 \times 7) \tag{127}$		
		÷28	M1dep	dep on 1 st M1
		4.54	A1	www 3 4.53571
((iv)	$\frac{4}{28} \times \frac{3}{27}$	M1	Accept all probabilities as fracts/dec/%
		$\frac{\overline{28}}{27}$		-1 once for words or 2 sf, do not accept
				ratios i.s. cancelling after correct answer.
		$\frac{1}{63}$ o.e.	A1	www2 e.g. $(\frac{12}{756}, 0.0159 \text{ etc})$
((v)	$\frac{4}{21} \times \frac{3}{20}$	M1	
		$\overline{21} \stackrel{\wedge}{20}$		
		1	A1	www2 e.g. $(\frac{12}{420}, 0.0286 \text{ etc})$
		$\frac{1}{35}$ o.e.		420
((vi)		M1	
`		$\frac{24}{28} \times \frac{23}{27} \times \frac{4}{26}$		
			A1	www2 e.g. $(\frac{2208}{19656}, 0.112)$
		$\frac{92}{819}$ o.e.	AI	$\frac{\text{www2 e.g.}}{19656}$, 0.112)
		819		
(b) ((i)	0.08 o.e.	B 1	
	(ii)	0.9×0.05	M1	
•		their (b)(i) $+ 0.9 \times 0.05$	M1dep	dep on 1 st M1
		0.125 o.e.	A1	www3
((iii)	7	B1 ft	their (ii) × 56 either correct to 3sf or better or
			I	rot [1

Syllab		
	Mark Scheme	Page 4
0580/0581	IGCSE – October/November 2007	
TV.	IGCSE – October/November 2007	

3 (a) (i) (ii)	(0, 1) (4, 0) and (0, 4)	B1 B1B1	Accept w/out brackets/ commas vectors, or states $x = , y =$
(b)	-1 cao	B1	Call
(c)	$(x) < 0 (\text{allow } \le)$	B1	Any other variable < 0 B0
(d)	$x^2 + 1 = 4 - x$ o.e.	B 1	must be these 4 terms
(e)	$p+(-)\sqrt{q}$ where $p = -1$ and $r = 2 \times 1$ r and $q = 1^2 - 4(1)(-3)$ o.e.	M1 M1	Allow second mark if in form $p \pm \frac{\sqrt{q}}{r}$
	-2.30 , 1.30 cao www4	A1A1	If ww ans.correct but wrong acc - SC3 After A0, A0, SC1 for -2.3027756 and 1.3027756 rounded or truncated
(f)	(-0.5, 4.5 or 4.49)	B1ft B1 ft	f.t (their $-2.30 +$ their 1.30) $\div 2$ ft (4 – their x co-ord dep on attempt at mid value of x from values in e) [12]

4 (a) (i)	$4\pi 3.5^2 = 153.86$ to 153.96 or 154	M1A1	www2
(ii)	$\frac{4}{3}\pi 3.5^3 = 179.5$ to 179. 62 or 180	M1A1	www2
(iii)	` '	M1	
	1005 to 1006 or 1008or 1010 (g)	A1ft	their (ii) × 5.6 correct to 3sf or better (allow in kg)
(b)	$\pi 8^2 \times 8 (1608-1609)$	M1	Alt $\pi 8^2 d = 2 \times \text{their (ii)} M1$
	$\pi 8^2 h = 2 \times \text{their (ii)} + \pi 8^2 \times 8$	M1dep	$(2 \times \text{their (a)(ii)}) \div (\pi 8^2)$ M1dep
	$(2 \times \text{their (ii)} + \pi 8^2 \times 8) \div (\pi 8^2)$	M1dep	add 8 M1dep
	9.78 to 9.79 (cm)	A1	www4
(c)	$1000 \text{ (or 1)} \div 4.8 \div \frac{4}{3}\pi$	M1	49.7 (or 0.0497)
	$\sqrt[3]{ans}$ (or $10 \times \sqrt[3]{ans}$)	M1dep	Dep on previous M1
	3.67 to 3.68 (cm)	A1	www3 figs 368 or ans 3.7 gets M2 [13]

			m	
Page 5	Mark Sche	me	Syllab	,
	IGCSE – October/No	vember 2007	0580/0581	
() ()		354.4	Car Car	

5	(a)	(i)	$\sqrt{7^2 - 4^2} = 5.74 \text{ (cm)}$	M1A1	www2 5.74456
		(ii)	6.32 (cm)	B1	6.32455
	(b)		$2 \times \frac{1}{2} \times 8 \times 5.74 + 2 \times \frac{1}{2} \times 6 \times 6.32 + 8 \times 6$	M1	www2 ft 48 +8 × their (a)(i) + 6 × their
			131.8 to 132 (cm ²)	A1ft	www2 ft $48 + 8 \times \text{their } (a)(i) + 6 \times \text{their } (a)(ii)$
	(c)	(i)	$((PX)^2) = (\text{their } (a)(i))^2 - 3^2$ $\sqrt{24} \text{ soi or } 4.898 \text{ seen}$	M1 E1	or their $a(ii)^2 - 4^2$ or $7^2 - (3^2 + 4^2)$
		(ii)	$Tan(PNX) = \frac{their(c)(i)}{4} \text{ o.e.}$	M1	Alt correct trig methods involving their (a)(ii) M1 for correct explicit statement
		(iii)	50.7 to 50.84 oe (HPN) 180 – 2 × their (ii)	A1 M1	www2 for a trig ratio
		(111)	78.3 to 79	A1	www2 Alt – cos rule method – M1 at explicit stage
		(iv)	$\tan = \frac{their(c)(i)}{5} \text{ o.e.}$	M2	M1 for recognition of angle PAX or PAC oe
			44.4 to 44.43°	A1	Alt trig methods with PA = 7 used www3 44.4153086
		(v)	PHN or PGM o.e. (letters)	B1	B0 if extras [15]

6	(a)	(i)	AB=13 cm and BD=15 cm (± 2 mm)	B1	
			Angle A = $80^{\circ} (\pm 2^{\circ})$	B 1	
			A,B,C,D correct within 4 mm	B1	Dep. on B2
		(ii)	Angle ADB correct $(57-61^{\circ})$ (± 2°)	B1ft	Either in working or written on diagram
			Angle DCB correct $(101-105^{\circ}) (\pm 2^{\circ})$	B1ft	
		(iii)	Acc. bisector of angle <i>A</i> with arcs	B2ft	B1 for accurate without/wrong arcs
			(at least 5 cm long) ($\pm 2^{\circ}$)(± 2 mm)		
		(iv)	Acc. perp. bisector of AD with at least 1	B2ft	B1 for accurate without/wrong arcs
			pair of arcs $(\pm 2^{\circ})(\pm 2 \text{ mm})$ (at least 5 cm		B1 for each if accurate with arcs but short
		()	long)	D4	B (1 (B1: (''') 1B1: ('))
		(v)	'Correct' area shaded below their perp.	B1	Dep. on at least B1 in (iii) and B1 in (iv)
			bisector and below their angle bisector		
	(b)	(i)	$\sin D = \sin 80$	M1	No M marks in (b) for measuring + using
	(~)	(-)	$\frac{\sin 2}{26} = \frac{\sin 66}{30}$		lengths from diagram e.g. $AD = 20 \text{ m}$
			26 30		but allow 13, 15, 9 used for 26, 30, 18 in b
			$\sim 26\sin 80$	M1dep	dep on 1 st M
			$(\sin D =) \frac{26\sin 80}{30}$		
			58.57 to 58.6 °	A1	www3
		(ii)	Angle $BDC = 41.4$	B1 ft	Ft 100 – their 58.6
			$(BC^2 =)18^2 + 30^2 - 2 \times 18 \times 30 \cos'41.4'$	M1	Allow 41 or 42 for angle BDC
			square root of correct collection	M1dep	Dep on 1 st M (413.88)
			20.3 to 20.35 (m) cao	A1	www4
		(iii)	$0.5 \times 26 \times 30 \sin 41.4 +$	M2	M1 for correct area of one triangle
			0.5×18×30 sin'41.4'		(257.9 or 178.6). Must see calc for
			5.5 A TO A 5 O SHI 11, 1		trapezium height if used (30sin '41.4')
			2		Allow 41 or 42 for angle BDC
			436 to 437 (m ²) cao	A1	www3 [20]

		2.
Page 6	Mark Scheme	Syllab. Paper
	IGCSE – October/November 2007	0580/0581

	T	1	2
7 (a)	Correct axes	S1	must fit on paper 2mm a
			Ignore labels on triangles throug
			must fit on paper 2mm a Ignore labels on triangles throug vertices at (8, 6), (6, 10) and (10, 12)
(b)	Correct triangle drawn (T)	T1	vertices at (8, 6), (6, 10) and (10, 12)
			9
(c) (i)	Correct reflection in $y = x$ drawn (P)	P2ft	ft their T, P1 for two correct vertices drawn
			(6, 8), (10, 6), (12, 10)
			or line $y = x$ correctly drawn (within 2mm of
			(12,12) if extended)
(ii)	(0 1)	B2	B1 for a correct column
	(1 0)		
			(1.2) (2.3) (3.4)
(d) (i)	Correct enlargement, scale factor 0.5,	Q2ft	(4,3),(3,5),(5,6)
	centre $(0,0)$ drawn (Q)		Q1 for any enlargement s.f. ½ or 2 correct
			vertices drawn
			SC1 for 3 points within 5 mm if rays method
			used or for correct enlargement but of P
(ii)	Enlargement only	B 1	
	(scale factor) 0.5	B 1	indep
	(centre) (0, 0) o.e.	B 1	indep
(e)	Correct stretch drawn (R)	R2ft	R1 for two correct vertices ft
			(4, 6), (3, 10), (5, 12) [13]

8 (a)	2	B1	
(b)	$\frac{3}{2x-1}+1$	M1	
	3 + 2x - 1	M1	Dep on 1 st M1
	$\frac{2x-1}{\frac{2+2x}{2x-1}}$ o.e. final ans	A1	www3
(c)	$y = \frac{3}{x} + 1$		$x = \frac{3}{y} + 1$
	$y - 1 = \frac{3}{x} \text{ or } xy = 3 + x$	M1	Alt $x-1=\frac{3}{y}$
	x(y-1)=3	M1dep	Dep on 1 st M1 $y(x-1) = 3$
	$\frac{3}{x-1}$ o.e. final answer	A1	www3 $\frac{3}{x-1}$ o.e
			If answer is $x = \frac{3}{x-1}$ allow M2
(d)	256	B2	B1 for $2^3 = 8$ or 2^8 seen
(e)	$2^x = \frac{3}{-\frac{24}{7}} + 1$	M1	M for r.h.s. followed by attempt at recognising $2^x = \dots$
	-3	A1	After M0, SC1 for 1/8 o.e seen

			Mary Mary
Page 7	Mark Scheme		Syllab
_	IGCSE – October/Nover	IGCSE – October/November 2007	
			Car.
(a)	7 512 8 91 2197 2196	B6	B1 each. Allow in any order is

			74
9 (a)	$-7,512,\frac{8}{9},81,2187,-2106$	B6	B1 each. Allow in any order ig
(b) (i)	(P) $9-2n$	B1	B1 each. Allow in any order 18 Accept correct expressions in any form e.g. $7 - 2(n - 1)$
(ii)	$(Q) n^3$	B 1	If 'n =' withhold the first mark earned
(iii)	(R) $\frac{n}{n+1}$	B1	
(iv)	$(S) \qquad \frac{n+1}{(n+1)^2}$	B 1	
(v)	(T) 3^{n-1}	B1	
(vi)	(I) $(n+1)^2 - 3^{n-1}$	B1ft	their (iv)-their (v) dep on both algebraic expressions
(c)	their(b)(i) = -777 393 cao	M1 A1	www2
	373 Ca0	AI	www.z
(d)	12	B2	SC1 for 11 or $n - 1 = 11$ or $3^{12}, 3^{11}$ seen [16]