WWW. Palls

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2012 question paper for the guidance of teachers

0580 MATHEMATICS

0580/42

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2		Mark Scheme: Teachers' version	Syllabus
		IGCSE – May/June 2012	0580
Abbro	eviations		and dide
cao	correct answ	er only	O.
cso	correct solut	ion only	8
dep	dependent		a distribution of the second
ft	follow throu	gh after error	- On
isw	ignore subse	equent working	
oe	or equivalen		
SC	Special Case		

Abbreviations

without wrong working anything rounding to www art seen or implied soi

Qı	1.	Answers	Mark	Part Marks
1	(a) (i)	6 correct plots	2	P1 for 4 or 5 correct plots.
	(ii)	Positive	1	
	(iii)	Line of best fit	1	Ruled line at least from $x = 5$ to $x = 48$, with at least 3 points on each side and cuts axes between $(5, 0)$ and $(0, 20)$
	(iv)	English (integer) value on line at M = 22	1ft	Strict ft from their single ruled line $5 \varnothing x \varnothing 48$.
	(b)	(26 + 39 + 35 + 28 + 9 + 37 + 45 + 33 + 16 + 12) ÷ 10	M2	M1 for 26 + 39 + 35 + 28 + 9 + 37 + 45 + 33 + 16 + 12, condone one slip or SC1, for at least 2 values eg (26 + 39 +) ÷ 10
	(c)	46 cao www 3	3	M2 for $(31 \times 12 - 28 \times 10) \div 2$ soi by $92 \div 2$ or M1 for 31×12 soi by 372 or 92
2	(a)	445 final answer www 3	3	M2 for $351.55 \div (1 - 0.21)$ oe or M1 for $351.55 = (100 - 21)$ (%)
	(b)	640 or 4640 4622.5 or 622.5	2 2	M1 for $4000 \times 0.08 \times 2$ oe M1 for $4000 \times (1.075)^2$ oe or 4000×0.075 (= 300) and $(4000 + \text{their } 300) \times 0.075$ and total interest = the sum of their 2 interests.
		Alex by 17.5(0) cao final answer www 6	2	M1 for S I amount – C I amount or reverse or simple interest – compound interest or reverse

Page 3 Mark Scheme: Teachers' version Syllabus r IGCSE – May/June 2012 0580			my
IGCSE – May/June 2012 0580	Page 3	Mark Scheme: Teachers' version	Syllabus r
		IGCSE – May/June 2012	0580

3 (a) (i)	x > 4	1	ambridge.con
(ii)	<i>y</i> > 9	1	age
(iii)	x + y < 20	1	· QI
(b)	5x + 10y < 170 seen	1	
(c) (i)	x = 4 ruled $y = 9$ ruled	1 1	Each line long enough to enclose their region Condone good freehand or dotted y = 9 must be between 8.8 and 9.2
	x + y = 20 ruled	2	B1 for gradient = -1 or y intercept = 20 or x intercept = 20 . Exclude lines parallel to either axis.
	x + 2y = 34 ruled	2	B1 for y intercept = 17 or x intercept = 34. Exclude lines parallel to either axis.
	Correct region indicated cao	1	Dependent on all 6 marks for the 4 lines.
(ii)	145 cao (from 11, 9) www 2	2	M1 for using $5x + 10y$ when $x + y = 20$ and integers (x, y) is in their region

Page 4 Mark Scheme: Teachers' version Syllabus IGCSE – May/June 2012 0580			my
IGCSE – May/June 2012 0580	Page 4	Mark Scheme: Teachers' version	Syllabus
		IGCSE – May/June 2012	0580

4			In all parts of (a) candidates may refer to marked in diagram. Allow if clear even if it more complicated as long as it is full. Reasons dependent on correct answers Not alternate segment
(a) (i)	42 Alternate oe	1 1	Not alternate segment
(ii)	90 semicircle oe	1 1	Allow diameter
(iii)	42 same segment oe	1 1	same arc
(iv)	138 cyclic quad oe	1 1	key words must not be spoiled
(b)	10.9 (10.90 to 10.91) www 3	3	M2 for $\sqrt{12^2 - 5^2}$ oe i.e explicit or M1 for $12^2 = 5^2 + PQ^2$ oe i.e implicit Allow full marks for $\sqrt{119}$ as final answer Use of trig method must be complete to explicit expression for possible M2
(c) (i)	AD = CD and $DE = DG(Angle) CDG = (angle)ADE(Sides of) square or 90^{\circ} + angle ADGoe$	1 1 R1	Extra pair of sides loses this mark. Extra pair of angles loses this mark As in (a), for all 3 marks allow references to diagram if completely clear. R mark dep on at least one pair of sides stated or pair of angles stated
(ii)	Congruent	1	

		mm
Page 5	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2012	0580
	-	

				8
5	(a)	(£) 2.37 or 2.371 to 2.372 www 2	2	M1 for $34.95 \div 1.17$ implied by 29.87 or SC1 for 2.77 or 2.78 or 2.775 M1 for $4.07 \times 10^{12} \div (1.1 \times 10^9)$ implied by figs or $154.()$
	(b)	154 days 4 hours cao	3	M1 for $4.07 \times 10^{12} \div (1.1 \times 10^9)$ implied by figs or 154. () A1 for 3700 seen or 3.7×10^3 seen or $154 \frac{1}{6}$ oe or 154 rem 4
	(c) (i)	9.25	1	
	(ii)	Lower = 51.3375 final answer Upper = 52.8275 final answer	1	After 0 scored SC1 for answers reversed or 9.35 and 5.65 seen or 51.3375 and 52.8275 seen
6	(a)	(x =) 64 www 3	3	B2 for $x + 2x + x = 360 - 114 + 10$ or better or M1 for $x + 2x + 114 + x - 10 = 360$
	(b) (i)	-1 $n^2 \text{ oe}$ $5n \text{ oe}$ $n^2 + 5n \text{ oe}$	1 1 1 1	
	(ii)	20	2	M1 for their $n^2 + 5n = 500$ or 20 and 25 seen
	(c)	Final answer $\frac{x-4}{2x-1}$ cao www 4	4	B1 for $(x-4)(x+4)$ B2 for $(2x-1)(x+4)$ or SC1 for $(2x+a)(x+b)$ where either $a+2b=7$ or $ab=-4$
7	(a)	(5, 3)	1	
	(b) (i)	$3\mathbf{a} + \mathbf{c}$	1	
	(ii)	$3\mathbf{a} + \frac{1}{2}\mathbf{c} \text{ or } \frac{1}{2}(6\mathbf{a} + \mathbf{c})$	2	M1 for \overrightarrow{OM} oe e.g $OA+AM$ or correct unsimplified answer
	(iii)	$\mathbf{a} + \mathbf{c}$	1	
	(iv)	$\frac{3}{2}\mathbf{a} + \frac{1}{2}\mathbf{c} \text{ or } \frac{1}{2}(3\mathbf{a} + \mathbf{c})$	2	M1 for $-\mathbf{c} + \frac{3}{2} \times$ their (iii) or $\mathbf{a} + \frac{1}{2} \times$ their (iii) or
				correct unsimplified answer or any correct route e.g. $CE + ED$
	(c)	(CD) parallel (to OB) oe cao	1dep	Part (c) dependent on simplified (i) and (iv) Dep on (i) = $k \times$ (iv)
	(-)	$CD = \frac{1}{2} OB$ oe cao		Dep on (i) = $2 \times (iv)$ must be scalars

Page 6	Mark Scheme: Teachers' version	Syllabus	D
	IGCSE – May/June 2012	0580	Obs.

		Г	Co.
8			Throughout question, penalise non-refraction only once; isw any conversion and decimals in working and on branches but not answers if fractions not seen.
(a) (i)	$\frac{2}{3}$	1	
(ii)	$\frac{1}{3}, \frac{2}{3}, \frac{2}{5}, \frac{3}{5}, \frac{1}{6}, \frac{5}{6}$ correctly placed	2	B1 for $\frac{1}{3}$ and $\frac{2}{3}$ and $\frac{3}{5}$ or $\frac{5}{6}$ correctly placed
			For method marks in (b) and (c) , ft tree with each probability 0
(b)	$\frac{4}{9}$ cao www 3	3	M2 for $1 - \frac{2}{3} \times \frac{5}{6}$ or $\frac{1}{3} + \frac{2}{3} \times \frac{1}{6}$ or $\frac{1}{3} \times \frac{2}{5} + \frac{1}{3} \times \frac{3}{5} + \frac{2}{3} \times \frac{1}{6}$ M1 for $\frac{1}{3} + \frac{2}{3} \times \frac{5}{6}$
(c)	$\frac{14}{45}$ cao www 3	3	or two of $\frac{1}{3} \times \frac{2}{5}$, $\frac{1}{3} \times \frac{3}{5}$, $\frac{2}{3} \times \frac{1}{6}$ added M2 for $\frac{1}{3} \times \frac{3}{5} + \frac{2}{3} \times \frac{1}{6}$ or their $\frac{4}{9} - \frac{1}{3} \times \frac{2}{5}$ M1 for one of $\frac{1}{3} \times \frac{3}{5}$ or $\frac{2}{3} \times \frac{1}{6}$ from a maximum of two products added.
9	Accurate ruled perp. bisector with correct intersecting arcs	2	B1 for accurate with no/wrong arcs or M1 for correct intersecting arcs Ignore one extra perp. bisector
	Accurate ruled angle bisector with correct intersecting arcs	2	B1 for accurate with no/wrong arcs or M1 for correct intersecting arcs Ignore one extra angle bisector
	Compass drawn arc centre <i>F</i> radius 5.5 cm long enough to enclose region	2	M1 for compass drawn arc centre F
	Correct region indicated cao	1	Accept dotty lines but not freehand for all three

		my
Page 7	Mark Scheme: Teachers' version	Syllabus
	IGCSE – May/June 2012	0580

			S
10 (a) (i)	8x ⁶ y ⁹ final answer	2	B1 for any two of 8, x^6 , y^9 in a single tenanswer B2 for $\frac{3}{2}$ or $3x^{-2}$ or $\frac{1}{2x^{-2}}$ as answer
(ii)	$\frac{x^2}{3}$ oe but not $\frac{1}{3x^{-2}}$ oe final answer	3	B2 for $\frac{3}{x^2}$ or $3x^{-2}$ or $\frac{1}{3x^{-2}}$ as answer
			or B1 for $\frac{x^6}{27}$ oe as answer or $\frac{1}{\sqrt[3]{\frac{27}{x^6}}}$ seen
			or SC1 for 3 or x^2 or x^{-2} seen in answer
(b)	$6x^2 + 11xy - 10y^2$ final answer	3	B2 for 3 of $6x^2 - 4xy + 15xy - 10y^2$ (11xy implies 2 terms)
	2		or B1 for 2 of $6x^2 - 4xy + 15xy - 10y^2$
(c) (i)	$\frac{V - \pi r^3}{2\pi r^2}$ or $\frac{V}{2\pi r^2} - \frac{r}{2}$ oe but not triple fractions final answer	2	M1 for correct subtraction or correct division by $2\pi r^2$ seen
(ii)	$\frac{V^2}{3}$ final answer	2	B1 for $V^2 = 3h$ or $\frac{V}{\sqrt{3}} = \sqrt{h}$ or $h = \left(\frac{V}{\sqrt{3}}\right)^2$
(d)	$\frac{5x}{12}$ final answer	2	B1 for 2 of $\frac{6x}{12}$, $\frac{20x}{12}$, $\frac{-21x}{12}$ oe implied by $\frac{10x}{24}$ ie 2 with common denominator = at least 6
11 (a)	452 or 452.1 to 452.4	2	M1 for $\pi \times 12^2$ Allow full marks for 144π as final answer
(b)	59.9 or 59.86 to 59.91 cao www 5	5	M1 for $\pi \times 24 \times 7$ (soi by 527 to 528) oe or
			$\frac{22}{360} \times \pi \times 24$ oe (soi by 4.60 to 4.61)
			and M1 dep for $\frac{22}{360} \times \pi \times 24 \times 7$ (soi by 32.2 to
			32.3)
			and M1 for $\frac{22}{360}$ × their (a) oe may restart (soi by 27.6 to 27.7)
			and M1 dep on M3 for adding two areas
(c)	11 ÷ cos50 soi by 17.(11) oe	M2	M1 for cos $50 = \frac{11}{AC}$ oe i.e. implicit
	(their AC) ² + 31 ² – 2 × their AC × 31cos100 art 37.9 cao www 6	M2 A2	M1 for implicit cos rule A1 for 1433 to 1443

Page 8	Mark Scheme: Teachers' version	Syllabus	· 20
	IGCSE – May/June 2012	0580	123

			6
12 (a)	10x + 4y = 10.7 oe $8x + 6y = 10.1$ oe	1 1	andride
	Multiplying or dividing equation(s) by number(s) suitable for elimination	M1	Allow one arithmetic error. If substitution, correctly making one variable the subject of one equation.
	Elimination of one variable	M1	Allow one arithmetic error. If substitution method then M is for the actual substitution.
	x = 0.85 cao y = 0.55 cao	A1 A1	SC1 for correct fractions After M0, SC2 for both correct answers
			If working in cents, likely mark is 0 for equations, M2 for method, A2 if answers converted to dollars, A1 if left in cents
(b)	$\frac{5 \pm \sqrt{(-5)^2 - 4.2 8}}{2.2}$	B2	B1 for $\sqrt{(-5)^2 - 4.2 8}$ ($\sqrt{89}$) B1 for $\frac{p + }{r}$ or $\frac{p - }{r}$ with $p =5$ or 5 and $r = 2 \times 2$ or 4
			Completing the square B1 for $\left(x - \frac{5}{4}\right)^2$ and
			B1 for $\sqrt{4 + \frac{25}{16}}$
	3.61 or –1.11 final answer	B1B1	After B0 B0 for answers, SC1 for 3.6 or 3.608 and -1.1 or -1.108 or 3.61 and -1.11 seen Correct answers without working score max 2