



**1. ALGEBRA**

*Quadratic Equation*

For the equation  $ax^2 + bx + c = 0$ ,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

*Binomial Theorem*

$$(a + b)^n = a^n + \binom{n}{1} a^{n-1} b + \binom{n}{2} a^{n-2} b^2 + \dots + \binom{n}{r} a^{n-r} b^r + \dots + b^n,$$

where  $n$  is a positive integer and  $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

**2. TRIGONOMETRY**

*Identities*

$$\sin^2 A + \cos^2 A = 1$$

$$\sec^2 A = 1 + \tan^2 A$$

$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$

*Formulae for  $\Delta ABC$*

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$\Delta = \frac{1}{2} bc \sin A$$

1 (i) Find  $\int \sqrt{7x - 5} \, dx$ .

(ii) Hence evaluate  $\int_2^3 \sqrt{7x - 5} \, dx$ . [2]

- 2 Using the substitution  $u = 2^x$ , find the values of  $x$  such that  $2^{2x+2} = 5(2^x) - 1$ .

- 3 Show that  $\cot A + \frac{\sin A}{1 + \cos A} = \operatorname{cosec} A$ .

- 4 Solve the simultaneous equations  $5x + 3y = 2$  and  $\frac{2}{x} - \frac{3}{y} = 1$ .

5 Differentiate the following with respect to  $x$ .

(i)  $(2 - x^2)\ln(3x + 1)$

[2]

(ii)  $\frac{4 - \tan 2x}{5x}$

[3]

6 You must not use a calculator in this question.

- (i) Express  $\frac{8}{\sqrt{3} + 1}$  in the form  $a(\sqrt{3} - 1)$ , where  $a$  is an integer.

[2]

An equilateral triangle has sides of length  $\frac{8}{\sqrt{3} + 1}$ .

- (ii) Show that the height of the triangle is  $6 - 2\sqrt{3}$ .

[2]


- (iii) Hence, or otherwise, find the area of the triangle in the form  $p\sqrt{3} - q$ , where  $p$  and  $q$  are integers.

- 7 (i) Sketch the graph of  $y = |x^2 - x - 6|$ , showing the coordinates of the points where the graph meets the coordinate axes.

(ii) Solve  $|x^2 - x - 6| = 6$ .

[3]

8



The figure shows a circle, centre  $O$ , with radius 10 cm. The lines  $XA$  and  $XB$  are tangents to the circle at  $A$  and  $B$  respectively, and angle  $AOB$  is  $\frac{2\pi}{3}$  radians.

(i) Find the perimeter of the shaded region. [3]

(ii) Find the area of the shaded region. [4]

9 Variables  $N$  and  $x$  are such that  $N = 200 + 50e^{\frac{x}{100}}$ .

(i) Find the value of  $N$  when  $x = 0$ .

[1]

(ii) Find the value of  $x$  when  $N = 600$ .

[3]

- (iii) Find the value of  $N$  when  $\frac{dN}{dx} = 45$ .

10 (a) It is given that  $f(x) = \frac{1}{2+x}$  for  $x \neq -2$ ,  $x \in \mathbb{R}$ .

(i) Find  $f''(x)$ .

[2]

(ii) Find  $f^{-1}(x)$ .

[2]

(iii) Solve  $f^2(x) = -1$ .

[3]

- (b) The functions  $g$ ,  $h$  and  $k$  are defined, for  $x \in \mathbb{R}$ , by

$$g(x) = \frac{1}{x+5}, \quad x \neq -5,$$

$$h(x) = x^2 - 1,$$

$$k(x) = 2x + 1.$$

Express the following in terms of  $g$ ,  $h$  and/or  $k$ .

(i)  $\frac{1}{(x^2-1)+5}$

[1]

(ii)  $\frac{2}{x+5} + 1$

[1]

---

11 The point  $P$  lies on the line joining  $A(-1, -5)$  and  $B(11, 13)$  such that  $AP = \frac{1}{3}AB$ .

- (i) Find the equation of the line perpendicular to  $AB$  and passing through  $P$ .

[5]

The line perpendicular to  $AB$  passing through  $P$  and the line parallel to the  $x$ -axis passing through  $B$  intersect at the point  $Q$ .

- (ii) Find the coordinates of the point  $Q$ .

[2]

- (iii) Find the area of the triangle  $PBQ$ .

Answer only **one** of the following two alternatives.

**12 EITHER**


At 1200 hours, a ship has position vector  $(54\mathbf{i} + 16\mathbf{j})$  km relative to a lighthouse, where  $\mathbf{i}$  is a unit vector due East and  $\mathbf{j}$  is a unit vector due North. The ship is travelling with a speed of  $20 \text{ km h}^{-1}$  in the direction  $3\mathbf{i} + 4\mathbf{j}$ .

- (i) Show that the position vector of the ship at 1500 hours is  $(90\mathbf{i} + 64\mathbf{j})$  km. [2]
- (ii) Find the position vector of the ship  $t$  hours after 1200 hours. [2]

A speedboat leaves the lighthouse at 1400 hours and travels in a straight line to intercept the ship. Given that the speedboat intercepts the ship at 1600 hours, find

- (iii) the speed of the speedboat, [3]
- (iv) the velocity of the speedboat relative to the ship, [1]
- (v) the angle the direction of the speedboat makes with North. [2]

**OR**



The position vectors of points  $A$  and  $B$  relative to an origin  $O$  are  $\mathbf{a}$  and  $\mathbf{b}$  respectively. The point  $P$  is such that  $\overrightarrow{OP} = \frac{5}{4} \overrightarrow{OB}$ . The point  $Q$  is such that  $\overrightarrow{AQ} = \frac{1}{3} \overrightarrow{AB}$ . The point  $R$  lies on  $OA$  such that  $RQP$  is a straight line where  $\overrightarrow{OR} = \lambda \overrightarrow{OA}$  and  $\overrightarrow{QR} = \mu \overrightarrow{PR}$ .

- (i) Express  $\overrightarrow{OQ}$  and  $\overrightarrow{PQ}$  in terms of  $\mathbf{a}$  and  $\mathbf{b}$ . [2]
- (ii) Express  $\overrightarrow{QR}$  in terms of  $\lambda$ ,  $\mathbf{a}$  and  $\mathbf{b}$ . [2]
- (iii) Express  $\overrightarrow{QR}$  in terms of  $\mu$ ,  $\mathbf{a}$  and  $\mathbf{b}$ . [3]
- (iv) Hence find the value of  $\lambda$  and of  $\mu$ . [3]

Start your answer to Question 12 here.

Indicate which question you are answering.

|        |  |
|--------|--|
| EITHER |  |
| OR     |  |

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

Continue your answer here if necessary.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....