



# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

# **CAMBRIDGE INTERNATIONAL MATHEMATICS**Paper 4 (Extended)

0607/04

October/November 2011

2 hours 15 minutes

Candidates answer on the Question Paper

Additional Materials: Geometrical Instruments

**Graphics Calculator** 

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

Unless instructed otherwise, give your answers exactly or correct to three significant figures as appropriate.

Answers in degrees should be given to one decimal place.

For  $\pi$ , use your calculator value.

You must show all the relevant working to gain full marks and you will be given marks for correct methods, including sketches, even if your answer is incorrect.

The number of marks is given in brackets [ ] at the end of each question or part question.

The total number of marks for this paper is 120.

For Examiner's Use

This document consists of 18 printed pages and 2 blank pages.



#### Formula List

For the equation  $ax^2 + bx + c = 0$  x

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Curved surface area, A, of cylinder of radius r, height h.

$$A = 2\pi rh$$

Curved surface area, A, of cone of radius r, sloping edge l.

$$A = \pi r l$$

Curved surface area, A, of sphere of radius r.

$$A = 4\pi r^2$$

Volume, V, of pyramid, base area A, height h.

$$V = \frac{1}{3}Ah$$

Volume, V, of cylinder of radius r, height h.

$$V = \pi r^2 h$$

Volume, V, of cone of radius r, height h.

$$V = \frac{1}{3}\pi r^2 h$$


Volume, V, of sphere of radius r.

$$V = \frac{4}{3}\pi r^3$$

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Area = 
$$\frac{1}{2}bc \sin A$$




				3		
			Answer a	ll the question	ns.	
1	Ale	ssand	dro travels from a village in France to hi	s home in Ital	y.	
	(a)	His	flight from Paris to Rome takes 1 hour	57 minutes.		
		(i)	The departure time is 1025. Write down the arrival time.			
			A	Answer(a)(i)		[1]
		(ii)	Write down the flight time in hours.			
			2	Answer(a)(ii)	h	[1]
		(iii)	The distance between Paris and Rome	is 1120 km.		
			Calculate the average speed of the flig Give your answer in km/h.	ht.		
			e.	Answer(a)(iii)	km/h	[2]
	(b)	The	flight time of 1 hour 57 minutes is 26%	of Alessandr	ro's total journey time.	
			culate Alessandro's total journey time. e your answer in hours and minutes.			

© UCLES 2011 0607/04/O/N/11 **[Turn over** 

Answer(b) h min

[3]

For Examiner's Use



In the circle, the chords AB and CD intersect at X.

(a) Complete the statement.

**(b)** AX = 6 cm, DX = 4 cm and XB = 7 cm.

Calculate the length of *XC*.

Answer(b) cm [2]


(c) The area of triangle BXC is  $32.7 \,\mathrm{cm}^2$ .

Calculate the area of triangle *DXA*.

Answer(c)  $cm^2$  [2]

3	Mar	ria invests \$480 at a rate of 2.6% per year compound interest.	
	(a)	Calculate the interest Maria receives after 5 years.	
		Answer(a) \$	[4]
	(b)	Calculate the number of years it takes for the total amount to exceed \$800. Show your working and give your answer to the nearest integer.	
		Answer(b)	[3]

For Examiner's Use



In the quadrilateral ABCD, AD = 11 cm, DC = 7 cm and AC = 12 cm.

Angle  $BAC = 48^{\circ}$  and angle  $ABC = 95^{\circ}$ .

(a) Calculate the length of BC.

Answer(a) cm [3]

**(b)** Calculate angle *ADC*.

Answer(b) [3]

$$f(x) = 2x^2 - 3x - 3$$


(a) Solve the equation f(x) = 0.

Give your answers correct to 2 decimal places.

**(b)**  $f(2x-3) = 8x^2 - kx + 24$ 

Find the value of k.

$$Answer(b) k =$$
 [3]



The diagram shows the cross-section of a tunnel.

This cross-section is made up of a triangle and a sector of radius 4.7 m and angle 260°.

(a) Calculate the area of the cross-section.

	2	
Answer(a)	m²	[5]

Examiner's Use

**(b)** The tunnel has a length of 2.4 km.

Calculate the volume of earth that was removed to make the tunnel. Give your answer in cubic metres.

Answer(b)  $m^3$  [2]


(c) One cubic metre of earth has a mass of 1530 kg.

Examiner's Use

Calculate the total mass of the earth that was removed. Give your answer in **tonnes** and correct to 2 significant figures.

Answer(c) tonnes [3]

7



The histogram shows information about the masses of some apples.

(a) Complete the frequency table.

Mass (m grams)	$0 \le m < 70$	$70 \le m < 100$	$100 \le m < 150$		
Frequency	210				

[2]

**(b)** Calculate an estimate of the mean mass of the apples.


Answer(b) g [2]

8 In this question, answers which are not exact should be given correct to 4 significant figures.

For Examiner's Use

(a) 
$$f(x) = x^4 - x^2$$

(i) On the axes, sketch the graph of y = f(x), for  $-1.5 \le x \le 1.5$ .



[2]

(ii) Write down the co-ordinates of the points where the graph meets the axes.

(iii) Write down the equation of the line of symmetry of this graph.

(iv) Find the co-ordinates of the minimum points.

(v) Write down the range of f(x) when the domain is  $\mathbb{R}$ .

$$Answer(a)(v) \qquad [1]$$


11	
<b>(b)</b> (i) On the axes, sketch the graph of $y = g(x)$ , where $g(x) = 2^x - 1.6$ .	[2]
(ii) Solve the equation $2^x - 1.6 = 0$ .	
Answer(b)(ii) x =	[1]
(c) (i) Solve the equation $x^4 - x^2 = 2^x - 1.6$ , for $-1.5 \le x \le 1.5$ .	
Answer(c)(i) x =	[2]
(ii) Solve the inequality $f(x) < g(x)$ .	
Answer(c)(ii)	[1]
The diagram shows a cuboid which measures 12 cm by 10 cm by 7 cm.  (a) Calculate the total surface area of the cuboid.	
Answer(a) cm <sup>2</sup> (b) Calculate angle RBC.	[2]
(c) Calculate the length BS.	[2]

For Examiner's Use

Answer(c) \_\_\_\_\_ cm

[3]






In the pentagon ABCDE, AB is parallel to ED, BC is parallel to AE and BC = CD.

Ang	$gle E_{\lambda}$	$AB = 84^{\circ}$ and angle $BCD = 110^{\circ}$ .	1		
(a)	(i)	Find the size of angle AED.			
	(ii)	Find the size of angle <i>CDE</i> .	Answer(a)(i)		[1]
(b)	Dra	w the line <i>BD</i> and find the size of ang			[2]
			Answer(b)		[2]
(c)	Exte	end $ED$ and $BC$ to meet at $X$ .			
	(i)	Write down the mathematical name	of the shape AE	BXE.	
	(ii)	Write down the size of angle <i>CXD</i> .	Answer(c)(i)		[1]
(d)	Evt	end $AB$ and $DC$ to meet at $Y$ .	Answer(c)(ii)		[1]
(u)	EXU	end Ab and bc to meet at 1.			
	(i) (ii)	Find the size of angle <i>BYC</i> .  Give a reason why it is <b>not</b> possible <i>Answer(d)</i> (ii)	to draw a circle	-	[1]
					Γ1 <b>1</b>

For Examiner's Use



 $f(x) = x^2$   $g(x) = (x + 2)^2$   $h(x) = 2x^2$   $k(x) = -x^2$ 

(a) On the grid, sketch the graph of each function. Label each graph clearly.

[4]

- (b) Describe fully the **single** transformation that maps
  - (i) the graph of y = f(x) onto the graph of y = g(x),

Answer(b)(i)

[2]

(ii) the graph of y = f(x) onto the graph of y = h(x),

Answer(b)(ii)

[3]


(iii) the graph of y = f(x) onto the graph of y = k(x).

Answer(b)(iii)

[2]

12	On any day, the probability that it rains is 0.15.							
	If it	If it rains, the probability that Claudia rides her bike is $0.3$ .						
	If it	t does not rain, the probability that Claudia rides her b	pike is 0.9.					
	(a)	Draw a tree diagram to show this information.						
		Write the probabilities on all the branches.						
				[4]				
	(b)	Find the probability that		۲۰,				
	(2)	(i) it does not rain and Claudia rides her bike,						
		(,						
		Answer(b	<i>p)</i> (i)	[2]				
		(ii) Claudia rides her bike.						
		Answer(h	<i>p)</i> (ii)	[2]				
	(c)			[2]				
	(0)	burning a period of 15 days, on now many days wou	id Chadda expect to fide her olice.					
		Answer(c)	·)	[1]				

Examiner's Use



Answer(c) [2]

(d) Find the co-ordinates of the point of intersection of Line 2 and Line 3.

*Answer(d)* ( , , , , ) [2]

(e) Write down the three inequalities that define the region R, shaded in the diagram.

Answer(e) [2] 14 Ten students take a mental arithmetic test and a calculator test.


The table shows the results.

Examiner's Use

Student	A	В	С	D	Е	F	G	Н	Ι	J
Mental arithmetic test score (x)	15	8	20	19	13	7	10	20	17	9
Calculator test score (y)	12	8	18	20	11	9	11	20	15	8

(a) Complete the scatter diagram to show this information.

The information for students A to F has already been plotted.



[2]

(b) Underline one word which best describes the correlation between the scores on each test.

none positive negative [1]

(c)	(i)	The mean score for the mental arithmetic test is 13.8.	
		Find the mean score for the calculator test.	
	<b>(;;)</b>	Answer(c)(i)	[1]
	(ii)	Find the equation of the line of regression, giving $y$ in terms of $x$ .	
		Answer(c)(ii) y =	[2]
	(iii)	Draw the line of regression on the scatter diagram.	[2]
	(iv)	A student scores 18 in the mental arithmetic test.	
		Predict this student's score in the calculator test.	
		Answer(c)(iv)	[1]

15	(a)	(i)	A circle is cut into <i>n</i> equal sectors.	
			Write down, in terms of $n$ , the angle at the centre of each sector.	
			Answer(a)(i)	[1]
		(ii)	A circle is cut into $n + 3$ equal sectors.	
			Write down, in terms of $n$ , the angle at the centre of each sector.	
			Answer(a)(ii)	[1]
	<b>(b)</b>	The	angle in <b>part(a)(ii)</b> is 4° smaller than the angle in <b>part(a)(i)</b> .	
		Wri	te down an equation in $n$ and find the value of $n$ .	
			Answer(b) n =	[5]

## **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.