Centre Number	Candidate Number	Name

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

#### **COMBINED SCIENCE**

0653/03

Paper 3 Extended

May/June 2006

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

You may use a pencil for any diagrams, graphs, tables or rough working.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
4		
5		
6		
7		
8		
9		
Total		

1 (a) Each box below contains a description of a solid, a liquid or a gas.


Join each box to the correct diagram.

It takes up the shape of its container and has a constant volume.




It expands the most when heated.

The particles are only very weakly attracted to each other.



The particles have very strong forces of attraction between them.



[3]

**(b)** Fig. 1.1 shows a cylinder containing carbon dioxide held in by a piston.




Fig. 1.1

The volume in the cylinder is reduced by pushing in the piston.
Explain, in terms of particles, how this affects the pressure on the walls of the cylinder.
[3]

2	Several members of Rohani's family have an illness called PKU.
	PKU is caused by a recessive allele, <b>a</b> . The normal allele is <b>A</b> .

(a) Explain what is meant by a recessive allele.	
	[2]
(b) Rohani has PKU. She has collected information about her pare This is the family tree that she has drawn.	ents and grandparents.
Rohani	key  unaffected female  female with PKU  unaffected male  male with PKU
(i) What is Rohani's genotype?	[1]
(ii) Rohani's parents have the same genotype as each other.	

Draw a genetic diagram to show how Rohani inherited PKU from her parents.

(c)	The bodies of people with PKU cannot use amino acids properly. If they have too much of a particular amino acid in their blood, it can cause brain damage. Rohani has to eat a special diet to make sure this does not happen.
	Suggest which kinds of foods Rohani must be especially careful about. Explain your answer.
	rol
	[2]

**3 (a)** Table 3.1 shows some information about the elements in Group VII of the Periodic Table. Use the Periodic Table on page 24 to help you with this question.


Complete the table.

Table 3.1

symbol	solid, liquid or gas at 25 °C
Cl	
Br	
I	

[1]

- (b) Chlorine exists as diatomic molecules,  $Cl_2$ . Chlorine molecules react with methane,  $CH_4$ , to form a compound having the formula  $CCl_4$ .
  - (i) Complete the bonding diagram below to show
    - the chemical symbols of the elements in a molecule of methane,
    - the arrangement of the outer electrons of each atom.



[2]

(ii) The symbolic equation below showing the reaction between chlorine and methane is not balanced.

Balance the equation.

$$Cl_2$$
 +  $CH_4$   $\rightarrow$   $CCl_4$  +  $HCl$  [1]

(iii)	Fluorine and bromine also react with methane. Suggest which of the three elements, fluorine, chlorine or bromine, reacts with methane most vigorously.
	Explain your answer.
	element
	explanation
	[1]
(c) The	e chemical symbols below represent isotopes of chlorine.
	$^{35}_{17}$ C $l$ $^{37}_{17}$ C $l$
(i)	Describe how the nuclei of these isotopes differ from one another.
	[2]
(ii)	Calculate the relative molecular mass of the compound CC1. Show your working.
	[2]

**4 (a)** Sodium -21 and sodium -24 are two radioactive isotopes that decay with half-lives of 23 seconds and 15 hours respectively.

Sodium -24 can be used to detect leaks in water pipes. Sodium chloride containing sodium -24 is placed in the pipe and a radiation detector is used to check for radiation coming from water leaking out of the pipe.



(i)	Explain the meaning of the term radioactive decay.
(ii)	Explain why sodium -24 is more suitable than sodium -21 as a radioactive isotope for detecting leaks in water pipes.
	[1]
(iii)	A sample of sodium -24 of mass 1.6 g was stored for a few days.
	Calculate the mass of sodium -24 that will remain after 45 hours.
	Show your working.
	[2]

(b)	(b) Some radioactive isotopes are used to generate electricity in nuclear power station		
	(i)	The voltage of the electricity generated is increased by using transformers, transmission through power lines to the users.	fo
		Explain why this is done.	
			••••
			[2]
	(ii)	The electrical supply to a house is at a voltage of 220 V.  An electric kettle is plugged into the supply.  The current flowing through the heating element of the kettle is 10 A.	
		Calculate the resistance of the heating element.	
		Show your working and state the formula that you use.	
		formula used	
		working	
			[2]

- 5 (a) The list below contains descriptions of some different parts of cells.
  - A contains genes made of DNA
  - **B** controls what enters and leaves the cell
  - **C** is fully permeable

Write the **letter** or **letters** of the descriptions that fit each of these parts of cells. Each part may have one letter, two letters or no letters at all.

nucleus		
cell wall		
chloroplast		
cell surface	membrane	[2

**(b)** Fig. 5.1 shows an experiment to investigate osmosis.





Fig. 5.1

After five minutes, the level of the liquid inside the capillary tube had risen.

(i)	Explain why the liquid rose up the tube.	
		••••
		••••
		[3]

	(ii)	At the end of the experiment, the liquid outside the membrane was tested for starch.
		Describe how this test would be carried out and the colour you would expect to see.
		how the test is carried out
		colour expected [2]
(c)		nts take up water from the soil into their roots by osmosis. The water is then carried to the leaves in the xylem vessels.
		scribe the pathway that the water takes as it travels from the soil into the xylem sels in the root.
		[2]

6 Petroleum (crude oil) provides many important products including fuels and polymers.



(a) Butane is a gaseous fuel obtained from petroleum.

Name **two** products that are formed when butane burns in the air.

[1]

(b) Table 6.1 shows the total number of atoms which are combined in molecules of four compounds A, B, C and D.

Table 6.1

compound	Α	В	С	D
number of atoms in one molecule	60 000	5	26	2

(i)	Suggest and explain briefly which one of these compounds is methane (natural gas).
	[1]
	[1]
(ii)	Suggest and describe the type of chemical reaction that has occurred to form molecules of compound ${\bf A}$ .
	[2]

(c)	Cracking is a process which converts large hydrocarbon molecules into smaller ones, some of which contain double covalent bonds in their molecules.									
	(i)	i) Describe briefly how hydrocarbon molecules are cracked.								
		[7]								
	[2]									
	A colourless hydrocarbon is shaken with aqueous bromine. After some time the bromine has <b>not</b> changed colour.									
	What does this result suggest about the bonding in the hydrocarbon?									
Explain your answer.										
		[2]								

# 7 Fig. 7.1 shows sugar cane growing in Fiji.



Fig. 7.1

(a) In Fiji, much of the land is hilly. It often rains very hard.

With reference to Fig. 7.1, explain how the fields of sugar cane can help to reduce erosion.	e soil
	[2]

(b) Sugar cane has flowers that are pollinated by the wind.
Suggest one feature you would expect these flowers to have.

(c)		Sugar cane produces glucose by photosynthesis. The glucose is changed into other sugars. These sugars can be used to make sweet foods such as cakes and chocolate.								
	A m	man eats a cake containing glucose.								
	(i)	Describe how the glucose is absorbed into his blood.								
		[2]								
	(ii)	Explain how his blood sugar level will be prevented from rising too high after he has eaten the cake.								
		[3]								
	(iii)	The process that controls the level of blood sugar is an example of negative feedback.								
		Explain the meaning of the term <i>negative feedback</i> .								
		[2]								

^	<b>T</b> 1 ( ) .				
8	The element iron is	s extracted from Iron ore	. which is a rock t	found in the Earth's crus	τ

The element iron is extracted from iron ore, which is a rock found in the Earth's crust.
(a) The main iron compound in iron ore is iron oxide. When iron oxide reacts with carbon monoxide, iron is produced. The word equation for this reaction is shown below.
iron oxide + carbon monoxide → iron + carbon dioxide
(i) State <b>one</b> difference between an element such as iron and a compound such as iron oxide.
[1
(ii) The formula of iron oxide is $Fe_2O_3$ and the formula of oxide ions is $O^{2-}$ .
Deduce the formula of the iron ions in iron oxide.
Explain your working.
[2
(b) Fig. 8.1 shows a diagram of a car.
galvanised underside of car
Fig. 8.1
Explain how galvanising prevents the steel on the underside of the car from rusting.

[2]

(c) Fig. 8.2 shows a test-tube containing dilute sulphuric acid reacting with pieces of zinc. The zinc was in excess and eventually all of the acid had reacted.




Fig. 8.2

(i)	State the formula and charge of an ion which is present in <b>all</b> acidic solutions.	
		[1]
(ii)	State <b>one</b> observation which would show that all of the acid had reacted.	
		[1]
(iii)	Predict and explain what would be observed if a piece of magnesium is added the solution remaining in the test-tube.	d to
		[3]

**9** (a) An athlete takes part in a race. His performance is shown on the speed-time graph in Fig. 9.1.




Fig. 9.1

Use the graph to describe the motion of the athlete between

(i)	<b>A</b> and <b>B</b> ,	

(b) Calculate the distance travelled between 0 seconds and 20 seconds.
Show your working.

[2]

(c) During part of the race, the athlete is travelling at a constant speed. What can be said about the forward and backward forces acting on the athlete at this time?

[1

(d)	The	e mass of the athlete is 60 kg.			
	(i)	His initial forward acceleration is 2 m/s <sup>2</sup> . Calculate the force req acceleration.	uired 1	to give	this
		Show your working and state the formula that you use.			
		formula used			
		working			
					[2]
	(ii)	The athlete does 3000 J of work in 5 seconds. Calculate the power the athlete.	wer de	veloped	d by
		Show your working and state the formula that you use.			
		formula used			
		working			
					[2]

(e) Fig. 9.2 shows three designs for a trophy, **P**, **Q** and **R**. The position of the centre of mass of each trophy is marked with an **X**.




Fig. 9.2

		•		trophy	would	be the	most :	stable.	You may	y draw	diagram	s if it
neips	your	r answer	•									

[2]

# **BLANK PAGE**

# **BLANK PAGE**

#### **BLANK PAGE**

Copyright Acknowledgements:

Question 7 © John Mead/Science Photo Library.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

	0	4 <b>He</b> Helium	20 <b>Ne</b> Neon 10	40 <b>Ar</b> Argon	84 <b>Kr</b> Krypton 36	131 <b>Xe</b> Xenon	Radon 86	
	$\blacksquare$		19 <b>T</b> Fluorine	35.5 <b>C 1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85	
	>		16 Oxygen	32 Sulphur	79 Selenium	128 <b>Te</b> Tellurium 52	Po Polonium 84	
	>		14 <b>N</b> Nitrogen 7	31 Phosphorus 15	75 <b>AS</b> Arsenic 33	122 <b>Sb</b> Antimony 51		
	≥		12 Carbon 6	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium	119 <b>Sn</b> ∏n	207 <b>Pb</b> Lead	
	=		11 Boron 5	27 <b>A1</b> Aluminium 13	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium 49	204 <b>T t</b> Thallium 81	
					65 <b>Zn</b> Zinc 30	112 <b>Cd</b> Cadmium 48	201 <b>Hg</b> Mercury 80	
					6	108 <b>Ag</b> Silver 47	79	
Group					59 <b>Ni</b> Nickel 28	106 <b>Pd</b> Palladium 46		
<u>ច</u>			1		59 <b>Co</b> Cobatt	Rh Rhodium 45	192 <b>Ir</b> Iridium 77	
		T Hydrogen			56 <b>Fe</b> Iron	Ru Ruthenium 44	190 <b>Os</b> Osmium 76	
					Mn Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75	
					52 <b>Cr</b> Chromium 24	Moybdenum 4	184 W Tungsten 74	
					51 Vanadium 23	93 <b>Nb</b> Niobium 41	181 <b>Ta</b> Tantalum 73	
					48 <b>T</b> Titanium	91 Zr Zirconium 40	178 <b>Hf</b> Hafnium 72	
					Scandium 21	89 <b>Y</b>	139 <b>La</b> Lanthanum 57 *	Actinium Actinium 89
	=		9 <b>Be</b> Beryllium	24 Mg Magnesium	40 <b>Ca</b> Calcium 20	Srontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium
	_		7 <b>Li</b> Lithium	23 <b>Na</b> Sodium	39 K	Rb Rubidium	133 CS Caesium 55	Fr Francium 87

Lu Lutetium 71	<b>Lr</b> Lawrenciur 103
Yb Yb Ytterbium 70	No Nobelium 102
169 <b>Tm</b> Thulium 69	Md Mendelevium 101
167 <b>Er</b> Erbium 68	Fm Fermium 100
165 <b>Ho</b> Holmium 67	<b>ES</b> Einsteinium 99
162 <b>Dy</b> Dysprosium 66	Cf Californium 98
159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium 97
157 <b>Gd</b> Gadolinium 64	<b>Cm</b> Curium
152 <b>Eu</b> Europium 63	Am Americium 95
Sm Samarium 62	Pu Plutonium 94
Pm Promethium 61	Np Neptunium 93
Neodymium 60	238 <b>U</b> Uranium 92
141 Pr Praseodymium 59	Pa Protactinium 91
140 <b>Ce</b> Cerium 58	232 <b>Th</b> Thorium 90

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

b = proton (atomic) number

Key

a = relative atomic massX = atomic symbol

\*58-71 Lanthanoid series 90-103 Actinoid series