

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME			
	CENTRE NUMBER		CANDIDATE NUMBER	
6 4 0 *	COMBINED SC		0653/3	
	Paper 3 (Extend	led)	October/November 201	0
2 8			1 hour 15 minute	S
<u>ه</u>	Candidates ans	wer on the Question Paper.		
~`	No Additional M	aterials are required		

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions. A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 19 printed pages and 1 blank page.




UNIVERSITY of CAMBRIDGE International Examinations

[Turn over

WWW_XTREMEPHPERS_NET

1 Fig. 1.1 shows a rock that is falling from the top of a cliff into the river below.





(a) The rock accelerates downwards at 10 m/s^2 . The mass of the rock is 4 kg.

Calculate the force pulling the rock downwards.


State the formula that you use and show your working.

formula used

working

[2]

(b) Fig. 1.2 is speed-time graph for the motion of the rock. This graph ignores the effects of air resistance on the rock.





0653/31/O/N/10

WWW XTREMEPHPERS NET

For Examiner's Use

	Cal	culate the height of the cliff.	For Examiner's
	Sho	ow your working.	Use
		[2]	
(c)	The	e rock has an irregular shape.	
(0)			
		scribe how you could find the density of an irregularly shaped object such as a rock. I should state the apparatus you would use and the measurements you would need to ke.	
		[4]	
(4)	The	e rock contains radioactive substances emitting high levels of ionising radiation.	
(u)			
	(i)	State how the radioactivity could be detected.	
		[1]	
	(ii)	Explain why it would be dangerous for a person to handle this rock without proper protection.	
		[1]	

0653/31/O/N/10

- 2 The gray wolf is a predator that lives in North America.
 - (a) In Wisconsin, Canada, the wolves' diet consists mainly of white-tailed deer, beaver, and snowshoe hares. These all eat plants.

For Examiner's Use

[3]

(i) Construct a food web including all the organisms mentioned above.

(ii)	State what the arrows in your food web represent.	
		[1]
(iii)	With reference to your answers to (i) and (ii), suggest why wolves are rarer the white-tailed deer.	an
		[2]

0653/31/O/N/10

(b) People used to shoot gray wolves, because the wolves kill sheep on farms and deer that people like to hunt.

In 1978, a conservation programme for gray wolves began in Wisconsin and people were no longer allowed to shoot them.

Some people in Wisconsin are opposed to the wolf conservation programme.

Discuss the arguments for and against conserving the gray wolf.

[3]

For

Examiner's Use

0653/31/O/N/10

WWW_XTREMEPAPERS_NET

- 6
- **3 (a)** Copper metal reacts with oxygen gas to form copper oxide. Table 3.1 shows information about two different types of copper oxide.

For Examiner's Use

Tab	e	3	1
Iavi	6	υ.	

name	colour	chemical formula	
copper(II) oxide	black	CuO	
copper(I) oxide	red	Cu ₂ O	

(i) Copper is a transition metal.

State **one** property, shown in Table 3.1, which is typical of transition metals.

......[1]

(ii) The formula of the oxide ion is O^{2-} .

Use the formula of $\operatorname{copper}(I)$ oxide to deduce the charge on the copper ion in this compound.

Show your working.

 [2]

0653/31/O/N/10

WWW_XTREMEPAPERS_NET

(b) Fig. 3.1 shows apparatus used in the electrolysis of copper chloride solution.




Fig. 3.1

(i) On the diagram, label clearly the anode and the electrolyte. [2]
(ii) Copper chloride solution contains copper ions and chloride ions.
When the switch in Fig. 3.1 is closed, bubbles of chlorine gas form at the anode and copper metal forms at the cathode.
Explain these observations in terms of ions, electrons and atoms.

0653/31/O/N/10

NWW_XTREMEPAPE

4 (a) Fig. 4.1 shows a ray of light hitting a mirror. The angle of incidence is 50° .




Fig. 4.1

On Fig. 4.1[1](i) use a ruler to draw and label the reflected ray,[1](ii) use a ruler to draw and label the normal,[1](iii) label the angle of incidence.[1]

(b) Fig. 4.2 shows the wave traces made by three sounds.




Fig. 4.2

(i) On the grid below, draw the trace of a sound wave which has twice the frequency of trace **A**.

[1]

For Examiner's Use

(ii) On the grid below, draw the trace of a sound wave which has half the amplitude of trace **A**.

[1]

(iii) Which two traces in Fig. 4.2 show sounds with the same loudness?

.....

[1]

.....


© UCLES 2010

0653/31/O/N/10


WWW XTREMEPHPERS NET

5 In jet engines, hydrocarbon molecules from the jet fuel mix with air and burn. This releases a large amount of energy and produces a mixture of waste gases. These waste gases pass out through the back of the jet engine into the atmosphere.


For Examiner's Use



(a) Fig. 5.1 shows a molecule of octane, which is a typical hydrocarbon molecule in jet fuel.




- (i) State the chemical formula of octane.
- (ii) Complete the word equation below for the complete combustion of octane.



- (b) Air contains the element nitrogen, N₂.
 - (i) State the number of outer electrons in a single nitrogen atom.

YWW XTREMEP

(ii) Complete the bonding diagram below to show how the outer electrons are arranged around the atoms in a nitrogen molecule.



[2]

[1]

[1]

.....

.....

0653/31/O/N/10

[Turn over

(c) Table 5.1 shows information about some metallic materials.

Table	5.1

material	strength	density	
mild steel	very high	very high	
aluminium	low	low	
duralumin (an aluminium alloy)	very high	low	

Duralumin is used in the manufacture of aircraft.

Explain why the properties of this material make it suitable for this purpose.

[2]

0653/31/O/N/10

WWW_XTREMEPHPERS_NET

Fig. 6.1 shows a generalised reflex arc. neurone Υ central nervous neurone neurone system Х Ζ receptor effector Fig. 6.1 (a) Name the neurones labelled X, Y and Z. Х Y Ζ [3] (b) A student hears a sudden, loud bang. Receptors in his ear respond to the sound by generating electrical impulses in neurone **X**. These impulses travel along the reflex arc, eventually reaching an effector. Suggest what the effector could be in this reflex, and how it would respond. effector [2] response (c) Another reflex action involves the secretion of saliva into the mouth, in response to the smell of food. Saliva contains the enzyme amylase. Describe the role of amylase in the digestion of food. (i) [2] (ii) Explain why it is necessary for most types of food that we eat to be digested. [2]


6

0653/31/O/N/10

NWW XTREMEPAPE

[Turn over

(iii) On the axes below, sketch a curve to show how the activity of amylase from human saliva would vary with temperature.



[2]

For

Examiner's Use

0653/31/O/N/10

7 (a) A student set up the electric circuit in Fig. 7.1.

It contains three lamps L1, L2 and L3.

It contains three switches S1, S2 and S3.




Fig. 7.1

In Table 7.1 write the words 'on' or 'off' to show when each lamp is lit or not lit for each set of switch positions.

swi	tch posi	tion	lamp 'on' or 'off'					
S1	S2	S3	L1	L2	L3			
closed	closed	closed						
closed	closed	open						
closed	open	open						

[3]

For Examiner's Use

0653/31/O/N/10


www.xtremepapers.net

(b) Fig. 7.2 shows an electrical device. For Examiner's Use -0 primary coil O secondary coil 20 turns 200 turns 23 V a.c. 0 -0 Fig. 7.2 (i) Name the device. [1] (ii) Calculate the output voltage. State the formula that you use and show your working. formula used working [2]

14

0653/31/O/N/10

(c) Fig. 7.3 shows a simple a.c. generator.





Describe and explain how the generator works. Your answer should refer to

- how a voltage is generated,
- why an alternating voltage is generated,
- why slip rings are used.

[4]

NET

IWW XTREMEPH


8 (a) Explain why plants need light for photosynthesis.

[2]

(b) A student fixed a piece of black paper over a leaf, which was still attached to the plant. He left the plant in the sun for two days.

He then removed the leaf from the plant and tested it for starch, after removing the black paper.

Fig. 8.1 shows the leaf before and after he did the starch test.



before testing

after testing

For Examiner's Use

Fig. 8.1

Complete the diagram of the leaf after testing in Fig. 8.1, using labels to show the colours of each part. Do **not** colour the diagram. [2]

(c) In daylight, plant leaves take in carbon dioxide and give out oxygen. In darkness, they take in oxygen and give out carbon dioxide.


Explain why this happens.

[3]

0653/31/O/N/10

WW_XTREMEPA

9 Fig. 9.1 shows the apparatus a student used to measure the rate of reaction between some powdered metal and dilute hydrochloric acid.





When the student tilted the conical flask, the acid mixed with the powdered metal. Any gas which was produced collected in the test-tube, pushing the water out. The student used a stopwatch to measure the time taken for the test-tube to fill with gas.

- (a) (i) Name the gas produced when metals react with dilute acid.
 - [1]
 - (ii) State the formula of the *ion* that is present in **all** dilute acid solutions.

......[1]

17

For

Examiner's Use

© UCLES 2010

0653/31/O/N/10

WWW_XTREMEPAPERS_NET

[Turn over

(b) The student used apparatus like that in Fig. 9.1 to compare the rates of reaction between dilute hydrochloric acid and three powdered metals, **X**, **Y** and **Z**.

The results the student obtained are shown in Table 9.1.

metal	mass of metal/g	time for gas to fill the test-tube/seconds
X	1.0	154
Y	1.0	28
Z	1.0	76

Table 9.1

(i) The student was careful to ensure that the only variable (factor) which differed between the experiments was the type of metal.

State **two** variables, other than the mass and surface area of the metals, that the student must keep the same in each experiment.

1	
2	 [2]

(ii) Explain how the results show that the rate of reaction was the lowest when metal **X** was used.

[1]

(iii) The student repeated the experiment with metal **Y** but this time he used a single piece of metal which had a mass of 1.0 g.

State how the rate of reaction would differ from the experiment in which 1.0 g of powdered metal was used. Explain your answer in terms of the collisions between the surface of the metal and ions in the solution.

[3]

(c) When magnesium reacts with dilute hydrochloric acid, HC*l*, one of the products is magnesium chloride, MgC*l*₂.

Construct a balanced symbolic equation for this reaction.

[2]

0653/31/O/N/10



BLANK PAGE

0653/31/O/N/10

	0	4 Heilum 2	20 Neon Neon	40 Ar Argon	84	Krypton 36	131	Xenon 54		Radon 86		175 Lu Lutetium 71	Lawrencium 103
	=>		Fluorine	35.5 C1 ^{Chlorine}	80	Bromine 35	127	I lodine 53		At Astatine 85		173 Yb Ytterbium 70	Nobelium 102
	N		16 Oxygen 8	32 Sultur 16		Selenium 34	128	Te Tellurium 52		PO Polonium 84		169 Tm 69	Md ndelevium
	>		14 Nitrogen	31 Phosphorus 15	75	AS Arsenic 33	122	Sb Antimony 51	209	Bismuth 83		167 Er Erbium 68	Fermium 100
	2		12 Carbon 6	28 Silicon	73	Germanium 32	119	50 Tin	207	Pb Lead		165 Holmium 67	Einsteinium 99
	≡		5 Boron 1	27 Auminium 13	20	Ga Gallium 31	115	Indium 49	204	T1 Thallium 81		162 Dysprosium 66	Cf Californium 98
	Group				65	Zinc Zinc	112	Cadmium Ladmium	201	Mercury 80		159 Tb Terbium 65	BK Berkelium 97
					64	Copper 29	108	Ag Silver	197	Au Gold 79		157 Gd Gadolinium 64	Carlum Currium
dno					20	28 Nickel	106	Pd Palladium 46	195	Pt Platinum 78		152 Eu Europium 63	Americium 95
Ğ					20	Cobalt 27	103	Rhodium 45	192	Ir Iridium		150 Samarium 62	
		Hydrogen			56	26 Iron	101	Ruthenium 44	190	OSmium 76		Promethium 61	Np aptunium
					55	Mn Manganese 25		Tc Technetium 43	186	Rhenium 75		144 Neodymium 60	238 Uranium 92
					25	Chromium 24	96	Molybdenum 42	184	W Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91
					51	Vanadium 23	63	Niobium 41	181	Ta Tantalum 73		140 Cerium 58	232 Thorium 90
					48	Titanium 22	91	Zr Zirconium 40	178	Hafnium 72		n	nic mass bol nic) number
					45	Scandium 21	68	Yttrium 39	139	La Lanthanum 57 *	227 Actinium 89	l series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		9 Beryllium 4	24 Ng Magnesium 12	40	Calcium 20	88	Strontium 38	137	Ba Barium 56	226 Rađ 88	*58-71 Lanthanoid series 190-103 Actinoid series	b X a
				1	1	Potassium 19		Rubidium	1	Csesium	Fr Francium	<u>َ</u> تَـ ا	م

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2010

0653/31/O/N/10

WWW.XTREMEPAPERS.NET

20