

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE NAME | | |
|-------------------|-------|-----------------------|
| CENTRE NUMBER | | CANDIDATE NUMBER |
| COMBINED SC | IENCE | 0653/21 |
| Paper 2 (Core) | | October/November 2010 |

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

| For Exam | iner's Use |
|----------|------------|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| Total | |
| Total | |


This document consists of 20 printed pages.



UNIVERSITY of CAMBRIDGE International Examinations

[Turn over

WWW_XTREMEPAPERS_NET



On the diagram, draw a label line to where this green pigment would be found, and label it \mathbf{P} .




Fig. 1.1

[1]


© UCLES 2010

0653/21/O/N/10

(c) A student fixed a piece of black paper over a leaf, which was still attached to the plant. He left the plant in the sun for two days.

He then removed the leaf from the plant and tested it for starch, after removing the paper.

(i) Using the letters given, list the correct sequence of the steps he took.



0653/21/O/N/10

[Turn over

For

Examiner's Use

WW XTREMEPAPERS NET

2 Fig. 2.1 shows the apparatus a student used to measure the rate of reaction between some powdered metal and dilute hydrochloric acid.




Fig. 2.1

When the student tilted the conical flask, the acid mixed with the powdered metal. If a reaction occurred, any gas which was produced bubbled up into the test-tube, pushing the water out. The student timed how long it took for the test-tube to fill with gas.

(a) Describe how the student could test the gas to show that it was hydrogen.

[2]

(b) The student used the apparatus in Fig. 2.1 to compare the rates of reaction between dilute hydrochloric acid and three powdered metals, **X**, **Y** and **Z**.

Table 2.1

The results the student obtained are shown in Table 2.1.

| metal | mass of metal/g | time for gas to fill the test-tube/seconds |
|-------|-----------------|--|
| Х | 1.0 | 150 |
| Y | 1.0 | 45 |
| Z | 1.0 | no gas was produced |

(i) One of the metals used was copper.

State and explain which metal, **X**, **Y** or **Z**, was copper.

metal

explanation


.....

[2]

0653/21/O/N/10



(ii) Suggest two ways, other than using a catalyst, in which the student could increase the rate of reaction between metal **X** and dilute hydrochloric acid.



(c) Fig. 2.2 shows another experiment in which the student added zinc carbonate to dilute sulfuric acid. A gas was given off and, when the bubbling stopped, some solid zinc carbonate remained in the mixture.




Fig. 2.2

- (i) State the chemical formula of sulfuric acid.
 -[1]
- (ii) Explain why the reaction eventually stopped even though some zinc carbonate powder remained.

[1]


For

Examiner's Use

0653/21/O/N/10

IWW XTREMEPA

3 Fig. 3.1 shows a rock that is falling from the top of a cliff into the river below.





(a) (i) As the rock falls, it gains kinetic energy.


Name the form of energy the rock had at the top of the cliff.

[1]

(ii) Suggest what happens to the kinetic energy of the rock when the rock hits the water.

[2]

(b) Fig. 3.2 shows a speed-time graph for the motion of the rock.





(i) After how many seconds was the speed of the rock 15 m/s?

s [1]

0653/21/O/N/10

WW.XTREMEPAPERS.N

For Examiner's Use 7

| | (ii) | The rock is accelerating. Explain the meaning of the term <i>accelerating</i> . | For Examiner's Use |
|-----|------|---|--------------------------|
| | | [1] | |
| (c) | The | e rock contains radioactive substances emitting high levels of ionising radiation. | |
| | (i) | State how the radioactivity could be detected. | |
| | | [1] | |
| | (ii) | Explain why it would be dangerous for a person to handle this rock without proper protection. | |
| | | | |
| | | [1] | |

0653/21/O/N/10

[Turn over

Copper metal reacts with oxygen gas to form the black solid, copper oxide. (a) (i) Use this example to describe **one** difference between *elements* and *compounds*. [2] (ii) State why this reaction is an example of *oxidation*. [1] (iii) Name the type of chemical bonding found in copper oxide. [1] (b) Fig. 4.1 shows apparatus used in the electrolysis of copper chloride solution. (\pm) power supply



| (i) | On the diagram, clearly label the anode and the electrolyte . | [2] |
|------|---|-------|
| (ii) | Copper chloride solution contains copper ions and chloride ions in water. | |
| | State briefly two differences between a chlorine <i>atom</i> and a chloride <i>ion</i> . | |
| | | ••••• |
| | | |
| | | [2] |
| | | |

For Examiner's Use

© UCLES 2010

4

0653/21/O/N/10

WWW_XTREMEPAPERS_NET

(iii) Copper is a pink/orange metal and chlorine is a gas.

Describe what would be **observed** at the positive and negative electrodes during electrolysis of copper chloride solution.

| observation at positive electrode | |
|-----------------------------------|-----|
| observation at negative electrode | |
| | [2] |

© UCLES 2010

0653/21/O/N/10

[Turn over

For Examiner's Use


| (a |) Fig. | 5.1 sl | hows some c | of the differe | nt types of ra | adiation in th | e electromagne | etic spectru | um. |
|----|--------|---------------|----------------|------------------|---|---|------------------|----------------|-----|
| | gam | ma | | ultra- violet | visible light | infra- red | | radio vaves | |
| | | | • | | Fig. 5.1 | | | | |
| | Wri | te the | names of the | e missing typ | oes of radiati | on in the two | o empty spaces | • | [2] |
| (b |) Fig. | 5.2 sl | hows a ray o | f light hitting | a mirror. | | | | |
| | | | | | 50° | | | | |
| | | | air | | | | 7777 | | |
| | | | mirror | | , | , | | | |
| | | | | | Fig. 5.2 | | | | |
| | (i) | On Fi | ig. 5.2, label | the normal. | | | | | [1] |
| | (ii) | On Fi | ig. 5.2, draw | the reflected | d ray. | | | | [1] |
| | (iii) | State | the value of | the angle o | f reflection. | | | 0 | [1] |
| (c |) As | ound v | vave has a fr | requency of | 500 Hz. | | | | |
| | (i) | Expla | ain the meani | ing of the ter | rm frequency | /. | | | |
| | | | | | | | | | |
| | | | | | | | | | [1] |
| | (ii) | State ear. | the approxir | mate range o | of audible fre | equencies de | etected by the r | ormal hur | nan |
| | | | | | | | | | [1] |

10

For Examiner's Use

5

0653/21/O/N/10



[Turn over

0653/21/O/N/10

| | biceps bian | delectors | enectors |
|---------------|---|----------------------------|-------------------------------|
| | nerves | re | ceptors |
| Spe | ecialised cells in the human nerv | ous system detect exter | nal stimuli. These cells are |
| call | led T | hey convert the stimulus | s into electrical impulses in |
| | , which ca | rry the impulse to the ce | ntral nervous system. |
| The | e central nervous system then se | nds impulses to parts of t | he body that respond to the |
| stin | nulus, such as muscles or glands. | These parts are called | . [3] |
| (b) Wh | en we smell food, the salivary g | ands respond by secret | ing saliva. |
| | liva contains the enzyme amyla aller sugar molecules. | ase, which breaks down | n large starch molecules to |
| (i) | Explain what is meant by the te | rm <i>enzyme</i> . | |
| | | | |
| | | | |
| | | | [2] |
| (ii) | Name the process by which la alimentary canal. | rge molecules are broke | en down to small ones in the |
| | | | [1] |
| (iii) | Explain why this process is neo | essary. | |
| | | | |
| | | | |
| | | | [2] |
| | | | |
| | | | |

© UCLES 2010

6

the list.

biceps

0653/21/O/N/10

WWW.XTREMEPAPERS.NET

(a) Complete the sentences about the human nervous system, using some of the words in

detectors

effectors

brain

es Net

(a) Complete Table 7.1 to show the correct symbols of these electrical components. One

[2]

For Examiner's Use

Table 7.1


| component | electrical symbol |
|----------------|-------------------|
| lamp | \otimes |
| ammeter | |
| fixed resistor | |

(b) A student set up the electric circuit in Fig. 7.1.

It contained three lamps L1, L2 and L3.

symbol has been drawn for you.

It contained three switches S1, S2 and S3.





In Table 7.2, write the words 'on' or 'off' to show when each lamp is lit or not lit for each set of switch positions.

| Та | ble | 7.2 |
|----|-----|-----|
| | ~ ~ | |

| switch position | | | lam | p 'on' or | 'off' |
|-----------------|--------|------------|-----|-----------|-------|
| S1 | S2 | S 3 | L1 | L2 | L3 |
| closed | closed | closed | | | |
| closed | closed | open | | | |
| closed | open | open | | | |

7

0653/21/O/N/10

www.xtremephpe

[Turn over

[3]

(c) The student then set up another electric circuit shown in Fig. 7.2.




Fig. 7.2

She noticed that neither lamp **A** nor lamp **B** lit up. She found nothing wrong with lamp **A** but the filament in lamp **B** was broken.

(i) Explain why lamp **A** did not light up.

[1]

(ii) She replaced lamp **B** with a new lamp **C**. The resistance of both lamp **A** and lamp **C** was 5 ohms when lit.

Calculate the combined resistance of both lamps in the working circuit.

State the formula that you use and show your working.

formula used


working

ohms [2]

For Examiner's Use

0653/21/O/N/10





V [1]

© UCLES 2010

0653/21/O/N/10


WWW.XTREMEPAPERS.NET

[Turn over


8 In jet engines, hydrocarbon molecules from the jet fuel mix with air and burn. This releases a large amount of energy and produces a mixture of waste gases. These waste gases pass out through the back of the jet engine into the atmosphere.

For Examiner's Use

[1]



(a) Fig. 8.1 shows a molecule of octane, which is a typical hydrocarbon molecule in jet fuel.



- (i) State the chemical formula of octane.
- (ii) Complete the word equation below for the complete combustion of octane.

| octa | ne + - + - + |
|-------|--|
| (iii) | [2] Explain why the mixture of gases coming from the rear of the jet engine contains a large amount of nitrogen. |
| | [2] |
| (iv) | Explain why the metallic parts of the jet engine become hot when it is working. |
| | [1] |


0653/21/O/N/10

WWW_XTREMEPAPERS_NET

| (b) | (i) | A carbon atom has a proton (atomic) number 6 and a nucleon (mass) number 12. | For Fxaminer's |
|-----|------|---|-------------------|
| | | State the number of neutrons and electrons in this carbon atom. | Use |
| | | number of neutrons | |
| | | number of electrons [2] | |
| | (ii) | State the chemical symbol of another element which is in the same group in the Periodic Table as carbon. | |
| | | [1] | |

[Turn over

- 18
- **9** The gray wolf is a predator that lives in North America.



- (a) The gray wolf's diet consists mainly of white-tailed deer, beavers and snowshoe hares.These are all herbivores. They eat plants.
 - (i) Construct a food web including all the organisms mentioned above.

| | | [3] |
|-------|--|-----|
| (ii) | State what the arrows in your food web represent. | [1] |
| (iii) | Name the producers in the food web you have drawn. | |
| | | [1] |

0653/21/O/N/10

- (b) Some of the chemicals in a gray wolf's body contain carbon. When a wolf dies, its body is broken down by decomposers and the carbon is returned to the air.
 - (i) Name **one** type of chemical in a wolf's body that contains carbon.

[1]
(ii) Explain how the carbon from a wolf's body is returned to the air after the wolf dies.

(c) Some gray wolves are born with darker fur than others. They can pass this fur colour to their offspring.

If wolves live in cold places, they grow longer fur than wolves that live in warm places. They cannot pass their fur length to their offspring.

Tick two boxes to show the cause of each of these types of variation in wolves' fur.

| cause | fur colour | fur length |
|-----------------------|------------|------------|
| genes only | | |
| environment only | | |
| genes and environment | | |

[2]

For

Examiner's Use

0653/21/O/N/10

| | 0 | 4 Helium 2 | 20 Neon Ar | Argon 18 | ⁸⁸ ₽ | Krypton 36 | 131 | Xenon 54 | | Radon 86 | | 175 Lu Lutetium 71 | Lawrencium 103 |
|-------|----------|------------------|---|------------------|--------------------|-----------------|-----|------------------------|-----|------------------------------|-----------------------------|---|---|
| | ١N | | 19 9 35.5 C1 | Chlorine 17 | 8 g | Bromine 35 | 127 | lodine | 8 | At Astatine 85 | | 173 Yb Vtterbium 70 | Nobelium 102 |
| | > | | | Sulfur 16 | 79 Se | Selenium 34 | 128 | | 1 | Po Polonium 84 | | 169 Tm 69 | Mendelevium 101 |
| | > | | 7 Nitrogen 31 | Phosphorus 15 | 75 AS | Arsenic 33 | 122 | Sb Antimony 5-1 | 209 | Bi Bismuth 83 | | 167 Er Erbium 68 | Fermium 100 |
| | ≥ | | 6 Carbon 6 Carbon 6 Carbon 6 C | Silicon 14 | Ge 73 | Germanium 32 | 119 | un ™ | 207 | Pb Lead 82 | | 165 HO Holmium 67 | Einsteinium 99 |
| | ≡ | | 11 5 Baran 27 A1 | Aluminium 13 | Ga | Gallium 31 | 115 | Indium 10 | 204 | T <i>t</i> Thallium 81 | | 162 Dysprosium 66 | Californium Californium |
| | | | | | 65 Zn | Zinc 30 | 112 | Cadmium Cadmium | 201 | Hg Mercury 80 | | 159 Tb Terbium 65 | BK Berkelium 97 |
| | | | | | 64 Cu | Copper 29 | 108 | Ag Silver | | Au Gold 79 | | 157 Gd Gadolinium 64 | Currium Ourrium |
| Group | <u>-</u> | | | | 59 N | Nickel 28 | 106 | Pd Palladium | 195 | Pt Platinum 78 | | 152 Eu Europium 63 | Am Americium 95 |
| Gr | | | _ | | ပို | Cobalt 27 | 103 | Rhodium 45 | 192 | Lr Iridium 77 | | 150 Samarium 62 | |
| | | Hydrogen | | | 56 Fe | Iron 26 | 101 | Ruthenium 44 | 190 | Osmium 76 | | Promethium 61 | Neptunium 93 |
| | | | | | 55 Mn | Manganese 25 | | | | Rhenium 75 | | 144 Neodymium 60 | 238 Uranium 92 |
| | | | | | S C | Chromium 24 | 96 | Mo Molybdenum 42 | 184 | Tungsten 74 | | 141 Pr Praseodymium 59 | Pa Protactinium 91 |
| | | | | | 51 | Vanadium 23 | 93 | Niobium 41 | 181 | Ta Tantalum 73 | | 140 Cerium 58 | 232 75 Thorium |
| | | | | | 48 | Titanium 22 | 91 | Zr Zirconium 40 | 178 | Hf Hafnium 72 | | | nic mass bol nic) number |
| | | | | | 45 Sc | Scandium 21 | 68 | Yttrium | 139 | La Lanthanum 57 * | 227 Actinium 89 | l series eries | a = relative atomic mass X = atomic symbol b = proton (atomic) number |
| | = | | 9 Beryllium 24 Mg | Magnesium 12 | 0 ⁴⁰ | Calcium 20 | 88 | Strontium 38 | 137 | Ba Barium 56 | 226 Rad ium 88 | *58-71 Lanthanoid series 190-103 Actinoid series | а С Х а С |
| | | | Lithium 23 23 Na | Sodium | ® ¥ | Potassium 19 | 85 | Rubidium | 133 | Caesium | Francium | 71 Li 103 , | ٩ |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2010

0653/21/O/N/10

WWW.XTREMEPAPERS.NET

20