



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	-	
CENTRE CANDIDATE NUMBER		

**COMBINED SCIENCE** 

0653/32

Paper 3 (Extended)

October/November 2011

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 22 printed pages and 2 blank pages.



1 Coral reefs are found in shallow seawater. Limestone is a common type of rock found in the Earth's crust. Both coral reefs and limestone are made mainly of the ionic compound, calcium carbonate.

For Examiner's Use

(a) A student uses the apparatus shown in Fig. 1.1 to test a rock sample to discover whether or not it is limestone.




Fig. 1.1

The student observed that a gas was given off and that the limewater in the small test-tube became cloudy.

	(i)	Name the gas that was given off. [1]
	(ii)	Explain whether or not the student gained enough evidence from the result of his test to show that the rock sample is made of limestone.
		[2]
(b)		ecent years, the amount of carbon dioxide in the atmosphere has increased. This contributed to a decrease in the average pH of seawater.
	Dur	ing this period, many coral reefs have become weakened and damaged.
	(i)	Explain why increased levels of carbon dioxide in the atmosphere could cause the average pH of the sea to decrease.
		[2]

(ii)	Suggest why a decrease in the average pH of seawater could damage coral reefs.
	[1]

Most cells obtain energy from carbohydrates and other nutrients by aerobic respiration.

(a) Write the word equation for aerobic respiration.

[2]

(b) Describe how oxygen is transported from the lungs to a cell in a human muscle.

**(c)** When a person runs, muscles generate heat energy, which increases the body temperature. Body temperature can be lowered by sweating.

The core temperature of an athlete was measured as she ran steadily for 120 minutes, drinking no fluids while running. She repeated the run the next day, but this time drank fluids throughout the run. The environmental temperature and humidity were the same on both days.

The results are shown in Fig. 2.1.




Fig. 2.1

© UCLES 2011 0653/32/O/N/11

(i)	Explain how sweating can reduce body temperature.	For Examiner's
	[2]	
(ii)	Compare the body temperature of the athlete when she ran without drinking fluids to her body temperature when she ran while drinking fluids.	
	[2]	
iii)	Suggest an explanation for the differences you have described in (ii).	
	[2]	

3 Yaks are animals that live in the cold mountainous region of the Himalayas.






Fig. 3.1

Fig. 3.1 shows a yak.

(a)	Explain how the long hair of the yak keeps it warm during the cold weather.
	[2]
(b)	Yak dung is commonly burned as a fuel in the Himalayas. However, it is slowly being replaced by kerosene.
	State and explain <b>one</b> environmental reason why yak dung is a better fuel to use than kerosene.
	[2]

(c)	Yaks communicate with each other using low frequency sounds that humans can hear.		
	(i)	Suggest a possible frequency for this sound.	
		[1]	
	(ii)	Explain what is happening when this sound travels through the air. You may use a diagram to help you answer this question.	
		[2]	

4 Nordic gold is an alloy of four metals used to make coins.



Table 4.1 shows information about the metals contained in Nordic gold.

Table 4.1

metal	% by mass in Nordic gold	compound from which the metal is extracted
aluminium	5	Al <sub>2</sub> O <sub>3</sub>
copper	89	CuFeS <sub>2</sub>
tin	1	SnO <sub>2</sub>
zinc	5	ZnS

(a)	In the right hand column, the elements present in compounds can be identified by their
	symbols.

**Name** a metallic element present in one of the compounds in Table 4.1 which is **not** present in Nordic gold.

Γ1	Ι.	Ì
г.	•	J

**(b)** The method used to extract a metal from its compound depends on the reactivity of the metal.

Construct a balanced, symbolic equation for this reaction.

(i) Tin may be extracted from tin oxide, SnO<sub>2</sub>, by heating a mixture of tin oxide and carbon. The other product of this reaction is carbon monoxide, CO.


		г

© UCLES 2011 0653/32/O/N/11

(ii)	When aluminium oxide is heated with carbon, no reaction occurs.
	Explain why it is possible to extract tin but <b>not</b> aluminium by heating their oxides with carbon.
	[2]
(iii)	Aluminium is extracted from the insoluble compound aluminium oxide by electrolysis.
	Outline the stages by which solid aluminium oxide, containing aluminium <b>ions</b> , is converted into metallic aluminium, made of aluminium <b>atoms</b> , using electrolysis.
	rol
	[3]
(c) (i)	Calculate the formula mass of the compound, CuFeS <sub>2</sub> .
	Show your working.
	[4]
	[1]
(ii)	A coin made of Nordic gold has a mass of 7.80 g.
	Calculate the mass of copper in the coin.
	Show your working.
	[1]

**5** Fig. 5.1 shows a flower from a sugar cane plant.

For Examiner's Use



	Y	
	Fig. 5.1	
(a) (i)	Name the parts labelled <b>X</b> and <b>Y</b> .	
	X	
	Υ	[2]
(ii)	Describe <b>two</b> features of the sugar cane flower which indicate that it is wind-pollinated.	
	1	
	2	[2]
(iii)	Flowers are involved in sexual reproduction.	
	State <b>two</b> ways in which sexual reproduction differs from asexual reproduction.	
	1	
	2	
		[2]
	many parts of the world, fields of sugar cane are burned before harvesting. Burre sugar cane plants releases nitrogen oxides into the air.	iing
E	xplain how this could harm the environment.	
		[3]

## **BLANK PAGE**

Please turn over for Question 6.

**6** Sea anemones are animals that live attached to rocks or the sea bed. Fig. 6.1 shows a section through a sea anemone.

For Examiner's Use




		Fig. 6.1
(a)	Exp	plain the meaning of the term tissue.
		[2]
(b)	the	a anemones feed by capturing small animals with their tentacles. The tentacles push small animal into the space in the middle of the body. The cells lining the space rete enzymes, which digest the animal.
	(i)	One of the enzymes that is secreted is protease. This breaks down large molecules to small, soluble molecules.
		State the name of
		the large molecules that are broken down by protease,
		the small, soluble molecules produced.
		[2]
	(ii)	Because sea anemones are small, they do not need a blood system to transport nutrients to all the different cells in their body.
		Suggest how the small, soluble molecules produced by digestion can spread to all the cells in the sea anemone's body.
		[2]

(c)	Sea anemones usually stay firmly fixed to rocks. Because sea anemones do not move around, some people think they are plants.	E
	A student looks at a small part of a sea anemone through a microscope.	
	Suggest what the student would observe that would show that a sea anemone is an animal and not a plant.	
	[2]	

**7** Fig. 7.1 shows an electric hairdryer.




Fig. 7.1

(a) Fig. 7.2 shows the circuit diagram for the hairdryer.




Fig. 7.2

(i) State which of the switches must be closed (on) for the heater in the hairdryer to work.

[1]

© UCLES 2011 0653/32/O/N/11

(ii) A student wanted to determine the resistance of the heater.

For Examiner's Use

Fig. 7.3 shows the circuit he built to measure the current passing through the heater and the potential difference across the heater.




Fig. 7.3

His experiment did not work because his circuit was incorrect.

Draw the correct circuit in the space below.

[1]

**(b) (i)** The electricity used in the hairdryer was generated at a power station.

Power is transmitted from the power station over large distances.

A high voltage is always used. Explain why.

[1]

(ii) The high voltage is produced by a transformer.

Fig. 7.4 shows a diagram of a simple transformer.

For Examiner's Use




Fig. 7.4

Calculate the number of turns in the secondary coil.

State the formula that you use and show your working.

formula used

working

	number of turns = [2]
(iii)	Explain how a transformer changes the voltage of an electrical supply. Your explanation should include the terms <i>induced voltage</i> and <i>magnetic field</i> .
	[3]

8

Ну	Hydrocarbons are compounds which contain only the elements hydrogen and carbon.						
(a)	The	ne simplest hydrocarbon is methane, CH <sub>4</sub> , which is an important fuel.					
	(i)	State <b>one</b> natural source of methane.					
		[1]					
	(ii)	A free (unbonded) carbon atom has four electrons in its outer shell.					
		State the number of electrons in the outer shell of a carbon atom in a methane molecule. Describe their arrangement.					
		You may wish to draw a diagram to help you answer this question.					
		[2]					

(b) Table 8.1 shows the displayed formulae and boiling points of four hydrocarbons, A, B, C and D.

For Examiner's Use

Table 8.1

	displayed formula	boiling point/°C			
A	H H H H H 	69			
В	H H H H 	-0.5			
С	H H H H 	-6.3			
D	H H H H H 	63			

in Table 8.1.
[1
Use the information in Table 8.1 to suggest <b>one</b> way in which the boiling point of a hydrocarbon is affected by its molecular structure.
[2

(iii)	A bottle contains a colourless liquid which is thought to be either hydrocarbon ${\bf A}$ or ${\bf D}$ .	E
	Describe a <b>chemical</b> test, and its result, which could be used to identify which hydrocarbon is in the bottle.	
	Explain your choice of test.	
	[3]	

9	(a)		ircraft has a mass of 400 000 kg. It has four engines each capable of producing a imum force of 300 000 N.
		Calc	ulate the maximum acceleration of the aircraft.
		State	e the formula that you use and show your working.
			formula
			working
			[3]
	(b)		to snacks are packed in airtight packets and filled with an unreactive gas at ospheric pressure.
			Snacks
		(i)	Suggest why an unreactive gas is used, rather than air.
		ı	[1]
			A passenger has a packet of potato snacks in his hand luggage on the aircraft. During the flight, the aircraft cabin is at a pressure less than normal atmospheric pressure.
			The passenger notices that the packet has expanded.
			Explain why this happens.
		ı	[1]

(c) A skydiver jumps from an aircraft and falls through the air. Eventually she reaches a constant terminal velocity. When she opens her parachute, her velocity decreases and she falls slowly to the ground. Fig. 9.1 shows how her velocity varies during the fall.




Fig 9.1

(i)	State the difference between speed and velocity.	
		[1]
(ii)	State <b>one</b> region on the graph when she is accelerating.	
		[1]
(iii)	Is this acceleration constant over this region?	
	Explain your answer.	
		[1]
(iv)	Give the letter of the point at which the parachute opens.	
		[1]
(v)	State the terminal velocity before the parachute opens.	
		[1]

(vi)	Explain why the skydiver reaches a terminal velocity.	
		 [2]
(vii)	Explain why the open parachute slows down the skydiver.	[-]
		 [1]

## **BLANK PAGE**

DATA SHEET
The Periodic Table of the Elements

	0	Heium Heium	20 Neon 10 Ar Ar Argon	84 <b>Kr</b> , Krypton 36	131 <b>Xe</b> Xenon 54	Radon 86		175 <b>Lu</b> Lutetium 71	<b>Lr</b> Lawrencium 103
	IIA		19 Fluorine 9 35.5 <b>C 1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85		173 <b>Yb</b> Ytterbium 70	Nobelium
	>		16 Oxygen 8 32 Suffur 16	See Selenium 34	128 <b>Te</b> Tellurium	Po Polonium 84		169 <b>Tm</b> Thulium 69	Md Mendelevium 101
	^	>	14 Nitrogen 7 31 Phosphorus 15	75 <b>AS</b> Arsenic	Sb Antimony 51	209 <b>Bi</b> Bismuth		167 <b>Er</b> Erbium 68	Fm Fermium
	2		12 Carbon 6 Carbon 8 Silicon 14	73 <b>Ge</b> Germanium 32	119 <b>Sn</b> ⊓in	207 <b>Pb</b> Lead		165 <b>Ho</b> Holmium 67	Esinsteinium
	=		11 B Boron 5 27 A1 Auminium 13	70 <b>Ga</b> Gallium 31	115 <b>I n</b> Indium 49	204 <b>T t</b> Thallium 81		162 <b>Dy</b> Dysprosium 66	Cf Californium 98
		'		65 <b>Zn</b> Zinc 30	Cd Cadmium 48	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> Terbium 65	<b>Bk</b> Berkelium 97
				64 Copper	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		157 <b>Gd</b> Gadolinium 64	Curium 96
Group				59 Nickel	106 <b>Pd</b> Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Am Americium 95
Ğ				59 <b>Co</b> Cobalt 27	103 <b>Rh</b> Rhodium 45	192 <b>I r</b> Iridium 77		Sm Samarium 62	<b>Pu</b> Plutonium 94
		1 <b>H</b>		56 Fe Iron	Ru Ruthenium 44	190 <b>Os</b> Osmium 76		<b>Pm</b> Promethium 61	Np Neptunium 93
				Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		Neodymium 60	238 <b>U</b> Uranium 92
				52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91
				51 Vanadium 23	93 Niobium 41	181 <b>Ta</b> Tantalum 73		140 <b>Ce</b> Cerium	232 <b>Th</b> Thorium
				48 <b>Ti</b> Titanium 22	2 Zroonium	178 <b>Hf</b> Hafnium 72			nic mass bol nic) number
				Scandium 21	89 <b>×</b>	139 <b>La</b> Lanthanum 57 *	227 <b>Ac</b> Actinium 89	d series series	a = relative atomic mass  X = atomic symbol b = proton (atomic) number
	=		Be Berylium 4  24  Magnesium 12	40 <b>Ca</b> Calcium	Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88	*58-71 Lanthanoid series	« <b>×</b> ∞
	_		7 Lithium 3 23 Na Sodium 11	39 Potassium	Rb Rubidium	133 Cs Caesium 55	<b>Fr</b> Francium 87	*58-71 L 190-103	Key

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.