

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
COMBINED S	CIENCE		0653/51
Paper 5 Practi	ical Test		May/June 2018
			1 hour 30 minutes
Candidates and	swer on the Question Paper.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

As listed in the Confidential Instructions.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Additional Materials:

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.


Notes for Use in Qualitative Analysis for this paper are printed on page 8.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
Total	





International Examinations

1 You are going to investigate an enzyme-catalysed reaction.

Hydrogen peroxide is broken down by catalase, an enzyme found in living cells such as the cells of many types of bean. Oxygen gas is released during the reaction.

- (a) You are provided with a supply of hydrogen peroxide solution of concentration 1.5% and a measuring cylinder containing bean puree.
 - Use the syringe to add 5 cm³ hydrogen peroxide solution by carefully running it down the inside of the measuring cylinder.
 - Start the stopclock.

Record, in Table 1.1, the volume of the mixture in the measuring cylinder to the nearest division every 30 seconds for four minutes. [3]

Table 1.1

time/seconds	volume of mixture/cm ³
30	
60	
90	
120	
150	
180	
210	
240	

(b)	On Fig. 1.1, plot a graph of volume of mixture against time.
	Draw the best-fit smooth curve. [2]
(c)	Use your graph to predict the volume of the mixture at 200 seconds.
	volume =cm ³ [1]
(d)	State and explain a safety precaution you took when carrying out the procedure in (a).
	[1]




Fig. 1.1

(e) Plan an experiment, using the same apparatus, to investigate the effect of changing the concentration of the hydrogen peroxide solution on the volume of the mixture.

You should **not** carry out this experiment.

In your answer you should include:

•	variables	you	need	to	keep	constant	į
---	-----------	-----	------	----	------	----------	---

•	or values of the	•	_	

2 Notes for use in Qualitative Analysis for this question are printed on page 8.

You are going to identify **H** and **J** which are each one of the following halide solutions.

sodium bromide solution sodium chloride solution sodium iodide solution

- (a) (i) Place about 2 cm depth of solution **H** in a test-tube.
 - Add a few drops of silver nitrate solution.
 - Record your observations in Table 2.1.
 - Then add ammonia solution until the test-tube is nearly full.
 - Stir the mixture carefully.
 - Record your observations in Table 2.1.
 - Holding the question paper behind the test-tube will help you determine any colour.
 - Repeat the above steps for solution J.

[4]

Table 2.1

	observ	vations
test	solution H	solution J
add silver nitrate solution		
then add ammonia solution and stir		

(ii)	Nitric acid is usually added to an unknown solution before adding silver nitrate.
	Explain why adding nitric acid first is not necessary in this test for this investigation.
	[1

- (b) (i) Place about 2 cm depth of solution H in a test-tube.
 - Add an equal volume of chlorine water.
 - Record your observations in Table 2.2.
 - Then add a few drops of starch solution.
 - Record your observations in Table 2.2.
 - Repeat the above steps for solution **J**.

Table 2.2

[2]

	obser	vations
test	solution H	solution J
add chlorine water		
then add a few drops of starch solution		

	(ii)		tify the substance made in (b)(i) which cau	Ç
			,	[1
	(iii)	State	e what type of reaction has taken place be	
(c)	Use	the re	results in Tables 2.1 and 2.2 to identify H a	-
	H is			
	J is			
				[1

You are going to measure the length l of a spring when different loads L are added to it, and plot a graph.

A spring has been set up in a clamp for you, as shown in Fig. 3.1.




Fig. 3.1

(a)	(1)	Measure and record the length l_0 of the unstretched spring to the nearest millimetre

	<i>l</i> ₀ mm [1
(ii)	State how you avoided a parallax (line-of-sight) error when measuring the length of the spring.
	[1

(b) (i) Hang a load L of 1.0 N on the spring.

Measure the new length l of the spring to the nearest millimetre.

Record the length l in Table 3.1. [1]

(ii) Repeat the steps in (b)(i) using loads of 2.0 N, 3.0 N, 4.0 N and 5.0 N and complete Table 3.1.


Table 3.1

load L/N	spring length 1/mm
1.0	
2.0	
3.0	
4.0	
5.0	

(c) (i) On the grid provided, plot a graph of L against l. Start both axes from the origin (0,0).

Draw the best-fit straight line. Extend your line so that it reaches the axis.

[3]



l/mm

(ii) The gradient of your graph measures the force constant of the spring. This is a measure of the elastic stiffness of the spring. The greater the force constant, the harder it is to stretch the spring.

On your graph, draw a line to represent the behaviour of a spring with the same unstretched length as your spring, but with a greater force constant. Label this line **D**. [2]

NOTES FOR USE IN QUALITATIVE ANALYSIS

Tests for anions

anion	test	test result
carbonate (CO ₃ ²⁻)	add dilute acid	effervescence, carbon dioxide produced
chloride (C <i>l</i> ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
nitrate (NO ₃ ⁻) [in solution]	add aqueous sodium hydroxide, then aluminium foil; warm carefully	ammonia produced
sulfate (SO ₄ ²⁻) [in solution]	acidify with dilute nitric acid, then add aqueous barium nitrate	white ppt.

Tests for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
ammonium (NH ₄ ⁺)	ammonia produced on warming	-
copper(II) (Cu ²⁺)	light blue ppt., insoluble in excess	light blue ppt., soluble in excess, giving a dark blue solution
iron(II) (Fe ²⁺)	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe ³⁺)	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn ²⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

Tests for gases

gas	test and test result
ammonia (NH ₃)	turns damp red litmus paper blue
carbon dioxide (CO ₂)	turns limewater milky
chlorine (Cl ₂)	bleaches damp litmus paper
hydrogen (H ₂)	'pops' with a lighted splint
oxygen (O ₂)	relights a glowing splint

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.