Name

CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CO-ORDINATED SCIENCES

0654/03

Paper 3

October/November 2003

2 hours

Candidates answer on the Question Paper. No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs, tables or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

A copy of the Periodic Table is printed on page 24.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 21 printed pages and 3 blank pages.

ng.

(a)	A large piece of wood burns slowly but a cloud of sawdust (small wood particles) may explode if it is ignited.
	[2]
(b)	The battery in a personal stereo needs to be replaced regularly but a car battery does not.
	[2]
(c)	Water molecules contain oxygen but the glowing splint shown in Fig. 1.1 does not re-light




Fig. 1.1

[2]
Magnesium oxide, MgO, has a very high melting point, but carbon dioxide, CO ₂ , has a very low melting point.

2 (a) Fig. 2.1 shows a single ray of white light being shone into a triangular glass block (prism).




	Fig. 2.1	
	Complete the diagram to show what happens to the ray of light.	[3]
	Waves of blue light and waves of red light are both part of the electromagnes spectrum.	tic
	State one way in which the waves of blue light differ from the waves of red light.	
		[1]
(c)	Waves of yellow light travel at 300 000 000 m/s and have a wavelength of 0.0000006 i	m.
	Calculate the frequency of the light waves. Show your working and state any formula that you use.	
		•••

3 (a) A boy's hand accidentally touches a very hot pan. The muscles in his arm contract rapidly, pulling his arm away.

1

(i)	What is the name for this type of automatic response to a stimulus?
	[1]

(ii) List, in order, the three types of nerve cell along which information passes from the pain receptor in the boy's hand to the muscles in his arm.

2	
3	 [2]

(b) Fig. 3.1 represents the biceps muscle and some of the bones in the boy's arm. He is lifting a mass of 2 kg.




Fig. 3.1

(i)	Calculate the force ${\bf F}$ that must be exerted by the biceps muscle in order to hold the mass steady. Show your working.
	[3]
(ii)	Describe and explain where the energy comes from which is used by the muscle to produce this force.
	[3]
(iii)	The biceps and triceps muscles in the arm are a pair of antagonistic muscles.
	Explain the meaning of this term.
	[2]

a) ((i)		saturated into unsaturated hydrocarbons[1]
((ii)		mulae of ethane and ethene. The formula of
		ethane	ethene
Н-	- C		
			[2]
,	0.9 ı A re	moles of ethene is produced. esearch scientist studies the convers	sion of 300 g of ethane into ethene.
,	0.9 ı	moles of ethene is produced. esearch scientist studies the convers	
,	0.9 i A re	moles of ethene is produced. esearch scientist studies the converse Calculate the number of moles of each Show your working.	ethane used by the research scientist.
,	0.9 ı A re	moles of ethene is produced. esearch scientist studies the convers Calculate the number of moles of e	sion of 300 g of ethane into ethene. ethane used by the research scientist.
,	0.9 i A re	moles of ethene is produced. esearch scientist studies the converse Calculate the number of moles of each Show your working.	sion of 300 g of ethane into ethene. ethane used by the research scientist.
(0.9 i A re	moles of ethene is produced. esearch scientist studies the converse Calculate the number of moles of each Show your working.	sion of 300 g of ethane into ethene. ethane used by the research scientist. [2] ne produced.
(0.9 i A re (i)	moles of ethene is produced. esearch scientist studies the converse Calculate the number of moles of each Show your working. State the number of moles of ether Calculate the mass of ethene produced.	sion of 300 g of ethane into ethene. ethane used by the research scientist. [2] ne produced.

.....[2]

(c) In industry much ethene is converted into ethanol (alcohol).

(i) Describe briefly how ethene is converted into ethanol.

[2]

(ii) Fig. 4.1 shows apparatus used to study what happens when ethanol vapour is passed over a hot catalyst.

ethanol on mineral fibre catalyst

ethanol on warm gently very strong

Fig. 4.1

bromine solution

heat

During this process, the bromine solution is decolourised.

State and explain what this experiment shows about the type of compound formed when ethanol passes over the hot catalyst.

[2]

(d) Ethene may be converted into the thermoplastic material poly(ethene).

Explain, in terms of molecules, what happens when a thermoplastic material such as poly(ethene) is heated.

5 Fig. 5.1 shows a tumble dryer. The dryer uses electricity to tumble the clothes and to heat them up.




Fig. 5.1

(a)	plastic door. The owner thinks that static electricity is the cause.	
	(i)	Suggest why a static electrical charge may have been produced in the tumble dryer.
		[2]
	(ii)	Name the particles that are transferred when an object gains a static electrical charge.
		[1]
(b)	Wh	en the tumble dryer is used for 30 minutes, 3 600 000 joules of energy are used.
	(i)	How many joules of energy are used per second?
		joules [1]
	(ii)	What is the power of the tumble dryer?

(iii)	The voltage supplied to the tumble dryer is 250 V.
	Use the equation
	power = voltage × current
	to calculate the current required by the tumble dryer.
	[2]
(iv)	The heater in the tumble dryer has a resistance of 125 Ω .
	Calculate the current flowing through the heater. Show your working and state any formula that you use.
	[2]

- In the nineteenth century, a ship travelling across the southern Pacific Ocean stopped at an island to collect fresh water. The sailors left one male goat, **P**, and two female goats, **Q** and **R**, on the island, hoping that they would breed and so provide food if the ship stopped there again.
 - (a) There were no predators living on the island. The goats were able to feed on grass and other plants, but this food was in a limited supply.
 - (i) On the axes below, sketch a curve to show what would happen to the size of the goat population on the island over the next few years.



[2]

- (ii) On your graph, indicate the point at which food supply became a limiting environmental factor for the goat population. [1]
- **(b)** Goats **P**, **Q** and **R** all had short hair. They were all homozygous for allele **A**. However, a mutation happened in the testes of goat **P**, so that some of its sperm contained a new allele, **a**. Allele **a** was recessive, and coded for long hair.

(i)	What is meant by the term <i>mutation</i> ?
	[2]
(ii)	Explain why none of the offspring of goats P, Q and R had long hair.
	[2]

	(iii)	In the following year, the offspring from the three original goats bred with each other and with their parents. Some of their offspring did have long hair.
		Assuming that no new mutations appeared, explain how this happened. (You may use a genetic diagram if it makes your answer clearer.)
		ado a gonotio diagram in it maitos your anower olearen.
		[3]
(c)	to k	winters on the island were very cold. The goats needed to eat more food in winter eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats.
(c)	to k	eep themselves warm. The long-haired goats did not need as much food as the
(c)	to k	eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats. Suggest why the long-haired goats did not need as much food as the short-haired
(c)	to k	eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats. Suggest why the long-haired goats did not need as much food as the short-haired
(c)	to k	eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats. Suggest why the long-haired goats did not need as much food as the short-haired
(c)	to k	eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats. Suggest why the long-haired goats did not need as much food as the short-haired
(c)	to k	eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats. Suggest why the long-haired goats did not need as much food as the short-haired
(c)	to k	eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats. Suggest why the long-haired goats did not need as much food as the short-haired goats during the winter.
(c)	to k sho	eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats. Suggest why the long-haired goats did not need as much food as the short-haired goats during the winter. [3] Twenty years after the goats were first introduced to the island, almost all of the
(c)	to k sho	eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats. Suggest why the long-haired goats did not need as much food as the short-haired goats during the winter. [3] Twenty years after the goats were first introduced to the island, almost all of the
(c)	to k sho	eep themselves warm. The long-haired goats did not need as much food as the rt-haired goats. Suggest why the long-haired goats did not need as much food as the short-haired goats during the winter. [3] Twenty years after the goats were first introduced to the island, almost all of the

7 Zinc metal is extracted from rocks containing zinc sulphide, ZnS.

There are three main steps in the extraction process.

- step 1 zinc sulphide is converted into zinc oxide
- step 2 zinc oxide is converted into zinc sulphate
- step 3 zinc sulphate solution is electrolysed to produce zinc
- (a) In step 1, zinc sulphide is heated in air.
 - (i) The equation below for this reaction is not balanced. Balance the equation.

(ii) Suggest why the nitrogen in the air does not react with zinc sulphide.

[4]

- (b) In step 2, zinc oxide, which is a base, is converted into the salt, zinc sulphate.
 - (i) Write a word equation for this reaction.

	F (٦.
	ייו	
	.1 _	

(ii) Name this type of chemical reaction in (i).

|--|

(c) In step 3, concentrated zinc sulphate solution is electrolysed. Zinc sulphate solution is an electrolyte containing aqueous zinc ions, Zn²⁺. Fig. 7.1 shows a simplified diagram of part of the apparatus used for this electrolysis.




Fig. 7.1

	electrolysis.	
	[4]	
d)	Describe what is observed when excess sodium hydroxide solution is added to zinc sulphate solution.	
	rol	
	[2]	

(e) Fig. 7.2 shows a two-pin electrical plug.




Fig. 7.2

The pins are subjected to forces whenever the plug is connected to the electrical supply socket.

Explain why brass, and not a pure metal such as copper, is used to make the plug pins. You should draw diagrams of the atomic arrangement in both copper and brass to help your explanation.

 3]

BLANK PAGE

(Question 8 can be found on page 16)

0654/03/O/N/03 **[Turn over**

- **8** Radon is a radioactive gas. It escapes from underground rocks and causes part of natural background radiation.
 - (a) State **one** other natural source of background radiation.

.....[1]

(b) A sample of radon-220 was investigated to find its half-life. The activity of the isotope was measured every 30 seconds for 6 minutes. Fig. 8.1 shows the results.




Fig. 8.1

(i) Use the graph to work out the activity of the isotope after 100 seconds.

	(ii)	Use the graph to calculate the half-life of the isotope. Show your working on the graph.
		[2]
((iii)	There are several isotopes of radon. Explain the meaning of the word <i>isotope</i> .
		[2]
(c)	Rad	on-220 has a short half-life and emits alpha particles.
	(i)	Suggest why the presence of radon gas in buildings could be a health hazard.
		[2]
	(ii)	When an atom of radon-220 has emitted an alpha particle, how many protons and how many neutrons remain in the atom? Explain your answers.
		[3]

9

(a)	Des	scribe the differences between the <i>cell membrane</i> and <i>cell wall</i> of a plant cell.
		[3]
(b)	(i)	Explain how water enters the root hairs of a plant.
		rol
	(!!)	
	(ii)	Describe how the water is transported from the roots to the leaves.
		[2]
(c)	lf a	plant loses more water from its leaves than it can take up through its roots, its stems
(0)		leaves become soft and begin to droop.
	Exp	plain why this happens.
		[2]

10 (a) A length of wire is attached to a sensitive ammeter as shown in Fig. 10.1. The wire is moved up and down between the two poles of the magnet.




Fig. 10.1

Fig. 10.2 shows the ammeter scale and pointer with zero in the middle.




Fig. 10.2

	•	r will moves of the m		the	wire	is	moved	downwards	and	then
 			•••••						••••••	
 										[2]

0654/03/O/N/03 **[Turn over**

(b) Fig. 10.3 shows a simple a.c. generator. It consists of a coil of wire rotating between the poles of a permanent magnet.

The output is fed to an external circuit through brushes making contact with two slip rings.




Fig. 10.3

State two factors on which the size of the output current depends.

١.	
2.	[2]

(c) The generator at a power station produces a large current at a low voltage. The voltage is increased by a transformer before the electricity is distributed through power lines to distant places.

Describe how a transformer changes the voltage of the electrical output from the power stations.

Your answer **must** include the following terms.

primary coil primary voltage induced current

secondary coil secondary voltage changing magnetic field

Include a diagram in your answer.

[5

BLANK PAGE

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	4 He lium	20 Neon 10 Neon 40 Ar Argon	84 Krypton 36	131 Xe Xenon 54	Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103
	=		19 Fluorine 9 35.5 C1 Chlorine	80 Br Bromine 35	127 I lodine	At Astatine 85		Yb Yterbium 70	No Nobelium
	>		16 Oxygen 8 32 Suphur 16	Se Selenium 34		Po Polonium 84		169 Tm Thulium 69	Md Mendelevium 101
	>		Nitrogen 7 31 9 Phosphorus 15	75 AS Arsenic 33		209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium 100
	≥		Carbon 6 Carbon 8 Silicon 114	73 Ge Germanium 32	Sn Tin	207 Pb Lead		165 Ho Holmium 67	ES Einsteinium 99
	≡		11 B Boron 5 A A A A A A A A A A A A A A A A A A A	70 Ga Gallium 31	115 In Indium 49	204 T.1 Thallium		162 Dy Dysprosium 66	Çf Californium 98
2				65 Zn Zinc 30	Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	BK Berkelium 97
Group				64 Copper 29	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Curium 96
Group				Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95
ָ פֿ				59 Co Cobalt 27	103 Rh Rhodium 45	192 Ir		Sm Samarium 62	Pu Plutonium 94
		Hydrogen		56 Iron	Buthenium 44	190 Os Osmium 76		Pm Promethium 61	Np Neptunium 93
				Manganese	Tc Technetium 43	186 Re Rhenium		144 Ne Neodymium 60	238 U Uranium 92
				Chromium 24	96 Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91
				51 Vanadium 23	Niobium 41	181 Ta Tantalum 73		140 Ce Cerium	232 Th Thorium
				48 Ti Titanium 22	2 Zrconium 40	178 Hf Hafnium 72			nic mass bol nic) number
				Scandium 21	89 ×	139 La Lanthanum 57 *	227 AC Actinium 89	l series series	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Beryllium 4 24 Magnesium 12	40 Calcium 20	Strontium	137 Ba Barium 56	226 Ra Radium	*58-71 Lanthanoid series †90-103 Actinoid series	в Х
	_		7 Lithium 3 23 R3 Sodium 11	39 Repassium	85 Rubidium 37	133 Caesium 55	Fr Francium 87	*58-71 L †90-103	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).