



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE NAME | | | |
|-------------------|----------------------------|---------------------|---------------|
| CENTRE NUMBER | | CANDIDATE NUMBER | |
| CO-ORDINATE | D SCIENCES | | 0654/03 |
| Paper 3 (Extend | ded) | | May/June 2007 |
| | | | 2 hours |
| Candidates ans | wer on the Question Paper. | | |

READ THESE INSTRUCTIONS FIRST

No Additional Materials are required.

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | |
|--------------------|--|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| Total | |
| | |

This document consists of 20 printed pages.



1 (a) Fig. 1.1 is a side view of the thorax during breathing out and breathing in. The lungs and heart are not shown.

For Examiner's Use




Fig. 1.1

| (i) | Describe how each of the following have changed between breathing out and breathing in. |
|------|---|
| | the intercostal muscles |
| | the diaphragm [2] |
| (ii) | Explain how the changes you have described help to draw air into the lungs. |
| | |
| | |
| | |
| | |
| | [3] |
| | air is drawn into the lungs, it flows through the trachea and bronchi. These are lined a tissue containing goblet cells and ciliated cells. |
| Exp | plain how this tissue helps to prevent infections in the lungs. |
| | |
| | |
| | [2] |

© UCLES 2007 0654/03/M/J/07

(b)


| (c) | Des | scribe the effects of smoking on |
|-----|------|----------------------------------|
| | (i) | the goblet cells and cilia, |
| | | |
| | | |
| | | [2] |
| | (ii) | the alveoli in the lungs. |
| | | |
| | | |
| | | [2] |

| 2 | elen | nent | nineteenth century, the Russian scientist Dimitri Mendeleev, arranged the known its in order of the relative masses of their atoms. His work led to the modern Periodic nat we use today. |
|---|------|-------|---|
| | (a) | (i) | Explain why atoms of different elements have different masses. |
| | | | |
| | | | [1] |
| | | (ii) | Explain, in terms of electron configuration, why the element with proton number 36 is unreactive. |
| | | | [1] |
| | (| (iii) | In the modern Periodic Table the elements with proton numbers 18 and 19 are not in order of their relative atomic masses. |
| | | | Suggest a reason for this. |
| | (b) | Mo | [1] |
| | (D) | ivia | gnesium reacts with dilute hydrochloric acid according to the equation below. |
| | | | Mg + $2HCl \longrightarrow MgCl_2 + H_2$ student was asked to add 0.96 g of magnesium ribbon to 100 cm ³ of dilute lrochloric acid which had a concentration of 0.5 mol/dm ³ . |
| | | (i) | Calculate the number of moles of magnesium in 0.96 g. |
| | | | Show your working. |
| | | | [1] |
| | | (ii) | Calculate the number of moles of hydrochloric acid in 100 cm ³ of a solution which has a concentration of 0.5 mol/dm ³ . |
| | | | Show your working. |
| | | | |
| | | | [1] |

| | (iii) | Use the balanced equation for this reaction and your results from (i) and (ii) to predict whether there is enough acid to react with all of the magnesium. | For Examiner's Use |
|-----|------------|--|--------------------------|
| | | [2] | |
| | | [2] | |
| (c) | | orine is a halogen produced by electrolysis of an electrolyte containing fluoride s, F^- . | |
| | sev The | ere were many attempts to produce fluorine during the nineteenth century and eral scientists were seriously harmed when they succeeded in making fluorine. By attempted to collect fluorine in containers made of gold or platinum and they kept containers at a very low temperature. | |
| | (i) | State and explain at which electrode, cathode or anode, fluorine is produced during electrolysis. | |
| | | | |
| | | | |
| | | [2] | |
| | (ii) | Use your knowledge of the halogen group to suggest why fluorine caused harm to scientists who first produced it. | |
| | | | |
| | | [1] | |
| | (iii) | Suggest why the scientists attempting to produce fluorine used gold or platinum containers at a very low temperature. | |
| | | | |
| | | | |
| | | [2] | |
| | | | |

(a) A car of mass 1200 kg is travelling forward at a constant speed of 20 m/s. Fig. 3.1 shows the driving force and the frictional force acting on the car. 3

For Examiner's Use



| | driving force frictional force 800 N | |
|------|---|-----|
| | Fig. 3.1 | |
| (i) | Calculate the work done by the driving force in 30 seconds. | |
| | State the formula that you use and show your working. | |
| | formula used | |
| | | |
| | working | |
| | | |
| | | |
| | | [3] |
| (ii) | Calculate the kinetic energy of the car travelling at 20 m/s. | |
| | State the formula that you use and show your working. | |
| | formula used | |
| | | |
| | working | |
| | | |
| | | |
| | | [2] |
| | | |

(b) A pedestrian steps into the path of the moving car. Fig. 3.2 shows a graph of how the speed of the car changes from the moment when the driver sees the pedestrian until the car stops.

For Examiner's Use




Fig. 3.2

(i) After 1.2s the car slows down.

Calculate the deceleration of the car.

State the formula that you use and show your working.

formula used

working

[2]

(ii) Calculate the total distance travelled by the car between the driver seeing the pedestrian and the car stopping.

Show your working.

[3]

4 An experiment was carried out into the effect of different doses of X-rays on the sperm cells produced by male fruit flies. Fig. 4.1 shows the results.

For Examiner's Use




Fig. 4.1

| (a) | Stat | te what is meant by a <i>mutation</i> . | |
|-----|------|---|----------|
| | | [1] | |
| (b) | (i) | Using Fig. 4.1, describe the effect of increasing the X-ray dosage on the percentage of mutated sperms. | ; |
| | | | |
| | /ii\ | [2 |] |
| | (11) | Explain this effect. | |
| | | | |
| | | [2 | |

| (c) | Frui | it flies have four pairs of chromosomes in their cells. |
|-----|-------|---|
| | Sor | ne of the mutations in the experiment above involved the loss of one chromosome. |
| | | fruit fly sperm that had lost one chromosome fertilised a normal egg, how many omosomes would there be in the zygote? |
| | ••••• | [1] |
| (d) | | plain why a mutation that occurs in a gamete-forming cell is more likely to be harmful one that occurs elsewhere in a fruit fly's body. |
| | | |
| | | |
| | | |
| | ••••• | [2] |
| (e) | Pes | ects can be serious pests, for example by carrying disease or eating crops. sticides can be used to kill them, but many people are concerned about the harm pesticides do and are trying other methods of controlling insect populations. |
| | | e new method that is being tested is to expose a large number of male insects of a mful species to X-rays and then release them into the wild. |
| | (i) | Explain why people are concerned about the use of pesticides. |
| | | |
| | | |
| | | rol |
| | | [2] |
| | (ii) | Suggest how the new method might reduce the population of the harmful insects. |
| | | |
| | | |
| | | |
| | | [2] |

5

| (a) | Glu | cose and starch are carbohydrates. |
|-----|-------------|---|
| | (i) | The chemical formula of glucose is $C_6H_{12}O_6$. |
| | | State the total number of atoms which are combined in one molecule of glucose. |
| | | [1] |
| | (ii) | Explain why it is not possible to write a simple chemical formula for starch. |
| | | |
| | | |
| | | [2] |
| (b) | per with | 5.1 shows an experiment which was set up to investigate the action of a partially meable membrane. A tube made from a partially permeable membrane was filled a iodine solution and placed into a beaker containing a mixture of glucose, starch water. |
| | | mixture of glucose, starch and water iodine solution tube made from partially permeable membrane |
| | | Fig. 5.1 |
| | (i) | Explain the following observations which were made some time later. |
| | | The solution inside the tube gave a positive result with Benedict's solution. |
| | | |
| | | |
| | | |
| | | The solution outside the tube became blue-black in colour. |
| | | |
| | | |
| | | [4] |

| | (ii) | Predict and explain whether the solution inside the tube became blue-black in colour. |
|-----|------|---|
| | | |
| | | [2] |
| (c) | poly | stics are materials made mainly from polymer molecules. Fig. 5.2 shows part of a ymer molecule. Molecules of this polymer are formed by addition polymerisation of unsaturated monomer. |
| | | F F F F F F F F F F F F F F F F F F F |
| | | Fig. 5.2 |
| | (i) | Draw the displayed formula of one of the monomer molecules which have joined to form this polymer. |
| | | |
| | | |
| | | [2] |
| | (ii) | Two different plastics, A and B , were heated. Plastic A melted easily but plastic B did not melt even when heated to a very high temperature. |
| | | Explain these observations. You may draw some simple diagrams to help your answer. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [3] |

6 Fig. 6.1 shows a circuit containing four ammeters, \mathbf{A}_1 , \mathbf{A}_2 , \mathbf{A}_3 and \mathbf{A}_4 .






Fig. 6.1


Table 6.1 shows the readings on each ammeter.

Table 6.1

| ammeter | reading on ammeter / amps |
|----------------|---------------------------|
| \mathbf{A}_1 | |
| A_2 | 0.2 |
| A_3 | 0.3 |
| A_4 | 0.5 |

| (a) | What is the reading on ammeter A ₁? | |
|-----|--|-----|
| | | [1] |
| | | |
| (b) | Calculate the combined resistance of the two resistors in the circuit in Fig. 6.1. | |
| | State the formula that you use and show your working. | |
| | formula used | |
| | | |
| | working | |
| | | |
| | | |
| | | [3] |
| | | 101 |


(c) Fig. 6.2 shows a magnet and coil of wire connected to a sensitive ammeter.



| | Fig. 6.2 | | | | | | |
|------|---|--|--|--|--|--|--|
| (i) | When the magnet is moved into the coil, the needle on the ammeter shows a deflection to the left. | | | | | | |
| | Explain why a reading on the ammeter is produced. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | [2] | | | | | | |
| (ii) | Explain how this effect is used in a dynamo to produce an output voltage. You may use a diagram to help with your answer. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | [4] | | | | | | |

7 Fig. 7.1 shows a pyramid of numbers for a food chain.


| For |
|------------|
| Examiner's |
| Use |



| | Oak trees |
|-----|--|
| | Fig. 7.1 |
| (a) | Explain why the pyramid of numbers is this shape. |
| | |
| | |
| | |
| | [2] |
| (b) | Oak trees are the producers in this food chain. Describe how they transfer energy from sunlight into chemical energy that can be passed along the chain. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | [41] |

(c) An oak tree can be many metres tall.





| of the tree. | • |
|--------------|-----|
| | |
| | |
| | |
| | |
| | [3] |
| | |

8

| In many countries supplies of clean water for drinking are obtained from river water. | | | | | | | | | |
|---|--|---|--|--|--|--|--|--|--|
| (a) State two processes that are used to convert river water into water which is safe for humans to drink. | | | | | | | | | |
| 1 | 1. | | | | | | | | |
| 2. | | | | | | | | | |
| (b) A sample of safe drinking water still contained dissolved calcium sulphate, CaSO _{4,} which helped to make the water hard. | | | | | | | | | |
| (i) State the formula of the partic | (i) State the formula of the particle present in this water which causes hardness. | | | | | | | | |
| | | [1] | | | | | | | |
| (ii) A student carried out an experiment to find out if boiling would remove the hardness from this sample of water. | | | | | | | | | |
| The results of his experiment | are shown in Table 8.1. | | | | | | | | |
| | Table 8.1 | | | | | | | | |
| water sample | volume of water tested / cm ³ | volume of soap solution needed for lather / cm ³ | | | | | | | |
| distilled water | 25.0 | 0.2 | | | | | | | |
| hard water control (unboiled) | 25.0 | 8.0 | | | | | | | |
| hard water boiled for 5 minutes | 25.0 | 3.0 | | | | | | | |
| hard water boiled for 10 minutes | 3.0 | | | | | | | | |
| What conclusions could the student draw from these results? | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | [2] | | | | | | | |

(c) Some types of salt used to flavour food are mixtures of sodium chloride and potassium chloride. Sodium chloride and potassium chloride are both ionic compounds.

For Examiner's Use

[2]

(i) Potassium chloride can be formed by reacting potassium directly with chlorine. Fig. 8.1 shows the electron arrangements in a potassium atom and a chlorine atom.




Fig. 8.1

In the space below, draw diagrams similar to those in Fig. 8.1 which show the electron arrangements of the two particles when combined in potassium chloride.

| (ii) | Explain briefly why potassium chloride is a solid with a high melting point at room temperature. |
|------|--|
| | |
| | [2 |

9

| A police | e car uses a siren and a blue light to alert people. | | | | | |
|----------|---|--|--|--|--|--|
| (a) (i) | Explain why sound needs a medium, such as air, to travel through. | | | | | |
| | | | | | | |
| | [2] | | | | | |
| | [2] | | | | | |
| (ii) | How will the sound of the siren change if the amplitude of the sound waves emitted is increased? | | | | | |
| | [1] | | | | | |
| (iii) | | | | | | |
| | [1] | | | | | |
| | e police communicate using radio waves. Both blue light and radio waves are part of electromagnetic spectrum. | | | | | |
| (i) | State one property which all electromagnetic waves have in common. | | | | | |
| | [1] | | | | | |
| (ii) | State one difference between blue light waves and radio waves. | | | | | |
| | [1] | | | | | |
| (iii) | The radio waves used have a frequency of 10 000 000 Hz and a wavelength of 30 m. | | | | | |
| | Calculate the speed of these waves. | | | | | |
| | State the formula that you use and show your working. | | | | | |
| | formula used | | | | | |
| | | | | | | |
| | working | | | | | |
| | | | | | | |
| | | | | | | |
| | [2] | | | | | |

| (c) | As | the police car drives along the temperature of the air in the tyres increases. | | | | | |
|-----|--|---|--|--|--|--|--|
| | (i) Use the ideas of the kinetic theory to explain why this will result in an incityre pressure. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | [2] | | | | | |
| | (ii) The original temperature of the air in the tyres was 10 °C and the final temperature was 30 °C. | | | | | | |
| | | Calculate the final pressure of the air in the tyres if the original pressure was 200 $000\mbox{N/m}^2$. | | | | | |
| | | State the formula that you use and show your working. | | | | | |
| | | formula used | | | | | |
| | | | | | | | |
| | | working | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | [3] | | | | | |

DATA SHEET
The Periodic Table of the Elements

| | 0 | Heilum | 20 Neon 10 | 40 Ar Argon | 84 Kr ypton 36 | 131 Xe Xenon | Rn Radon 86 | | 175 Lu Lutetium 71 | Lr Lawrencium 103 |
|-------|-------------|---------------------------|-------------------------------|------------------------------------|------------------------------------|-------------------------------------|-------------------------------------|----------------------|--------------------------------------|--|
| | IIΛ | | 19 Fluorine | 35.5 C1 Chlorine | 80 Br Bromine 35 | 127 I lodine 53 | At Astatine 85 | | 173 Yb Ytterbium 70 | Nobelium 102 |
| | > | | 16 Oxygen 8 | 32 S Sulphur | 79 Se Selenium 34 | 128 Te Tellurium | Po Polonium 84 | | 169 Tm Thulium 69 | Md Mendelevium 101 |
| | > | | 14 N itrogen 7 | 31 Phosphorus | AS Arsenic | | 209 Bi Bismuth | | 167 Er Erbium 68 | Fm Fermium |
| | <u>></u> | ≥ | 12 C Carbon 6 | 28 Si Silicon | 73 Ge Germanium 32 | 3 S Tin | 207 Pb Lead | | 165 Ho Holmium 67 | Es Einsteinium 99 |
| | ≡ | | 11 Boron 5 | 27 A1 Aluminium 13 | 70 Ga Gallium 31 | 115 In Indium 49 | 204 T 1 Thallium 81 | | 162 Dy Dysprosium 66 | |
| | | | | | 65 Zn Zinc 30 | Cd Cadmium 48 | 201 Hg Mercury 80 | | 159 Tb Terbium 65 | Bk Berkelium 97 |
| | | | | | 64 Cu Copper | 108 Ag Siiver | 197 Au Gold | | Gd Gadolinium 64 | |
| dnc | | | | | 59 X Nickel | 106 Pd Palladium 46 | 195 Pt Platinum 78 | | 152 Eu Europium 63 | Am Americium 95 |
| Group | | | | | 59 Co Cobalt 27 | 103 Rh Rhodium 45 | 192 Ir Iridium 77 | | Sm Samarium 62 | |
| | | 1 H Hydrogen | | | 56 Fe Iron | 101 Ru Ruthenium 44 | 190 Os Osmium 76 | | Pm Promethium 61 | Np Neptunium 93 |
| | | | | | Manganese | Tc Technetium 43 | 186 Re Rhenium 75 | | Neodymium 60 | 238 U Uranium 92 |
| | | | | | 52 Cr Chromium 24 | 96 Mo Molybdenum 42 | 184 W Tungsten 74 | | Pr Praseodymium 59 | Pa Protactinium 91 |
| | | | | | 51 Vanadium 23 | Niobium | 181 Ta Tantalum 73 | | 140 Ce Cerium | 232 Th Thorium 90 |
| | | | | | 48 T Itanium | 2r Zirconium 40 | 178 Hf Hafnium 72 | | | nic mass bol nic) number |
| | | | | | Scandium 21 | 89 ≺ Yttrium | La La Lanthanum 57 * | 227 Actinium t | l series eries | a = relative atomic mass X = atomic symbol b = proton (atomic) number |
| | = | | 9 Be Beryllium | 24 Magnesium | 40 Ca Calcium | Strontium | 137 Ba Barium 56 | 226 Ra Radium | *58-71 Lanthanoid series | в х в |
| | _ | | 7 Lithium | 23 Na Sodium | 39 K Potassium 19 | Rubidium 37 | Csesium 55 | Francium 87 | *58-71 L 190-103 | Key |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.