#### **Location Entry Codes**

As part of CIE's continual commitment to maintaining best practice in assessment, CIE uses different variants of some question papers for our most popular assessments with large and widespread candidature. The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions is unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiners' Reports that are available.

#### **Question Paper Mark Scheme Principal Examiner's** Report Introduction Introduction Introduction First variant Question Paper First variant Mark Scheme First variant Principal Examiner's Report Second variant Question Second variant Mark Second variant Principal Paper Scheme Examiner's Report

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: <a href="mailto:international@cie.org.uk">international@cie.org.uk</a>

The titles for the variant items should correspond with the table above, so that at the top of the first page of the relevant part of the document and on the header, it has the words:

• First variant Question Paper / Mark Scheme / Principal Examiner's Report

or

Second variant Question Paper / Mark Scheme / Principal Examiner's Report

as appropriate.

# First Variant Question Paper



# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

# 0 6 2 2 3 2 0 4 9 3

#### **CO-ORDINATED SCIENCES**

0654/31

Paper 3 (Extended)

May/June 2009

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 25 printed pages and 3 blank pages.



1 (a) A student investigated how a change in potential difference across a lamp affected the current flowing through it.

For Examiner's Use

[2]

She used wires to connect the components shown in Fig. 1.1 to make a circuit.




Fig. 1.1

(i) Using the correct symbols, draw a diagram to show the circuit she used.

(ii) Explain why the variable resistor is included in the circuit.

(iii) Her results are shown in Table 1.1.

For Examiner's Use

[2]

Table 1.1

potential difference across lamp/V	current through lamp/A	resistance of lamp filament/Ω
4	1.2	3.3
8	1.5	
12	1.7	7.1

Complete the table by calculating the missing resistance and writing your answer in the empty box.

State the formula that you use and show your working.	
formula	

working

(iv)	The student concluded that the relationship between potential difference and current did not correspond to Ohm's law.
	Explain why the relationship between potential difference and current for the lamped not correspond to Ohm's law.

[2]

**(b)** Fig. 1.2 shows a wire moving upwards between the poles of two magnets. The ends of the wire are connected to a sensitive ammeter. The ammeter shows the induced current.

For Examiner's Use




Fig. 1.2

(i) Draw on the ammeter in Fig. 1.3 the reading obtained if the wire was moved twice as quickly in the same direction.




Fig. 1.3

[1]

(ii) Draw on the ammeter in Fig. 1.4 the reading obtained if the wire was moved in the opposite direction.




Fig. 1.4

[1]

(iii) Suggest why the ammeter must be a sensitive ammeter.

(iv) Name a device which uses this principle of inducing an electric current when a wire moves in a magnetic field.

[1]

2 Fig. 2.1 shows a vertical section through human skin.






Fig. 2.1

(a) Describe how each of the following structures helps to lower the temperature of the body when it becomes too hot.

(1)	sweat gland	
		 [2 <sup>]</sup>
		L∠.
(ii)	arterioles	
		[3]

(b) A man ran steadily on a running track for 60 minutes. The air temperature was 14°C.

For Examiner's Use

Fig. 2.2 shows his core temperature (the temperature inside his body) before, during and after the run.




Fig. 2.2

(i)	Explain why the man's core temperature increased while he was running.
	[2]
(ii)	Suggest why his core temperature dropped below normal when he stopped running.
	[2]
(iii)	When a runner has finished a marathon, a shiny silver-coloured blanket is often draped over his body. This helps to prevent his body temperature from dropping below normal.
	Explain why this type of blanket is used, rather than a non-shiny dark-coloured one.
	[1]

(c)	The skin has an important role in making vitamin D, which it does when sunlight falls onto it.
	Explain the importance of vitamin D in the body.
	[2]

3

Foo	od colourings are natural or synthetic dyes added to make food look more attractive.	For Examiner's
(a)	Describe the difference between natural and synthetic dyes.	Use
	[41]	
	[1]	
(b)	Fig. 3.1 shows a piece of cloth which is stained with food colouring.	
	Fig. 3.1	
	The cloth is washed in water containing soap solution.	
	Describe how soap molecules help to remove stains from the cloth. You may wish to draw some simple diagrams to help you answer this question.	
	[3]	

(c)		ome water supplied to houses contains calcium hydrogencarbonate, $Ca(HCO_3)_2$ . Then heated, calcium hydrogencarbonate undergoes thermal decomposition.			
	(i)	Complete the symbolic equation below which describes the thermal decomposition of calcium hydrogencarbonate.			
		$Ca(HCO_3)_2 \rightarrow$ [2]			
	(ii)	The ionic charge of a calcium ion is 2+. Deduce the ionic charge of a hydrogencarbonate ion.			
		Show how you obtained your answer.			
		[2]			

© UCLES 2009 0654/31/M/J/09 **[Turn over** 

(a) Many people have survived accidents where they have been exposed to ionising radiation from radioactive materials. Such exposure can have serious effects on their health.

For Examiner's Use

The table and graph show how the dose (amount) of radiation received is linked to a type of cancer called leukaemia. The radiation dose is measured in units called grays.

Table 4.1

radiation dose/grays	incidences of leukaemia / cases per 10 000 people per year
1.0	1.0
2.5	2.3
5.0	
10.0	10.1
15.0	15.2




Fig. 4.1

© UCLES 2009 0654/31/M/J/09

incidences

/cases per 10 000 people per year

	(i)	The result for 5.0 gr	ays has been missed out of the table.
		Use the graph to he	elp you fill in the missing value in the table. [1]
	(ii)	What is the relation leukaemia?	onship between the ionising radiation and the incidence of
			[1]
(b)			adiation from naturally occurring sources are alpha and beta. by their different penetrating powers.
		scribe how you co etrating powers.	uld distinguish between alpha and beta radiation by their
			[1]
(c)			radioactive element. The chart in Fig. 4.2 shows the number of the nuclei of the elements formed when radon decays.
			ן 137
			136 - × radon-222
			135 -
		number of neutrons	134 - × polonium–218
			133 -
			132 - × lead–214
			131 <del>                                   </del>
			number of protons
			Fig. 4.2
	(i)	Describe how the gemit alpha particles	graph shows that radon-222 ( <sup>222</sup> Rn) and polonium-218 ( <sup>218</sup> Po)
			[2]

(ii)	State why radon and polonium are different elements.
	[1]
(iii)	Radioactive decay can also produce gamma radiation.
	Explain why gamma emission does <b>not</b> result in the formation of a new element.
	[1]
(iv)	Radon-222 has a half-life of 4 days.
	Explain what is meant by the term half-life.
	[1]
(v)	1 mg of radon-222 is allowed to decay.
	Calculate after how many days there would be 0.125 mg of radon-222 remaining.
	Show your working.
	[2]


## **BLANK PAGE**

Please turn over for Question 5.

0654/31/M/J/09 **[Turn over** 

5 Fig. 5.1 shows three arthropods.





(a) (i) The arthropod A is a locust, which belongs to the insect class.

State two features, visible on the locust in Fig. 5.1, which are characteristic of insects.

1	
2	[2]

(ii) Name the classes to which arthropods B and C belong.

В

C [2]

(b)	gen offs	ie with two alle	eles, <b>G</b> and <b>g</b> . If two	locusts with bro	reen. This is controlled by wn bodies are mated, t es are mated, some of t	he
	(i)	Write the possi	ble genotype or genoty	pes for each of th	e following phenotypes.	
		brown body				
		green body				[2]
	(ii)		diagram to explain wl nay have brown bodies		ffspring of two locusts w	ith
					I	[4]
(c)			rariation in body colour inuous variation. Explai		s an example of <i>continuo</i>	us
						••••
						[1]
(d)	con		whole fields of crops.	, ,	distances, and can eat a re sometimes sprayed w	
	Sug	gest <b>two</b> possib	ole disadvantages of us	ing pesticides in t	his way.	
	1					
	2					
						[2]

© UCLES 2009 0654/31/M/J/09 **[Turn over** 

**6** Fig. 6.1 shows apparatus a student used to investigate electrolysis using concentrated sodium chloride solution as the electrolyte.

For Examiner's Use




Fig. 6.1

When an electric current flowed through the circuit, chlorine gas collected in tube  ${\bf Q}$  and hydrogen gas collected in tube  ${\bf R}$ .

The balanced equation below describes the overall chemical change which takes place.

$$2NaCl + 2H_2O \rightarrow 2NaOH + Cl_2 + H_2$$

(a)	On Fig. 6.1 label the anode.

Give a reason for your choice.

- **(b)** The student allowed the current to flow through the apparatus until 0.01 moles of hydrogen gas had been produced.
  - (i) State the number of moles of chlorine which were produced during the experiment.

\_\_\_\_\_[1

[2]

(ii)	Calculate the mass of sodium hydroxide which was produced during the experiment. (Relative atomic masses $Na = 23$ , $O = 16$ , $H = 1$ )
	Show your working.
	[3]
	en chlorine gas is bubbled through a colourless solution of potassium bromide, KBr, solution turns orange because the element bromine is produced.
(i)	Write a balanced equation for the reaction between chlorine and potassium bromide.
	[2]
(ii)	Complete the handing diagram of a bramine malegule to about the arrangement of
(ii)	Complete the bonding diagram of a bromine molecule to show the arrangement of the outer electrons of each atom.
	[2]
(iii)	Describe how bromine is used to test hydrocarbons to find out whether or not they are unsaturated.
	[2]
(iv)	Complete the displayed formula to show the <b>alkene</b> which contains four carbon atoms in each of its molecules.
	H H-C-   

7 A student carried out an investigation into the response of plant shoots to light.


For Examiner's Use

He grew six maize seedlings and treated them as follows.

- He did nothing to seedlings A and D.
- He cut the tips off seedlings **B** and **E**.
- He covered the tips of seedlings C and F with black paper.

He placed one group of seedlings where they received light from all directions. He placed the second group of seedlings in a container where they received light from one side only.

Fig. 7.1 shows the appearance of the six seedlings when the experiment was first set up, and after one day.






Fig. 7.1

(a)	The student concluded that the tip of a shoot is needed for growth. Describe the evidence in Fig. 7.1 that supports this conclusion.	For Examiner's Use
	[2]	
(b)	Using the information in Fig. 7.1, deduce the positions of the receptor and the effector that are responsible for the growth response of a seedling towards light.	
	Explain the evidence for your deductions.	
	position of receptor	
	evidence	
	position of effector	
	evidence	
	[4]	
(c)	Describe how auxin may be involved in the growth of shoots towards the light. You can use a diagram if it helps your answer.	
	[3]	

© UCLES 2009 0654/31/M/J/09 **[Turn over** 

8

A diver is working under water, wearing a diving suit and helmet.

(a) The diving helmet has a plastic window of area 100 cm². The air pressure inside the helmet is the same as the water pressure outside.

(i) At a depth of 40 m, the diver breathes air at a pressure of 50 N/cm².

Calculate the force exerted by the air on the helmet window at this depth.

Use the formula

pressure = force/area

Show your working.

[1]

(ii) At the surface of the sea, the pressure of the atmosphere is 10 N/cm².

Estimate a value for the pressure at a depth of 10 m. Explain your answer.

For Examiner's Use

**(b)** The diver sees a squid. A squid moves by forcing out a jet of water from its body. This moving water has momentum. (i) The mass of water forced out is 1.2 kg and has a velocity of 10 m/s. Show that the momentum of the moving water is 12 kg m/s. State the formula that you use and show your working. formula working [1] (ii) To conserve momentum, the squid's momentum must equal the momentum of the water jet in the opposite direction. The mass of the squid is 4 kg. Calculate the velocity of the squid. State the formula that you use and show your working. formula working [3]

© UCLES 2009 0654/31/M/J/09 **[Turn over** 

(c) (i) A dolphin near the surface is able to communicate underwater by emitting ultrasonic waves with a frequency of 39 000 Hz.

For Examiner's Use

The speed of these waves in water is 1500 m/s.

Calculate the wavelength of the waves.

State the formula that you use and show your working.

formula

working

[2]

(ii) The hearing range for a dolphin is from 1 kHz to 100 kHz. State the hearing range of an average adult human.

[1]

(iii) Fig. 8.1 shows the speed of the dolphin travelling through water.




Fig. 8.1

Calculate the distance covered by the dolphin in the first 20 seconds.

Show your working.

[2]

## **BLANK PAGE**


Please turn over for Question 9.

0654/31/M/J/09 **[Turn over** 

**9** Many metals react with dilute acids.

For Examiner's Use

(a) Complete the word equation for the reaction of magnesium with dilute sulfuric acid.



[1]

**(b)** A student used the apparatus shown in Fig. 9.1 to investigate the rate of reaction between sulfuric acid and magnesium.

To start the reaction, she tilted the flask to mix the reactants.




Fig. 9.1

She measured the volume of gas which had collected in the measuring cylinder every minute for several minutes.

Her results are shown in Fig. 9.2.




Fig. 9.2

Explain these results in terms of the collisions	between particles in the reacting mixture.
	[3]
(c) Fig. 9.3 shows a pencil sharpener. Both the ca	se and the blades are made using alloys.
blades made of steel	
case made of magnesium alloy	
Fig. 9.3	
Alloys rather than pure metals are used becau	se they are stronger and less malleable.
Draw diagrams to show part of the giant struct Use your diagrams to help you to explain wh metals they contain.	
diagram of the structure of a pure metal	diagram of the structure of an alloy

(d) Table 9.1 shows information about the atomic structures of four particles W, X, Y and Z.

For Examiner's Use

Table 9.1

	number of protons	number of neutrons	electrons in 1st shell	electrons in 2nd shell	electrons in 3rd shell
W	11	12	2	8	-
Х	9	10	2	8	-
Υ	12	12	2	8	2
Z	12	13	2	8	2

Explain which <b>two</b> particles from <b>W</b> , <b>X</b> , <b>Y</b> and <b>Z</b> in the table would attract one ano very strongly.	ther
	[3]

## **BLANK PAGE**

0654/31/M/J/09

DATA SHEET
The Periodic Table of the Elements

	0	4 He Heium	20 Neon 10 A40 Ar Argon	84 Krypton 36	131 <b>Xe</b> Xenon 54	Radon 86		Lutetium 71	<b>Lr</b> Lawrencium 103		
	II/		19 Fluorine 9 35.5 <b>C 1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85		173 <b>Yb</b> Ytterbium 70	Nobelium 102		
	IN		16 Oxygen 8 32 <b>%</b>	79 Selenium 34	128 <b>Te</b> Tellurium 52			169 <b>Tm</b> Thullum	Md Mendelevium 101		
	^		14 Nitrogen 7 31 9 Phosphorus 15	75 <b>AS</b> Arsenic	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth		167 <b>Er</b> Erbium 68	Fm Fermium 100		
	<u>\</u>		12 Carbon 6 Silicon 14 Silicon 14	73 <b>Ge</b> Germanium	119 <b>Sn</b> Tin	207 <b>Pb</b> Lead 82		165 <b>Ho</b> Holmium 67	<b>ES</b> Einsteinium 99		
	Ξ		11 <b>B</b> 80cm 5 A1 A1 A1 A13	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium 49	204 <b>T 1</b> Thallium		162 <b>Dy</b> Dysprosium 66	<b>Cf</b> Californium 98		
				65 <b>Zn</b> Zinc 30	Cadmium Cad	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> Terbium 65	<b>Bk</b> Berkelium 97		
				64 Copper 29	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		157 <b>Gd</b> Gadolinium 64	Cm Curium 96		
Group				59 <b>N</b> ickel 28	106 <b>Pd</b> Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Americium 95		
Gro				59 <b>Co</b> Cobalt	103 Rhodium 45	192 <b>Ir</b> Iridium		Sm Samarium 62	<b>Pu</b> Plutonium		
		T Hydrogen		56 Fe Iron	Ru Ruthenium 44	190 <b>Os</b> Osmium 76		Pm Promethium 61	Np Neptunium 93		
				Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		Neodymium 60	238 <b>U</b> Uranium 92		
				52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91		
						51 Vanadium 23	93 <b>Nb</b> Niobium 41	181 <b>Ta</b> Tantalum		140 <b>Ce</b> Cerium 58	232 <b>Th</b> Thorium
				48 <b>Ti</b> Titanium 22	91 <b>Zr</b> Ziroonium 40	178 <b>Hf</b> Hafnium 72			nic mass bol nic) number		
				Scandium 21	89 <b>×</b> Yttrium 39	139 <b>La</b> Lanthanum 57 *	227 <b>Ac</b> Admium 89	series eries	a = relative atomic mass  X = atomic symbol b = proton (atomic) number		
	=		Be Beryllium 4 4 24 Mg Magnesium 12	40 <b>Ca</b> Calcium 20	Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium	*58-71 Lanthanoid series	a ★ a		
	_		7   Lithium   3   23   Na   Na   Sodium   11	39 K	Rubidium 37	Caesium	Francium 87	*58-71 L	Key		

tht and cleared where possible. Ever

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

# Second Variant Question Paper



# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

# 3 8 8 2 2 0 6 2 9 1

#### **CO-ORDINATED SCIENCES**

0654/32

Paper 3 (Extended)

May/June 2009

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use					
1					
2					
3					
4					
5					
6					
7					
8					
9					
Total					

This document consists of 23 printed pages and 5 blank pages.



## **BLANK PAGE**

0654/32/M/J/09

**1** (a) A student investigated how a change in potential difference across a lamp affected the current flowing through it.

For Examiner's Use

[2]

She used wires to connect the components shown in Fig. 1.1 to make a circuit.




Fig. 1.1

(i) Using the correct symbols, draw a diagram to show the circuit she used.

(ii)	Explain why the variable resistor is included in the circuit.	
		 [1]
		ניו

(iii) Her results are shown in Table 1.1.

For Examiner's Use

[2]

Table 1.1

potential difference across lamp/V	current through lamp/A	resistance of lamp filament/Ω
4	1.2	3.3
8	1.5	
12	1.7	7.1

Complete the table by calculating the missing resistance and writing your answer in the empty box.

State the formula that you use and show your working.	
formula	

working

(iv) The student concluded that the relationship between potential difference and current did not correspond to Ohm's law.

did not correspond to Ohm's law.	
	[2

Explain why the relationship between potential difference and current for the lamp

**(b)** Fig. 1.2 shows a wire moving upwards between the poles of two magnets. The ends of the wire are connected to a sensitive ammeter. The ammeter shows the induced current.

For Examiner's Use




Fig. 1.2

(i) Draw on the ammeter in Fig. 1.3 the reading obtained if the wire was moved twice as quickly in the same direction.




Fig. 1.3

[1]

(ii) Draw on the ammeter in Fig. 1.4 the reading obtained if the wire was moved in the opposite direction.




Fig. 1.4

[1]

[1]

(iii) Suggest why the ammeter must be a sensitive ammeter.

[1]

(iv) Name a device which uses this principle of inducing an electric current when a wire moves in a magnetic field.

© UCLES 2009 0654/32/M/J/09 **[Turn over** 

**2** (a) Fig. 2.1 shows a transverse section of an artery.

For Examiner's Use




Fig 2.1

(i)	Explain why arteries have elastic tissue in their walls.	
		[2]
(ii)	Veins contain valves. Explain why arteries do <b>not</b> contain valves.	
		 [2]

**(b)** A man ran steadily on a running track for 10 minutes. Fig. 2.2 shows the rate of oxygen consumption by the muscles of his heart before, during and after the run.




Fig. 2.2

	(i)	Explain why his heart muscle consumed oxygen at a greater rate during the run than before it.
		[3]
	(ii)	Explain why the rate of oxygen consumption by the heart muscle did not return to normal immediately after the run.
		[2]
(c)		968, the Olympic Games were held in Mexico City. This is at a high altitude, and e is less oxygen in the air than at sea level.
	athl	etes running in 100 m races had no difficulties and times were fast. However, etes running in long distance races became very tired while they were running and r times were slow.
	Sug	gest an explanation for this.
		[2]
(d)	Cor	npetitive athletes need to have plenty of iron in their diet.
	Des	cribe the function of iron in the body.
		[1]

3

	d colourings are natural or synthetic dyes added to make food look more attractive.	Exam
)	Describe the difference between natural and synthetic dyes.	U
	[1]	
)	Fig. 3.1 shows a piece of cloth which is stained with food colouring.	
	Fig. 3.1	
	The cloth is washed in water containing soap solution.	
	Describe how soap molecules help to remove stains from the cloth. You may wish to draw some simple diagrams to help you answer this question.	
		1

(c)	) Some water supplied to houses contains calcium hydrogencarbonate, Ca(HCO <sub>3</sub> ) <sub>2</sub> . When heated, calcium hydrogencarbonate undergoes thermal decomposition.					
	(i)	Complete the symbolic equation below which describes the thermal decomposition of calcium hydrogencarbonate.				
		$Ca(HCO_3)_2 \rightarrow$ [2]				
	(ii)	The ionic charge of a calcium ion is 2+. Deduce the ionic charge of a hydrogencarbonate ion.				
		Show how you obtained your answer.				
		[0]				

(a) Many people have survived accidents where they have been exposed to ionising radiation from radioactive materials. Such exposure can have serious effects on their health.

For Examiner's Use

The table and graph show how the dose (amount) of radiation received is linked to a type of cancer called leukaemia. The radiation dose is measured in units called grays.

Table 4.1

radiation dose/grays	incidences of leukaemia/cases per 10 000 people per year
1.0	1.0
2.5	2.3
5.0	
10.0	10.1
15.0	15.2




Fig. 4.1

© UCLES 2009 0654/32/M/J/09

incidences

/cases per 10 000 people per year

	(i)	The result for 5.0 gr	ays has been missed out of the table.
		Use the graph to he	elp you fill in the missing value in the table. [1]
	(ii)	What is the relation leukaemia?	onship between the ionising radiation and the incidence of
			[1]
(b)			adiation from naturally occurring sources are alpha and beta. by their different penetrating powers.
		scribe how you co etrating powers.	uld distinguish between alpha and beta radiation by their
			[1]
(c)			radioactive element. The chart in Fig. 4.2 shows the number of the nuclei of the elements formed when radon decays.
			ן 137
			136 - × radon-222
			135 -
		number of neutrons	134 - × polonium–218
			133
			132 - × lead–214
			131 <del>                                   </del>
			number of protons
			Fig. 4.2
	(i)	Describe how the gemit alpha particles	graph shows that radon-222 ( <sup>222</sup> Rn) and polonium-218 ( <sup>218</sup> Po)
			[2]


(ii)	State why radon and polonium are different elements.
	[1]
(iii)	Radioactive decay can also produce gamma radiation.
	Explain why gamma emission does <b>not</b> result in the formation of a new element.
	[1]
(iv)	Radon-222 has a half-life of 4 days.
	Explain what is meant by the term half-life.
	[1]
(v)	1 mg of radon-222 is allowed to decay.
	Calculate after how many days there would be 0.125 mg of radon-222 remaining.
	Show your working.
	[2]

Please turn over for Question 5.

0654/32/M/J/09 **[Turn over** 

**5** Fig. 5.1 shows three arthropods.





(a) (i) The arthropod A is a locust, which belongs to the insect class.

State **two** features, visible on the locust in Fig. 5.1, which are characteristic of insects.

1	
2	[2]

(ii) Name the classes to which arthropods B and C belong.

В	

**C** [2]

(b)	gen offs	one species of locust, the body colour may be brown or green. This is controlled by a ne with two alleles, <b>G</b> and <b>g</b> . If two locusts with brown bodies are mated, the spring are always brown. If two locusts with green bodies are mated, some of the spring may be brown.		
	(i)	Write the possi	ble genotype or genotypes for each of the following phenotypes.	
		brown body		
		green body		?]
	(ii)		diagram to explain why some of the offspring of two locusts with ay have brown bodies.	า
			[4	]
(c)			rariation in body colour in these locusts is an example of <i>continuous</i> nuous variation. Explain your answer.	S
				••
			[1	]
(d)	con		form huge swarms, which can fly long distances, and can eat and whole fields of crops. These swarms are sometimes sprayed with oplanes.	
	Sug	gest <b>two</b> possib	ole disadvantages of using pesticides in this way.	
	1			
	2			
			[2	2]

© UCLES 2009 0654/32/M/J/09 **[Turn over** 

**6** Fig. 6.1 shows apparatus a student used to investigate electrolysis using concentrated sodium chloride solution as the electrolyte.

For Examiner's Use




Fig. 6.1

When an electric current flowed through the circuit, chlorine gas collected in tube  ${\bf Q}$  and hydrogen gas collected in tube  ${\bf R}$ .

The balanced equation below describes the overall chemical change which takes place.

$$2NaCl + 2H_2O \rightarrow 2NaOH + Cl_2 + H_2$$

Gi	ve a reaso	on for you	ır choice	

(a) On Fig. 6.1 label the anode.

.....

- **(b)** The student allowed the current to flow through the apparatus until 0.01 moles of hydrogen gas had been produced.
  - (i) State the number of moles of chlorine which were produced during the experiment.

\_\_\_\_\_\_[1

[2]

(ii)	Calculate the mass of sodium hydroxide which was produced during the experiment. (Relative atomic masses $Na = 23$ , $O = 16$ , $H = 1$ )
	Show your working.
	[3]
	hen chlorine gas is bubbled through a colourless solution of potassium bromide, KBr, e solution turns orange because the element bromine is produced.
(i)	Write a balanced equation for the reaction between chlorine and potassium bromide.
	[2]
(ii)	Complete the bonding diagram of a bromine molecule to show the arrangement of the outer electrons of each atom.
	[2]
(iii)	Describe how bromine is used to test hydrocarbons to find out whether or not they are unsaturated.
	[2]
(iv)	Complete the displayed formula to show the <b>alkene</b> which contains four carbon atoms in each of its molecules.
	H H—C—   

7 A student carried out an investigation into the response of plant shoots to light.


For Examiner's Use

He grew six maize seedlings and treated them as follows.

- He did nothing to seedlings A and D.
- He cut the tips off seedlings **B** and **E**.
- He covered the tips of seedlings C and F with black paper.

He placed one group of seedlings where they received light from all directions. He placed the second group of seedlings in a container where they received light from one side only.

Fig. 7.1 shows the appearance of the six seedlings when the experiment was first set up, and after one day.






Fig. 7.1

(a)	The student concluded that the tip of a shoot is needed for growth. Describe the evidence in Fig. 7.1 that supports this conclusion.	For Examiner's Use
	[2]	
(b)	Using the information in Fig. 7.1, deduce the positions of the receptor and the effector that are responsible for the growth response of a seedling towards light.	
	Explain the evidence for your deductions.	
	position of receptor	
	evidence	
	position of effector	
	evidence	
	[4]	
(c)	Describe how auxin may be involved in the growth of shoots towards the light. You can use a diagram if it helps your answer.	
	[3]	

© UCLES 2009 0654/32/M/J/09 **[Turn over** 

8 Two skiers **A** and **B** start a straight downhill race.

For Examiner's Use

Fig 8.1 shows how the motion of skier **A** changes during the race. Skier **A** finishes the race after 40 seconds and then slows down and stops after 50 seconds.




Fig. 8.1

(a)	(i)	Describe the motion of skier <b>A</b> between 0 and 30 seconds.	
			[2]
	(ii)	Calculate the distance skier <b>A</b> travels between 0 and 30 seconds.	
		Show your working.	
			[2]

(b)		e mass of skier <b>A</b> is 60 kg. Calculate the kinetic energy of the skier when her speed 0 m/s.	For Examiner's Use
		State the formula that you use and show your working.	
		formula	
		working	
		[2]	
(c)	(i)	Calculate the deceleration of skier <b>A</b> between 40 and 50 seconds.	
		State the formula that you use and show your working.	
		formula	
		working	
		[2]	
	(ii)	Calculate the force on skier <b>A</b> which causes this deceleration.	
		State the formula that you use and show your working.	
		formula	
		working	
		[2]	
(d)		er <b>B</b> wins the race. On Fig. 8.1 show how the motion of skier <b>B</b> might change during race.	
	Exp	plain your answer.	
		[2]	

**9** Hydrogen peroxide, H<sub>2</sub>O<sub>2</sub>, is a colourless liquid which slowly decomposes according to the equation below.

For Examiner's Use

hydrogen peroxide → water + oxygen.

If the black solid compound manganese dioxide, MnO<sub>2</sub>, is added to a solution of hydrogen peroxide, it acts as a catalyst and the rate of reaction is greatly increased.

(a)	Describe the test for oxygen gas.
	[1

**(b)** A student uses the apparatus shown in Fig. 9.1 to study the rate of reaction when hydrogen peroxide solution decomposes.




Fig. 9.1

The student carries out three trials to investigate the effect of changing the concentration of the hydrogen peroxide solution. She attempts to keep all other variables the same in each trial.

Her results are shown in Table 9.1.

Table 9.1

trial number	hydrogen peroxide concentration in mol / dm <sup>3</sup>	volume of time taken to collect collected / cm³ coygen / s		rate of production of oxygen in cm³/s	
1	0.4	50	10	5.0	
2	0.2	50	20		
3	0.1	50	40	1.25	

(i)	Calculate the rate of production of oxygen for Trial <b>2</b> and write the value in Table 9.1. [1]
(ii)	Using the data in Table 9.1, explain in terms of collisions of molecules, the relation between the rate of production of oxygen and the concentration of hydrogen peroxide solution in this experiment.
	[4]
(iii)	Describe how the student could show that manganese dioxide is behaving as a catalyst and is therefore not used up or chemically changed.
	[2]

(c) Table 9.2 shows information about the atomic structure of four particles P, Q, R and S.

Table 9.2

	number of protons	number of neutrons	electrons in 1 <sup>st</sup> shell	electrons in 2 <sup>nd</sup> shell	electrons in 3 <sup>rd</sup> shell
Р	17	20	2	8	8
Q	10	10	2	8	-
R	9	10	2	8	-
S	17	18	2	8	7

(i)	Explain which two particles from <b>P</b> , <b>Q</b> , <b>R</b> and <b>S</b> are isotopes of the same element.
	[2]
(ii)	State which particle from <b>P</b> , <b>Q</b> , <b>R</b> and <b>S</b> is an <b>atom</b> of a very unreactive element.
	[1]

0654/32/M/J/09

0654/32/M/J/09

0654/32/M/J/09

DATA SHEET
The Periodic Table of the Elements

	0	4 He Heium	Neon 10 Neon 40 Argon 18	84 Krypton 36	131 <b>Xe</b> Xenon 54	Rn Radon 86		175 <b>Lu</b> Lutetium 71	<b>Lr</b> Lawrencium 103
			19 Fluorine 9 35.5 <b>C 1</b>	80 <b>Br</b> Bromine	127 <b>I</b> lodine	At Astatine 85		173 <b>Yb</b> Ytterbium 70	Nobelium 102
	>		16 Oxygen 8 32 32 Suffur 16	79 <b>Se</b> Selenium 34	128 <b>Te</b> Tellurium	Po Polonium 84		169 <b>Tm</b> Thulium 69	Md Mendelevium 101
	>		Nitrogen 7 31 Phosphorus 15	75 <b>As</b> Arsenic	Sb Antimony 51	209 <b>Bi</b> Bismuth		167 <b>Er</b> Erbium 68	Fm Fermium
	2		Carbon 6 28 <b>Si</b> licon 14	73 <b>Ge</b> Germanium	119 <b>Sn</b> Tin	207 <b>Pb</b> Lead		165 <b>Ho</b> Holmium 67	
	≡		11 Boron 5 27 Auminium 13	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium	204 <b>T 1</b> Thallium		162 <b>Dy</b> Dysprosium 66	Cf Californium 98
				65 <b>Zn</b> Zinc 30	Cd Cadmium 48	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> Terbium 65	
				64 <b>Cu</b> Copper	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		157 <b>Gd</b> Gadolinium 64	Cm Curium 96
Group				59 <b>X</b> Nickel	106 <b>Pd</b> Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Am Americium 95
Ğ				59 <b>Co</b> Cobalt	Rhodium 45	192 <b>Ir</b> Irdium		Sm Samarium 62	Pu Plutonium 94
		1 Hydrogen		56 <b>Fe</b> Iron	Ruthenium 44	190 <b>Os</b> Osmium 76		<b>Pm</b> Promethium 61	Np Neptunium 93
				Mn Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		Neodymium 60	238 <b>U</b> Uranium 92
				Chromium	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91
				51 Vanadium 23	Niobium A1	181 <b>Ta</b> Tantalum 73		140 <b>Ce</b> Cerium	232 <b>Th</b> Thorium
				48 <b>T</b> Titanium	2rconium	178 <b>Hf</b> Hafnium 72			nic mass bol nic) number
				Scandium	89 <b>≺</b> Yttrium 39	La Lanthanum 57 *	227 <b>Ac</b> Actinium 89	l series eries	a = relative atomic mass  X = atomic symbol b = proton (atomic) number
	=		Beryllium 4 24 Mg Magnesium 12	Calcium	Sr Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88	*58-71 Lanthanoid series	a <b>×</b> a □
	_		Lithium 3 Lithium 3 23 Na Sodium 11	39 <b>K</b> Potassium 19	85 <b>Rb</b> Rubidium 37	133 Csesium 55	<b>Fr</b> Francium 87	*58-71 L	Key b

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.