#### MARK SCHEME for the May/June 2010 question paper

#### for the guidance of teachers

#### 0654 CO-ORDINATED SCIENCES

0654/31 Paper 31 (Extended Theory), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



	Page 2			Mark Scheme: Teachers' version	Syllabus	Paper			
				IGCSE – May/June 2010	0654	31			
1	(a)	(i)	(i) C and D ;			[1]			
		(ii)	ii) A and D ;						
		(iii)	<ul> <li>i) opens and closes ;</li> <li>when atrium contracts valve is pushed open ;</li> <li>when atrium contracts to use is pushed open ;</li> </ul>						
		when ventricle contracts valve is pushed shut ;							
	(b)	more oxygen (in right side of heart in fetus) ; idea that it is a mix of oxygenated blood (from placenta) and deoxygenated (from body tissues) ;							
	(c)	(i) haemoglobin ;							
		(ii) protein ;							
		(iii) iron ;							
		<ul> <li>(iv) small particles/not made of large molecules ;</li> <li>so can be absorbed as they are ;</li> </ul>							
		(v)		espiration/to combine with glucose ; elease energy/to provide energy ;		[2]			
						[Total: 13]			
2	(a)	(i)	caus in sk	ses, skin cancer/eye damage/burns/mutation in sl kin ;	kin/damage to DNA	[1]			
		(ii)	prote	ective clothing/sun block ;		[1]			
	<b>/</b> L)	(0.0)							
	(u)		00 m/	=) distance/time ; /s ;		[2]			
	(a)								
	(C)	•		tum =) mass × velocity ; 00 × 60 = 24 000 000kgm/s ;		[2]			
	(d)	(i)	aller	ymbols correct ;					
	(u)	(1)		ymbols connected in series ;		[2]			
		(ii)	6V;	;		[1]			
	(0)	) electron transfer ;							
	(e)	fabi	ric ga	nins electrons/tent loses electrons / or vice versa;		נסז			
		by I		n between surfaces ;		[3]			


Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0654	31

(f) two straight parallel rays drawn entering the lens ; two straight rays brought to a focus at the twigs/grass ; arrows correctly shown ;

L

3

4



twigs/grass

[3]

[Total: 15]

(a)	rem dan	sing ; loves electrons ; nages DNA/mutation ; ct (e.g. cancer/burns/radiation sickness) ;	[max 3]
(b)	(i)	<u>nuclei</u> split/ <u>nuclear</u> fission ;	[1]
	(ii)	nuclear/radioactive/toxic waste ; problems of disposal/storage ; or security of fissionable/radioactive material ; use in terrorism ; or accident/malfunction ;	
		effect of radioactive materials on environment/humans ;	[max 2]
			[Total: 6]
(a)	(i)	reaction is exothermic/heat was given off ;	[1]
	(ii)	temperature falls (after 25 cm <sup>3</sup> of acid added) ; so no further (exothermic) reaction/all alkali used up ;	[2]


© UCLES 2010

Pa	nge 4		Syllabus	Paper	
		IGCSE – May/June 2010	0654	31	
(b)	(i)				
	<i>moles KOH</i> ((20.0/1000) × 0.5 =) 0.01 ; (allow 1 mark if the same error in converting to dm <sup>3</sup> is made in each calculation, e.g. if left in cm <sup>3</sup> answers are 5 and 10)				
	<ul> <li>(ii) (0.5) (no mark)</li> <li>[e.c.f. from (i) provided answer is <u>half</u> the KOH moles] because the number of moles of acid must be half the number of moles of KOH / owtte / or relevant working ;</li> </ul>				
	(iii) $H^+ + OH^- \rightarrow H_2O$ (all correct for 2 marks, two of the three for 1 mark) ;;				
(c)	(i)	electrolysis ;		[1]	
	<ul> <li>(ii) plate, has a negative charge/is negative, and potassium ions, are positively charged/are positive;</li> <li>opposite charges attract/potassium ions move towards the plate;</li> <li>potassium ions gain electrons from the plate;</li> </ul>				
		potassium ions, discharged/gain one electron/becom	e atoms ;	[max 3]	
				[Total: 12]	
5 (a)	foai	n/air, is a poor <u>conductor</u> ; n, stops <u>convection</u> of air/traps air ; <u>ation</u> reflected by, shiny surfaces/foil/metal ;		[3]	
(b)	(i)	<b>B</b> (no mark) turns ratio 2:1 ;		[1]	
	(ii)	water can conduct electricity ; danger of electrocution ;		[2]	
(c)	(i)	current (flows in circuit) ; produces (electro)magnet ; (magnet) attracts iron bolt ;		[3]	
	(ii)	(no – no mark) aluminium is not magnetic/not attracted to electromag	net ;	[1]	
	(iii)	(yes – no mark) still an electromagnet (so still attracts bolt) ;		[1]	
	(iv)	more coils/bigger voltage/bigger core ;		[1]	
				[Total: 12]	
				• •	

Page 5		Mark Scheme: Teachers' version	Syllabus	Paper
		IGCSE – May/June 2010	0654	31
(i)	amm	nonium/NH4 <sup>+</sup> ;		[1]
nitro prot deta		gen/nitrate, needed for making, protein/amino acide eins for growth ; il, e.g. more cells/more cytoplasm ;	S ;	[max 3]
<ul> <li>(iii) wheat – little/no, difference; potatoes – greater, with manure + bacteria/in plot B; 10.50 tonnes (per hectare per year) (greater);</li> <li>(iv) manure contains plant and animal waste e.g. proteins/urea; which needs to be, broken down/decomposed (by bacteria); to produce, ammonia/nitrates/something that can be used by plants; reference to nitrification/nitrifying bacteria;</li> </ul>				[3]
				[max 2]
<ul> <li>(b) stimulates growth of, algae/plants; plants/algae, die; fed on by bacteria/decomposers; which respire (aerobically); bacteria use oxygen;</li> </ul>				
				[Total: 12]
(i)	gluc	ose ;		[1]
(ii)	only	proteins contain, S/sulfur;		[3]
(i)	mole there the h molt molt	ecules/particles, can move past one another easily ; efore (solid) nylon, melts / becomes a liquid, when not container ; en nylon can be pumped (through small holes) ; en threads solidify when cooled ;		[max 3]
(ii)	mole beca	ecules cannot move past one another ; ause strong bonds hold polymer chains/crosslinks ;		[max 2]
				[Total: 9]
	<ul> <li>(i)</li> <li>(ii)</li> <li>(iii)</li> <li>(iv)</li> <li>stimplan fed whi bac</li> <li>(ii)</li> <li>(ii)</li> <li>(ii)</li> <li>(ii)</li> </ul>	<ul> <li>(i) amm</li> <li>(ii) shor nitro prote deta correction (iii) when pota 10.5</li> <li>(iv) man which to prime (iii) mole field on by which resibacteria</li> <li>(i) gluca (ii) gluca (ii) prote only only (i) mole there is mole the field on by which resibacteria</li> <li>(ii) gluca (ii) prote only only only (ii) mole there is mole the field on by which resibacteria</li> </ul>	<ul> <li>IGCSE – May/June 2010</li> <li>(i) ammonium/NH4<sup>*</sup>;</li> <li>(ii) shortage of something in the soil; nitrogen/nitrate, needed for making, protein/amino acids proteins for growth; detail, e.g. more cells/more cytoplasm; correct ref. to function of P or K;</li> <li>(iii) wheat – little/no, difference; potatoes – greater, with manure + bacteria/in plot B; 10.50 tonnes (per hectare per year) (greater);</li> <li>(iv) manure contains plant and animal waste e.g. proteins/ui which needs to be, broken down/decomposed (by bacte to produce, ammonia/nitrates/something that can be us reference to nitrification/nitrifying bacteria;</li> <li>stimulates growth of, algae/plants; plants/algae, die; fed on by bacteria/decomposers; which respire (aerobically); bacteria use oxygen;</li> <li>(i) glucose;</li> <li>(ii) protein; only proteins contain, S/sulfur; only proteins contain, N/nitrogen;</li> <li>(i) molecules have only weak forces between them; molecules/particles, can move past one another easily;</li> </ul>	IGCSE – May/June 2010         0654           (i) ammonium/NH4*;         (ii) shortage of something in the soil; initrogen/nitrate, needed for making, protein/amino acids; proteins for growth; detail, e.g. more cells/more cytoplasm; correct ref. to function of P or K;           (iii) wheat – little/no, difference; potatoes – greater, with manure + bacteria/in plot B; 10.50 tonnes (per hectare per year) (greater);         (iv) manure contains plant and animal waste e.g. proteins/urea; which needs to be, broken down/decomposed (by bacteria); to produce, ammonia/nitrates/something that can be used by plants; reference to nitrification/nitrifying bacteria;           stimulates growth of, algae/plants; plants/algae, die;         fed on by bacteria/decomposers; which respire (aerobically); bacteria use oxygen;           (i) glucose;         (i) molecules have only weak forces between them; molecules/particles, can move past one another easily; therefore (solid) nylon, melts / becomes a liquid, when heated / it enters the hot container; molten nylon can be pumped (through small holes); molten threads solidify when cooled; strong forces between molecules when solid;           (ii) doesn't melt (on contact with hot containers); molecules cannot move past one another; because strong bonds hold polymer chains/crosslinks;

	Page 6		Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – May/June 2010	0654	31
8	(a)	A to retina ; B to optic nerve ; C to iris ;			
	(b)	loosen (t lens mor more ref	uscles, contract/get shorter ; rension on) (suspensory) ligaments ; re rounded/fatter ; raction/shorter focal length ; rs) brought to a focus <u>on the retina</u> ;		[max 3]
	(c)	statemer	rosis/sickle cell anaemia/thalassaemia/other ; nt as to whether allele is dominant or recessive ; examples are all recessive. Huntington's is dominan	t)	
		<i>if recessive</i> both parents must have allele for offspring to inherit disease/are heterozygous ; parental genotypes and offspring genotypes shown/1 in 4 chance of offspring having disease ; <b>or</b> <i>if dominant</i>			
			parent needs to have allele for offspring to inherit d genotypes and offspring genotypes shown / 1 in 2 isease ;		ing [max 3]
					[Total: 9]


9 (a)



[3]

[1]

(b) (i) atoms all same size arranged in regular lattice ; e.g.



(ii) reference to delocalised electrons ; movement of charge/electrons ;

[2]

© UCLES 2010

Page 7	,	Mark Scheme: Teachers' version	Syllabus	Paper	
		IGCSE – May/June 2010	0654	31	
(c) (i)		ation/reaction with oxygen (from air)/formation of n rence to the, hot/molten, metal ;	netal oxide ;	[2]	
(ii)		e shells with 18 electrons ; nged 2,8,8 ;		[2]	
(iii)		r shell is complete ; s not need to, lose/gain electrons, (by reaction)/ow	tte ;	[2]	
				[Total: 12]	