

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
CO-ORDINAT	ED SCIENCES	0654/32
Paper 3 (Exter	ded)	May/June 2010
		2 hours
Candidates an	swer on the Question Paper.	
No Additional N	Materials are required.	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 23 printed pages and 1 blank page.



UNIVERSITY of CAMBRIDGE International Examinations


[Turn over

BLANK PAGE

0654/32/M/J/10


1	(a)	Nai	me the proteins that carry out each of the following functions.	For Examiner's Use
		(i)	transports oxygen inside red blood cells [1]	
		(ii)	reduces the level of glucose in the blood if it goes too high	
			[1]	
		(iii)	catalyses the reaction that breaks down starch to maltose	
			[1]	
		(iv)	attaches to antigens, making it easier for phagocytes to destroy them	
			[1]	
	(b)		en a person eats more protein than can be immediately used in the body, the cess protein is broken down to produce the waste product urea.	
		(i)	Name the organ in which urea is produced. [1]	
		(ii)	Describe how urea is removed from the body. You do not need to give any details of what happens in a kidney tubule.	
			[3]	
	(c)		ggest how a nitrogen atom in a molecule of nitrogen gas in the atmosphere, could come part of a protein in a person's body.	
			[4]	

2 The industrial electrolysis of concentrated sodium chloride solution (brine) produces three important chemicals, **X**, **Y** and **Z**, as shown in Fig. 2.1.






(a) Write the names or chemical formulae of X, Y and Z.



(b) Fig. 2.2 shows a diagram of one atom of chlorine.





(i) Every electron has a negative electrical charge.

Explain why the chlorine atom does not have an overall electrical charge.

[2]

For Examiner's

Use

[2]

0654/32/M/J/10

WWW_XTREMEPHPERS_NET

(ii) Describe, in terms of electrons, what happens when a chlorine atom bonds with an atom of the metallic element potassium. You may wish to draw diagrams to help you answer this question.

For Examiner's Use

0654/32/M/J/10

(c) A sweetener such as sucrose, $C_{12}H_{22}O_{11}$, (sugar) is sometimes added to food and drinks to make them taste sweeter.

Sucralose, $C_{12}H_{19}O_8Cl_3$, is a synthetic compound which is used in some other types of sweetener.

Verisweet is a sweetener which contains sucralose mixed with other compounds.

Some information about sucrose and Verisweet is shown in Table 2.1.

Table 2	.1
---------	----

sweetener	mass in a typical spoonful/g	kilojoules per 100 g
sucrose	5.0	1700
Verisweet	0.5	1600

A typical spoonful of Verisweet tastes as sweet as an identical spoonful of sucrose.

(i) Verisweet contains 1% by mass of sucralose.

Calculate the mass of sucralose in a typical spoonful of Verisweet weighing 0.5g.

[1]

(ii) Use your answer to (i) to calculate the number of moles of sucralose in a typical spoonful of Verisweet.

Show your working.

[3]

0654/32/M/J/10



(iii)	A typical spoonful of sucrose contains 85 kilojoules.	For
	Calculate the number of kilojoules in a typical spoonful of Verisweet.	Examiner's
	[1]	
(iv)	Verisweet is much more expensive than sucrose.	
	Suggest why some people might choose to use Verisweet rather than sucrose.	
	[2]	

(a) Describe how heat energy from a nuclear reactor is used to produce electricity.
 For Examiner's Use
 (b) Describe two advantages of a nuclear power station over a coal-burning power station.
 1
 2
 [2]

- (c) A transformer at a power station steps up the voltage from 25000 V to 400000 V.
 - (i) Use the equation

3

 $\frac{Vp}{Vs} = \frac{Np}{Ns}$

to calculate the number of turns on the primary coil if there are 20000 turns on the secondary coil.

Show your working.

8

0654/32/M/J/10

(ii)	Explain why electricity is transmitted at such a high voltage.
	[2]
• •	e of the waste products formed in nuclear power stations is the isotope ontium-90. Details of this isotope of strontium are:
	nucleon (mass) number 90 proton (atomic) number 38 half-life 28.8 years
	ontium-90, like other waste products from nuclear reactors, has been produced by clear fission.
(i)	State what happens to atoms during nuclear fission.
	[1]
(ii)	Use the information about strontium-90 to work out:
	the number of protons in a strontium-90 atom,
	the number of neutrons in a strontium-90 atom. [2]
(iii)	Strontium-90 decays by beta particle emission.
	Use the copy of the Periodic Table on page 24 to deduce the identity of the element formed when strontium-90 atoms decay.


0654/32/M/J/10


[Turn over

For Examiner's Use

For Examiner's Use

4 (a) Fig. 4.1 shows how light intensity affects the rate of photosynthesis of a plant.








Fig. 4.2

0654/32/M/J/10

WWW_XTREMEPAPERS_NET

	(i)	Leaf B has larger palisade cells than leaf A .	For
		Suggest an advantage of this to the tree.	Examiner's Use
		[2]	
	(ii)	Describe two ways, other than the size of the palisade cells, in which leaf B differs from leaf A .	
		1	
		2	
		[2]	
	(iii)	Describe how carbon dioxide travels to a palisade cell in a leaf.	
		[3]	
(c)	The	differences between leaf A and leaf B are an example of variation.	
	Sta	te whether this variation is caused by	
	•	genes,	
	•	the environment, both genes and environment together.	
	_		
	-	lain your answer.	
	cau	se of variation	
	exp	lanation	
		[2]	

0654/32/M/J/10

13

5 (a) Solutions of substances in water are acidic, neutral or alkaline.


Choose pH values from the list to complete Table 5.1.

list of pH values 2 5 7

Table 5.1

liquid	description	рН
sodium chloride solution	neutral	
acid rain	weakly acidic	

(b) A student used the apparatus shown in Fig. 5.1 to investigate the reaction between dilute hydrochloric acid and magnesium.




- Fig. 5.1
- At the start of the experiment, the inverted measuring cylinder was full of water.
- The student started the reaction by dropping a weighed piece of magnesium into a known volume of dilute hydrochloric acid.
- She replaced the bung and started a stopwatch.
- She recorded the time taken for gas to collect in the inverted measuring cylinder.
- Her results are shown as a graph in Fig. 5.2.

0654/32/M/J/10

WWW_XTREMEPAPERS_NET



For Examiner's Use



(i) Write a balanced symbolic equation for the reaction between magnesium and dilute hydrochloric acid.

13

[3]

(ii) Explain, in terms of collisions between particles, why the rate of the reaction is greatest near the beginning, and then slows down.

[3]

(iii) The student carried out a second experiment in which she used dilute hydrochloric acid that had a higher temperature. She kept all of the other reaction conditions the same as in the first experiment.

On the graph in Fig. 5.2, sketch a line which the student might obtain when she plots the results of this second experiment. [2]

0654/32/M/J/10

[Turn over

VWW_XTREMEPAPERS_NET

Calculate the density of the block. State the formula that you use and show your working. formula working [2] (ii) The block has a specific heating capacity of 400 J/kg °C. It is heated and the temporature rises by 50°C. Calculate the minimum amount of energy required to do this. State the formula that you use and show your working. formula working [3] (iii) A force of 100N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working [3] (iii) A force of 100N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working [3] [4] [5] [5] [5] [6] [6] [6] [6] [6] [6] [6] [6] [6] [6	6	(a)	(i)	A block of metal has a mass of 720 g and a volume of 80cm^3 .	For Examiner's
formula working				Calculate the density of the block.	
working [2] (ii) The block has a specific heating capacity of 400 J/kg °C. It is heated and the temperature rises by 50 °C. Calculate the minimum amount of energy required to do this. State the formula that you use and show your working. formula working [3] (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. Gate the formula that you use and show your working. formula working [3] (iii) A force of 100 N acts on this block. formula working 10				State the formula that you use and show your working.	
 [2] (ii) The block has a specific heating capacity of 400 J/kg °C. It is heated and the temperature rises by 50°C. Calculate the minimum amount of energy required to do this. State the formula that you use and show your working. formula working (iii) A force of 100N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working 				formula	
 [2] (ii) The block has a specific heating capacity of 400 J/kg °C. It is heated and the temperature rises by 50°C. Calculate the minimum amount of energy required to do this. State the formula that you use and show your working. formula working (iii) A force of 100N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working 				working	
 (ii) The block has a specific heating capacity of 400 J/kg °C. It is heated and the temperature rises by 50°C. Calculate the minimum amount of energy required to do this. State the formula that you use and show your working. formula working (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working 				working	
 (ii) The block has a specific heating capacity of 400 J/kg °C. It is heated and the temperature rises by 50°C. Calculate the minimum amount of energy required to do this. State the formula that you use and show your working. formula working (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working 					
 (ii) The block has a specific heating capacity of 400 J/kg °C. It is heated and the temperature rises by 50°C. Calculate the minimum amount of energy required to do this. State the formula that you use and show your working. formula working (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working 					
temperature rises by 50 °C. Calculate the minimum amount of energy required to do this. State the formula that you use and show your working. formula working (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working				[2]	
State the formula that you use and show your working. formula working (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working			(ii)		
formula working [3] (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working				Calculate the minimum amount of energy required to do this.	
working [3] (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working				State the formula that you use and show your working.	
[3] (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working				formula	
 (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working 				working	
 (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working 					
 (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working 					
 (iii) A force of 100 N acts on this block. Calculate the acceleration of the block. State the formula that you use and show your working. formula working 					
Calculate the acceleration of the block. State the formula that you use and show your working. formula working				[3]	
State the formula that you use and show your working. formula working			(iii)	A force of 100 N acts on this block.	
formula working				Calculate the acceleration of the block.	
working				State the formula that you use and show your working.	
[2]				formula	
[2]				working	
[2]				working	
[2]					
[2]					
				[2]	

0654/32/M/J/10

(b) A student tested the block to see if it conducted electricity.

Draw a simple circuit which the student could build for this purpose. Use the correct circuit symbols.

For Examiner's Use

7 (a) Fig. 7.1 shows a motor neurone.




 Fig. 7.1

 (i) Use a label line and the appropriate letter to label each of these structures:

 A axon,

 B nucleus of neurone.
 [2]

 (ii) A motor neurone may be part of a reflex arc.

 Describe the role of a motor neurone in a reflex arc.

 [1]

 [2]


 [3]

0654/32/M/J/10

WWW_XTREMEPAPERS_NET

(b) Sprinters need fast reflexes to make a good start in a 100 m race. The time between the starting gun being fired and the runner pushing off from the starting blocks is known as the reaction time.

For Examiner's Use





The reaction time is made up of:

- the time taken for the sound from the starting gun to reach the runner's ear,
- plus the time taken for a nerve impulse to pass from the ear to the brain,
- plus the time taken for a nerve impulse to pass from the brain to the leg muscles.
- (i) A runner in lane 1 is 2 m from the starting gun. Sound travels at 330 m/s.

Calculate the time taken for the sound to reach the runner's ear.

Show your working.

0654/32/M/J/10

WWW XTREMEPH

[Turn over

Table 7.1 shows the reaction times of the runners in lane 1 and lane 8 in the heats (qualifying races) for a 100 m race.

For Examiner's Use

reaction time/s										
	heat 1	heat 2	heat 3	heat 4	heat 5	heat 6	heat 7	heat 8		
lane 1	0.133	0.146	0.170	0.160	0.186	0.176	0.149	0.147		
lane 8	0.228	0.223	0.188	0.195	0.178	0.199	0.163	0.167		

Table 7.1

18

(ii) Draw a ring around the heat that shows anomalous results.

[1]

(iii) Describe the relationship between the reaction time and the lane.

Use your answer to (b)(i) to suggest an explanation for this relationship.

relationship explanation [2]


(c) Nerve impulses pass along neurones from the brain to the leg muscles at about 70 m/s.

Suggest whether this is likely to produce a significant difference between the reaction times of a runner who is 1.9 m tall and a runner who is 1.6 m tall.

Explain your answer.



0654/32/M/J/10



(a) A racing car is being driven in a race. 8

© UCLES 2010


0654/32/M/J/10

WWW_XTREMEPAPERS_NET

[Turn over

(b) A wheel on a car needs changing. Fig. 8.2 shows a spanner being used to turn a wheel nut.

For Examiner's Use



0654/32/M/J/10

WWW_XTREMEPAPERS_NET

(c) During a race the air in the tyre is at a temperature of 400 K and a pressure of 120000 N/m^2 . After the race, the air in the tyre cools down to a temperature of 300 K.

Calculate the new air pressure in the tyre.

State the formula that you use and show your working.

formula

working

[3]

For

Examiner's Use


21

0654/32/M/J/10

[Turn over

9 Fig. 9.1 shows part of the water cycle.

Arrow \mathbf{Q} shows where rain is falling. The rainwater collects in streams and rivers which flow over rocks in the Earth's crust.






(a) Describe the processes which are represented by arrow P in Fig. 9.1.

[2]

(b) Water molecules contain the elements hydrogen and oxygen.

Complete the bonding diagram below to show

- the chemical symbols of the elements in a molecule of water,
- the arrangement of the outer electrons of each atom.



[2]

For Examiner's Use

22

0654/32/M/J/10

NWW_XTREMEPAPERS_NET

(c) Fig. 9.2 shows a simplified diagram of a machine for washing dishes (dishwasher) which is used in a hard water area.

For

Examiner's Use

cold hard water ion-exchange resin water passes over tiny solid grains of ion-exchange resin

Fig. 9.2

In this machine, the water which is to be used to clean the dishes is first passed through an ion-exchange resin. The water is then heated to a high temperature by the electrical heating element.

(i) One type of hardness in water may be removed simply by boiling.

State the name or chemical formula of the compound which causes this type of hardness.

[1]

(ii) Describe, in terms of ions, what happens when the cold hard water flows through the ion-exchange resin.

- [2]
- (iii) Explain why it is important that the water passes through the ion-exchange resin before it enters the dishwasher.

[2]

NWW_XTREMEPAP

23

	0	4 Heilum 2	20 Neon Neon	40 Ar Argon	84	Krypton 36	131	Xenon 54		B6 B6		175 Lu Lutetium 71	Lawrencium 103
	١N		Fluorine	35.5 C1 ^{Chlorine}	80	Bromine 35	127	I lodine 53		At Astatine 85		173 Yb Ytterbium 70	Nobelium 102
	N		16 Oxygen 8	32 Sultur 16		Selenium 34	128	Te Tellurium 52		Po Polonium 84		169 Tm 69	Md ndelevium
	>		14 Nitrogen	31 Phosphorus 15	75	AS Arsenic 33	122	Sb Antimony 51	209	Bismuth 83		167 Er Erbium 68	Fermium 100
	2		12 Carbon 6	28 Silicon	73	Germanium 32	119	50 Tin Sn	207	Pb Lead		165 Holmium 67	Einsteinium 99
	≡		5 Boron 1	27 Auminium 13	20	Ga Gallium 31	115	Indium 49	204	T1 Thallium 81		162 Dysprosium 66	Californium B8
					65	Zinc 30	112	Cadmium 48	201	Mercury 80		159 Tb Terbium 65	BK Berkelium 97
					64	Copper 29	108	Ag Silver	197	Au Gold 79		157 Gd Gadolinium 64	Curium Car
Group					20	28 Nickel	106	Pd Palladium 46	195	Platinum 78		152 Eu Europium 63	Americium 95
Ğ					20	Cobalt 27	103	Rhodium 45	192	Lr Iridium 77		150 Samarium 62	
		Hydrogen			56	Fe Iron 26	101	Ruthenium 44	190	Osmium 76		Promethium 61	Np Pptunium
					55	Mn Manganese 25		Technetium 43	186	Rhenium 75		144 Neodymium 60	238 Uranium 92
					25	Chromium 24	96	Mo Molybdenum 42	184	Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91
					51	Vanadium 23	63	Niobium 41	181	Ta Tantalum 73		140 Cerium 58	232 Thorium 90
					48	Titanium 22	91	Zr Zirconium 40	178	Hafnium 72		n	nic mass bol nic) number
					45	Scandium 21	68	Attrium 39	139	La Lanthanum 57 *	227 Actinium 89	l series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		9 Beryllium 4	24 Mg Magnesium 12	40	Calcium 20	88	Strontium 38	137	Ba Barium 56	226 Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	p. X a
				1	1	Potassium 19			1	Csesium	Fr Francium	<u>ش</u> تـ	م

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2010

0654/32/M/J/10

WWW.XTREMEPAPERS.NET

24