



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

8 8 1 3 0 0 1 3 3 7

CO-ORDINATED SCIENCES

0654/32

Paper 3 (Extended)

October/November 2010

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 25 printed pages and 3 blank pages.



1 (a) Fig. 1.1 shows apparatus used in the electrolysis of copper chloride solution.




Fig. 1.1

(i)	Describe what is observed at the cathode.	
		[1]
(ii)	Chloride ions have a single negative electrical charge, Cl ⁻ .	
	For every copper ion in the solution, two chloride ions are present.	
	Deduce the electrical charge of a copper ion.	
	Show how you obtained your answer.	

[2]

(iii) Fig. 1.2 shows diagrams of two particles **L** and **M**. Each of these particles have 17 protons in their nucleus. Only the outer shell of each particle is shown.

For Examiner's Use





Fig. 1.2

State and explain which one of these particles, ${\bf L}$ or ${\bf M}$, would move towards the anode during electrolysis.

particle	 	 		
				[2]

(iv) The bubbles of gas which rise from the anode contain diatomic molecules of chlorine.

Complete the bonding diagram below to show how the outer electrons are arranged in a chlorine molecule.



[2]

(b) The apparatus shown in Fig. 1.3 can be used to investigate the reaction between lead oxide, PbO, and carbon.

For Examiner's Use




Fig. 1.3

When the mixture is heated, a redox reaction occurs in which lead oxide is reduced.

The drop of limewater suspended on the glass rod turns cloudy.

(i) Name the gas which is produced in this redox reaction.

	[1]
(ii)	Suggest the balanced symbolic equation for the redox reaction between lead oxide and carbon.
	[2]
(iii)	A student suggested carrying out a similar redox reaction to that shown in Fig. 1.3, using potassium oxide instead of lead oxide.
	Potassium is an alkali metal in Group 1 of the Periodic Table.
	Predict and explain whether or not there would be a redox reaction between potassium oxide and carbon.
	101
	2

BLANK PAGE

Please turn over for Question 2.



2 (a) Fig. 2.1 shows an electric circuit.




Fig. 2.1

Complete Table 2.1 to show the reading on each ammeter.

Table 2.1

ammeter	current/amps
A ₁	0.7
A ₂	
A ₃	
A ₄	0.3

[2]

For Examiner's Use

(b) Fig. 2.2 shows how the current in a circuit varies with voltage.




Fig. 2.2

(i) Is Ohm's Law obeyed in this circuit?

Explain your answer.	
	[1]

© UCLES 2010 0654/32/O/N/10

		7
	(ii)	Predict the current in the circuit when the voltage is 13 V.
		Explain your answer.
		[2]
(c)	Fig.	2.3 shows a transformer.
		a.c. input a.c. output
		iron core
		Fig. 2.3
	(i)	Explain why the core of the transformer is made of iron.
		[2]
	(ii)	The transformer has 10 000 turns on the primary coil and 1000 turns on the secondary coil.
		The voltage across the primary coil is 200 V.
		Use the formula
		$V_p / V_s = N_p / N_s$
		to calculate the voltage across the secondary coil.
		Show your working.
		[1]

3 A healthy plant growing in a pot was watered and placed in a sunny window. A transparent plastic bag was placed over the plant, as shown in Fig. 3.1.




Fig. 3.1

(a)	The temperature near the window fell overnight.	The	next	morning,	small	droplets	of
	water were visible on the inside of the plastic bag.						

Explain why the droplets of water appeared on the inside of the plastic bag.
[4

(b) The plastic bag was then removed from the plant. The next day was warm and sunny, and by the end of the day the plant had wilted. Fig. 3.2 shows the wilted plant.




Fig. 3.2

(i)	Explain why the plant wilted.
	[2]
(ii)	Explain why the main stem of the plant remained upright, even when the rest of the plant wilted.
	[1]

(iii) Fig. 3.3 shows a cell from the plant leaf before it wilted.

For Examiner's Use




Fig. 3.3

In the space below, draw the same cell to show its appearance after the plant had wilted.

[3]

BLANK PAGE

Please turn over for Question 4.



4 (a) Below is a list of some types of waves.

For
Examiner's
Use

ga	mma	infra-red		microwave	sound	i
	ultrasound	u	ıltraviolet		visible light	
Sta	te one wave from th	ne list that is				
(i)	a longitudinal waye	2				[1]
(ii)	emitted by hot obje				eve.	ניו
(,	ommed by not obje					[1]
(iii)	the transverse way	ve with the hia				[.]
(,	and admovered was		·	-		[1]
						ניו
(b) As	ound wave has a fre	equency of 50	000 Hz.			
(i)	Explain the meanir	ng of the term	frequency.			
						[1]
(ii)	Explain whether a	person would	be able to h	near this soun	d.	
						[1]
(iii)	Sound waves trave	el through the	air at 330 m	n/s.		
	Calculate the wave	elength of the	sound wave) .		
	State the formula t	hat you use aı	nd show yo	ur working.		
	formula used					
	working					
	· ·					
						[3]

5 In many countries, river water is collected and treated to make it safe for humans to drink.

For
Examiner's
Use

(a) Explain which **one** of the treatments shown below might **not** remove all the harmful bacteria from water which is to be used for drinking.

treatment	
	[1]

distillation

filtration

(b) Sometimes large numbers of tiny pieces of insoluble solid material become dispersed in river water, forming a colloid.

Fig. 5.1 shows a simplified diagram of a colloid.

chlorination




Fig. 5.1

You may draw some light rays on Fig. 5.1 to help you to answer this question.	
	[2

(c) A chemist wanted to find the concentration in mol/dm³ of sulfuric acid in a sample of acidic lake water.

For Examiner's Use

Fig. 5.2 shows the apparatus and materials that he used.




Fig. 5.2

The chemist slowly added 0.05 mol/dm³ sodium hydroxide solution to 1.0 dm³ of acidic lake water contained in a beaker until the acid had just been neutralised.

The chemist found that it required 12.5 cm³ of 0.05 mol/dm³ sodium hydroxide solution to neutralise the acid.

					[1]
(i)	State the number of moles of sodiuthe sodium hydroxide solution.	m hydroxide whic	ch are dissolved	l in 1.0 dm°	' of

(ii) Calculate the number of moles of sodium hydroxide which are dissolved in 12.5 cm³ of the sodium hydroxide solution.

Show your working.

[2]

(iii)	The	balance	d equat	ion for the r	eutrali	sation reaction	on is	
		2NaOl	H +	H ₂ SO ₄	\rightarrow	Na ₂ SO ₄	+	2H ₂ O
		culate the		er of moles	of sulf	uric acid whi	ch we	ere contained in 1.0 dm ³ of
	Sho	ow your w	orking.					

Use

[2]

For Examiner's **6** Fig. 6.1 shows the speed-time graph for a car for the first 24 seconds of a journey.

For Examiner's Use

speed m/s




Fig. 6.1

- (a) On the graph, label with an **A** a section when the car is accelerating. [1]
- (b) Calculate the distance covered in the first 8 seconds.Show your working.

[2]

(c)	The mass of the car is 800 kg.
	Calculate the kinetic energy of the car when travelling at its maximum speed on this journey.
	State the formula that you use and show your working.
	formula used
	working
	[3]
(d)	When the speed of a car doubles, its momentum also doubles but its kinetic energy is four times greater.
	Explain why.
	[2]

7	(a)	Mammals are vertebrates. State two characteristic visible features of mammals that distinguish them from all other classes of vertebrates.	
		1	
	(b)	Mammals are able to maintain a constant internal body temperature.	
		Describe how vasodilation helps to cool the body when it gets too hot.	
		[3]	
	(c)	The maintenance of a constant internal body temperature is part of homeostasis.	
		Homeostasis also includes the regulation of blood glucose concentration and the removal of toxic waste products, such as urea, from the body.	
		(i) Describe how blood glucose concentration is brought back to normal if it rises too high.	
		[3]	

(ii) Urea is removed from the body dissolved in water, forming urine. Fig. 7.1 is an incomplete diagram of the kidneys and other organs involved in the removal of urea from the body.

For Examiner's Use




Fig. 7.1

Complete Fig. 7.1 by drawing and labelling:

- the renal arteries
- the renal veins
- the ureters

• the urethra [4]

8 (a) A scientist uses a Geiger counter to measure radiation from a radioactive source.

For Examiner's Use

Fig. 8.1 shows the graph of her results.




Fig. 8.1

Calculate the half-life of the radioactive source.

Show your working.

[2]

0654/32/O/N/10

(b)	Alpl	ha radiation is a form of ionising radiation.
	(i)	Explain the meaning of the term ionising radiation.
		[1]
	(ii)	An alpha radiation source is less harmful to humans than a gamma radiation source if it is outside the body.
		An alpha radiation source is more harmful than to humans than a gamma radiation source if it is inside the body.
		Explain why.
		[2]
(c)	Nuc	clear fission and nuclear fusion are both sources of energy.
	(i)	Describe how these two processes differ.
	(i)	Describe how these two processes differ.
	(i)	Describe how these two processes differ.
	(i)	·
	(i) (ii)	
		[2]
		[2] There are safety concerns about the use of nuclear fission as an energy resource.
		There are safety concerns about the use of nuclear fission as an energy resource. Describe and explain one of these safety concerns.
		There are safety concerns about the use of nuclear fission as an energy resource. Describe and explain one of these safety concerns.

9 (a) The chemical symbols for the atoms shown below include proton (atomic) numbers and nucleon (mass) numbers.

For Examiner's Use

$$^{16}_{8}O$$
 $^{31}_{15}P$ $^{32}_{16}S$ $^{70}_{31}Ga$

Complete Table 9.1 which shows the names and the numbers of protons and neutrons in two of the atoms shown above.

Table 9.1

element name	protons	neutrons
oxygen		
	15	16

[2]

(b) Fig. 9.1 shows part of a chart of the melting points in kelvins (K) of some elements.




Fig. 9.1

© UCLES 2010 0654/32/O/N/10

The melting points of the elements in Period 2 and Period 3 of the Periodic Table show a periodic pattern.

(1)	element which has the highest melting point in Period 3.
	Explain your choice briefly.
	element
	explanation
	[2]
(ii)	Carbon, proton number 6, and nitrogen, proton number 7, have very different melting points.
	Explain the difference in terms of the structures of these elements.
	In your answer you should include the phrases, giant structure and simple molecular structure.
	You may wish to draw diagrams as part of your answer.
	[3]

(c)	Car	arbon and hydrogen combine to form a very large number of hydrocarbons.						
	Eth	Ethene, C ₂ H ₄ , is a gaseous, unsaturated hydrocarbon, which is of industrial importance.						
	(i)	i) Complete the displayed formula of the ethene molecule below.						
		Н						
		C						
		[2]						
	(ii)	ii) Unsaturated hydrocarbons are made in industry from fractions obtained by the fractional distillation of oil (petroleum).						
		Name the process which is used to make unsaturated hydrocarbons and describe briefly how it is done.						
		name of process						
		description						
		[3]						
	(iii)	Describe, in terms of changes to chemical bonds, what happens when ethene						
	. ,	molecules react to form molecules of poly(ethene).						
		[2]						

© UCLES 2010 0654/32/O/N/10

10 Fig. 10.1 shows some stages in the formation of a human fetus.




Fig. 10.1

(a)	Most human cells contain 46 chromosomes.					
	(i)	State the number of chromosomes in a sperm cell.	[1]			
	(ii)	State the number of chromosomes in a zygote.	[1]			
	(iii)	Name the part of the cell in which chromosomes are found.	[1]			
(b)	Nar	me the part of the female reproductive system in which each of these events occu	ırs.			
	(i)	The zygote is produced.	[1]			
	(ii)	The fetus develops.	[1]			
(c)	Des	scribe the function of the amnion.				

(d)	Mutations sometimes occur in the chromosomes of a cell.						
	Mutations are generally harmful, but sometimes a mutation may increase an organism's ability to survive in its environment.						
	Explain how this could lead to a change, over time, in the characteristics of a population of organisms.						
	[4]						

© UCLES 2010 0654/32/O/N/10

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	4 He lium	20 Neon 10 Argon 18 Argon 18	84 Kr ypton 36	131 Xe Xenon	Radon 86		175 Lu Lutetium	Lr Lawrenciun 103
	=>		19 Fluorine 9 35.5 C1	80 Br Bromine 35	127 I lodine 53	At Astatine 85		Yb Yterbium 70	Nobelium
	 		16 Oxygen 8 32 S Sulfur	79 Selenium 34	128 Te Tellurium	Po Polonium 84		169 Tm Thulium	Md Mendelevium 101
	>		Nitrogen 31 31 Phosphorus 5	75 AS Arsenic Arsenic	Sb Antimony	209 Bi Bismuth		167 Er Erbium 68	Fm Fermium 100
	2		12 Carbon 6 Silicon 14 Silicon 14	Ge Germanium 32	SD Tin 50	207 Pb Lead		165 Ho Holmium 67	Essteinium 99
	=		11 B Boron 5 A1 Auminium 13	70 Ga Gallium 31	115 In Indium	204 T t Thallium		Dy Dysprosium	Californium
				65 Zn Zinc 30	Cadmium Cad Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	BK Berkelium 97
				64 Copper 29	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Cm Curium
dno				59 Nickel	106 Pd Palladium 46	195 Pt Patinum 78		152 Eu Europium 63	Am Americium 95
Group				59 Co Cobalt	103 Rh Rhodium 45	192 I r Irdium		Sm Samarium 62	Pu Plutonium 94
		T Hydrogen		56 Fe Iron	Ruthenium	190 Os Osmium 76		Pm Promethium 61	Neptunium
				Mn Manganese 25	Tc Technetium 43	186 Re Rhenium 75		144 Nd Neodymium 60	238 U Uranium 92
				52 Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91
				51 V Vanadium 23	93 Nb Niobium 41	181 Ta Tartalum 73		140 Ce Cerium	232 Th Thorium 90
				48 T ttanium 22	91 Zr Zirconium 40	178 # Hafnium			nic mass bol nic) number
				Scandium 21	89 ×	139 La Lanthanum 57 *	Actinium t	d series series	 a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Beryllium 4 24 Magnesium 12	40 Ca lcium 20	Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series	в Х
	_		7 Lithium 3 23 Na Sodium 11	39 K	85 Rb Rubidium 37	133 Caesium 55	Francium 87	*58-71 L	Key _D

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.