



# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| NAME             |                            |                     |               |
|------------------|----------------------------|---------------------|---------------|
| CENTRE<br>NUMBER |                            | CANDIDATE<br>NUMBER |               |
| CO-ORDINATE      | D SCIENCES                 |                     | 0654/21       |
| Paper 2 (Core)   |                            |                     | May/June 2012 |
|                  |                            |                     | 2 hours       |
| Candidates ans   | wer on the Question Paper. |                     |               |
| No Additional M  | laterials are required     |                     |               |

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

| For Examiner's Use |  |  |
|--------------------|--|--|
| 1                  |  |  |
| 2                  |  |  |
| 3                  |  |  |
| 4                  |  |  |
| 5                  |  |  |
| 6                  |  |  |
| 7                  |  |  |
| 8                  |  |  |
| 9                  |  |  |
| 10                 |  |  |
| 11                 |  |  |
| 12                 |  |  |
| Total              |  |  |
|                    |  |  |

This document consists of 28 printed pages and 4 blank pages.




## **BLANK PAGE**

1 Sugar cane is a food crop grown in Australia. It is harvested and then transported on small trains to the processing plant.

For Examiner's Use


Fig. 1.1 shows one of the trains carrying sugar cane.



|     |      | Fig. 1.1  |  |  |
|-----|------|---|--|--|
| (a) | The  | e train travels a distance of 25 km in 2 hours.   |  |  |
|     | Cal  | culate the average speed of the train.  |  |  |
|     | Sta  | te the formula that you use and show your working.  |  |  |
|     |      | formula used  |  |  |
|     |      | working   |  |  |
|     |      |   |  |  |
|     |      | km/h [2]  |  |  |
| (b) |      | e engine is powered by oil. The oil is burned to change water into steam. The steam sed to make parts of the engine move.                             |  |  |
|     | (i)  | What kind of energy is stored in the oil?   |  |  |
|     |      | [1]   |  |  |
|     | (ii) | The engine is 30% efficient in converting the energy stored in the oil into movement energy. The rest of the stored energy is lost in different ways. |  |  |
|     |      | State <b>one</b> of these ways.   |  |  |

(c) The track for the train is composed of short lengths of steel rail with small gaps left between them as shown in Fig. 1.2.

For Examiner's Use



|     |       | •  |      |
|-----|-------|--|------|
|     |       | Fig. 1.2   |      |
|     | Sug   | ggest a reason for leaving these small gaps.   |      |
|     |       |  |      |
|     |       |  |      |
|     | ••••• |  | [2]  |
| (d) | Sug   | gar can be fermented and turned into ethanol. Ethanol is now used as a fuel s.                       | for  |
|     | (i)   | Give <b>one</b> reason, other than cost, why people might use ethanol rather than pet in their cars. | trol |
|     |       |  | [1]  |
|     | (ii)  | Sugar is a carbohydrate, but ethanol is not.   |      |
|     |       | Name the <b>three</b> chemical elements contained in both sugar and ethanol.                         |      |
|     |       |  | [1]  |

**(e)** The farm on which the sugar cane is grown uses a wind turbine to produce electrical power. Table 1.1 shows the electrical power generated for different wind speeds.


Table 1.1

| wind speed/km per hour | 0 | 3 | 5   | 8   | 10   | 12   | 15   | 20   |
|------------------------|---|---|-----|-----|------|------|------|------|
| power generated/W      | 0 | 0 | 150 | 500 | 1000 | 1100 | 1200 | 1200 |

| (i)   | Suggest the lowest wind speed needed to generate power.   |
|-------|---|
|       | km/h [1]  |
| (ii)  | State the maximum power that this wind turbine can produce.   |
|       | W [1]   |
| (iii) | State <b>one</b> disadvantage of using only a wind turbine as the source of electrical power.         |
|       | [1]   |
| (iv)  | Complete the sentence to show the energy transfer taking place when the wind turbine generates power. |
|       | energy is transferred to energy [2]   |

2 The bar chart in Fig. 2.1 shows the approximate composition of unpolluted air.

For Examiner's Use



- (a) (i) Complete the bar chart in Fig. 2.1 by labelling the approximate percentages of nitrogen, oxygen and other gases. [2]
  - (ii) Name one gaseous compound that exists in unpolluted air.

| 11      | 1 |
|---------|---|
| <br>יו. | J |

(b) Nitrogen and oxygen exist in the air in the form of the diatomic molecules,  $N_2$  and  $O_2$ .

When lightning passes through the air, the gaseous compounds nitric oxide, NO, and nitrogen dioxide,  $NO_2$ , are formed.



(i) Explain why nitrogen and oxygen are described as chemical elements.

|      | [1]  |
|------|--|
| (ii) | Suggest and explain the type of chemical bonding in nitric oxide and nitroger dioxide. |
|      | type of bonding  |
|      | explanation  |
|      | [2   |

(iii) A student carried out an experiment to investigate what happened to the acidity of rainwater during a thunderstorm.

For Examiner's Use

His results are shown in Table 2.1.

Table 2.1

| description of sample                                  |   |
|--|---|
| pure water obtained in a science laboratory            | 7 |
| rainwater collected when no thunderstorm was occurring | 5 |
| rainwater collected during a thunderstorm              | 4 |

| What conclusions can the student make from these results? |
|---|
|   |
|   |
| [3  |

**3** Fig. 3.1 shows part of a section across a root from a radish plant, photographed through a microscope.

For Examiner's Use

[1]




Fig. 3.1

- (a) On Fig. 3.1, use a label line to label a root hair cell.
- **(b)** Root hair cells absorb substances from the soil.

Name two substances that root hair cells absorb from the soil.

| 1 | 1 |     |
|---|---|-----|
| 2 |   | [2] |

- (c) A complete radish plant was placed with the lower part of its root standing in water. A soluble red dye was added to the water. After a while, the veins in the leaves of the radish plant became red.
  - (i) Name the tissue in the radish plant through which the coloured water was transported from the roots to the leaves.

[1]

(ii) On Fig. 3.1, write the letter A, to show the position of this tissue in the root. [1]

(d) The cells in the radish root are plant cells.

For Examiner's Use

Complete Table 3.1 to show which structures are present in plant cells and which are present in animal cells.

Use a tick (  $\checkmark$  ) to show that the structure is present. Use a cross (  $\emph{\textbf{X}}$  ) to show that the structure is not present.

You should place either a tick or a cross in every space in the table.

Table 3.1

| structure              | plant cells | animal cells |
|------------------------|-------------|--------------|
| cell membrane          |             |              |
| cell wall              |             |              |
| nucleus                |             |              |
| vacuole containing sap |             |              |

[4]

| 4 | (a) | Αb   | at produces a sound wave with a frequency of 212kHz and a wavelength of 0.0016m. |
|---|-----|------|--|
|   |     | Thi  | s sound is outside the audible frequency range for humans.                       |
|   |     | (i)  | State the approximate audible frequency range for humans.                        |
|   |     |      | Hz [1]   |
|   |     | (ii) |  |
|   |     |      | frequency  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      | wavelength   |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      |  |
|   |     |      | [2]  |
|   |     |      |  |

(b) A girl shouts and waves to another girl in the school playground.







Fig. 4.1

The sound energy and the light energy both travel from one girl to the other by wave motion.

| (i)  | State whether sound waves and light waves are transverse or longitudinal.  |     |
|------|--|-----|
|      | Sound waves are  |     |
|      | Light waves are  | [2] |
| (ii) | Explain why sound waves will <b>not</b> travel through a vacuum.   |     |
|      |  | [1] |
| •    | If the first girl now makes another sound with a smaller amplitude than the origin sound wave, what change would the second girl notice? | nal |
|      |  | [1] |
| iv)  | The girls could have communicated with each other using their mobile phon (cell phones).   | es  |
|      | Name the type of electromagnetic wave used to communicate between mob phones.  | ile |
|      |  | [1] |

**5** Marmots are herbivorous mammals. Fig. 5.1 shows a marmot.






Fig. 5.1

| (a) | Def  | ine the term herbivore.  |
|-----|------|--|
|     |      | [2]  |
| (b) | A st | tudy has been carried out on the marmots living in Colorado, USA.  |
|     |      | winters in this part of Colorado are very cold. The marmots hibernate (sleep) in rows in winter. They do not eat while they are hibernating. They wake up in spring. |
|     | Bef  | ore they hibernate, marmots build up large fat stores beneath their skin.  |
|     | (i)  | Suggest and explain what marmots must do in order to build up large fat stores in their bodies.  |
|     |      |  |
|     |      |  |
|     |      | [2]  |

Fig. 5.2 shows the percentage of marmots with different body masses that survive through the winter.

For Examiner's Use





Fig. 5.2

|     | (ii)  | Describe the relationship between a marmot's body mass and its chance of surviving the winter.                             |
|-----|-------|--|
|     |       |  |
|     |       |  |
|     |       | [2]  |
|     | (iii) | Suggest how a layer of fat beneath the skin can reduce heat transfer from a hibernating marmot's body to its surroundings. |
|     |       |  |
|     |       | [1]  |
| (c) |       | he last twenty years, spring has been arriving earlier in the year in Colorado. This is esult of global warming.           |
|     | Naı   | me <b>two</b> gases that contribute to global warming.   |
|     | 1.    |  |
|     | 2.    | [2]  |

(d) Fig. 5.3 shows the mean body mass of the marmots on the first day of August (summer) between 1976 and 2006.

For Examiner's Use



| (i)  | Describe the general trend shown in Fig. 5.3.                                  |     |
|------|--|-----|
| (ii) | Suggest how the earlier arrival of spring could be responsible for this trend. | [1] |
|      |  | [1] |

**6** Fig. 6.1 shows some of the apparatus and substances a student used to investigate the rate of reaction between magnesium and dilute hydrochloric acid. In this reaction hydrogen gas is given off.

For Examiner's Use




Fig. 6.1

(a) Fig. 6.1 shows the apparatus just before the student started his experiment to measure the rate of reaction.

| make. |     |
|-------|-----|
|       |     |
|       |     |
|       | [3] |

Describe briefly how the student should proceed and the measurements he should

**(b)** The student repeated the experiment using hydrochloric acid which had a higher concentration. He kept all of the other variables which could affect the rate constant.

Predict and explain briefly how the measurements the student made in the second experiment would be different from those he made in the first.

| <br> | <br> |     |
|------|------|-----|
|      |      |     |
|      |      | [2] |

| (c) | The reaction between magnesium and dilute hydrochloric acid also produces the ionic compound magnesium chloride. |   |
|-----|--|---|
|     | In c   | rystals of this compound, two chloride ions combine with one magnesium ion.   |
|     | (i)  | Describe, in terms of electrons, what happens when a metal atom such as magnesium is converted into an ion.                                 |
|     |  |   |
|     |  | [1]   |
|     | (ii)   | State the chemical formula of magnesium chloride.   |
|     |  | [1]   |
| (d) | (i)  | In the early days of photography, a mixture of chemicals including magnesium powder was burned to provide a flash of brilliant white light. |
|     |  | Suggest why the magnesium had to be in the form of a fine powder.   |
|     |  |   |
|     |  | rol   |
|     |  | [2]   |
|     | (ii)   | Some alloys of aluminium contain magnesium.   |
|     |  | Describe <b>two</b> properties of aluminium alloys and explain why these properties make them suitable materials for making aircraft parts. |
|     |  | property 1  |
|     |  | reason  |
|     |  | property 2  |
|     |  | reason  |
|     |  | [4]   |

| 7 | (a) | State and describe <b>one</b> use of radioactive isotopes in medicin | e.           | For<br>Examiner's<br>Use |
|---|-----|--|--------------|--------------------------|
|   |     |  |              | 036                      |
|   |     |  | [2]          |                          |
|   | (b) | Alpha, beta and gamma radiations are three types of radioacti        | ve emission. |                          |
|   |     | State which of these radiations is described by each statemen        | t below.     |                          |
|   |     | This form of radiation can pass through lead.                        |              |                          |
|   |     | This form of radiation consists of nuclei of helium atoms.           |              |                          |
|   |     | This form of radiation is part of the electromagnetic spectrum.      |              |                          |
|   |     | This form of radiation is the most ionising.                         |              |                          |
|   |     |  | [2]          |                          |
|   | (c) | Describe how ionising radiation can be dangerous to humans.          |              |                          |
|   |     |  |              |                          |
|   |     |  |              |                          |
|   |     |  | [2]          |                          |

| 8 |                | nent is a substance that is made of atoms which have the same proton number. oms contain protons, neutrons and electrons.             |
|---|----------------|---|
|   | The ele        | ments are shown in the Periodic Table.  |
|   | (a) The        | e chemical symbol of an atom of the element chlorine is shown below.  |
|   |                | <sup>35</sup> C <i>l</i>  |
|   |                | ,,  |
|   | The            | e nucleon number of this atom is 35.  |
|   | (i)            | Name the part of an atom that contains the protons and neutrons.  |
|   |                | [1]   |
|   | (ii)           | State the number of neutrons in this chlorine atom.   |
|   |                | [1]   |
|   | (iii)          | Explain whether or not the nucleon number of all chlorine atoms is also 35.   |
|   |                |   |
|   |                |   |
|   |                | [2]   |
|   | (iv)           | Name the element whose atoms do <b>not</b> usually contain any neutrons.  |
|   |                | [1]   |
|   |                |   |
|   | <b>(b)</b> Tal | ole 8.1 shows Period 2 of the Periodic Table.   |
|   |                | Table 8.1   |
|   |                | I II III IV V VI VII 0  |
|   |                | Period 2 X Y Z  |
|   |                | e element represented by <b>X</b> is a solid at room temperature, and the elements resented by <b>Y</b> and <b>Z</b> are gases.       |
|   | (i)            | Suggest $one$ difference, other than physical state at room temperature, between the properties of elements ${\bf X}$ and ${\bf Y}$ . |
|   |                |   |
|   |                | [1]   |

|     | (ii) | Suggest <b>one</b> difference between the chemical properties of elements <b>Y</b> and <b>Z</b> .                       |
|-----|------|---|
|     |      |   |
|     |      | [1]   |
| (c) |      | . 8.1 shows a simple lime kiln which is used to produce lime (calcium oxide) from estone (calcium carbonate).           |
|     |      | carbon burns to provide heat energy calcium carbonate   |
|     | (i)  | Suggest <b>two</b> reasons why the mixture of waste gases from the lime kiln contains a large amount of carbon dioxide. |
|     |      | 1   |
|     |      |   |
|     |      | 2   |
|     |      | ICI   |
|     | (ii) | [2] Suggest and explain why a farmer would add lime to soil.  |
|     |      |   |
|     |      |   |
|     |      | [2]   |

| 9 | (a) | One of the characteristics of living organisms is sensitivity, which is the ability to respond to changes in the environment.                      |
|---|-----|--|
|   |     | List <b>four</b> other characteristics of all living things.   |
|   |     | 1  |
|   |     | 2  |
|   |     | 3  |
|   |     | 4  |
|   |     | [2]  |
|   | (b) | In many organisms, hormones help them to respond to changes in their environment.  |
|   |     | Define the term <i>hormone</i> .   |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     |  |
|   |     | [3]  |
|   | (c) | Adrenaline is sometimes called the 'fright, flight or fight' hormone. It is produced when a person is frightened.                                  |
|   |     | One effect of adrenaline is to increase a person's pulse rate. This means that oxygen and glucose are delivered more rapidly to their leg muscles. |
|   |     | Explain how this could help a person to run away from the thing that has frightened them.  |
|   |     |  |
|   |     |  |
|   |     | [2]  |
|   |     | [2]  |

© UCLES 2012 0654/21/M/J/12

| (d) | (d) Plants are able to respond to light.  |  |  |  |  |  |
|-----|---|--|--|--|--|--|
|     | Name and describe the response of a plant shoot to light that is coming from only one side. |  |  |  |  |  |
|     | name of response  |  |  |  |  |  |
|     | description   |  |  |  |  |  |
|     | [2]   |  |  |  |  |  |

10 (a) A student investigated how the change in potential difference across a lamp affected the current flowing through it.She used wires to connect the components shown in Fig. 10.1 to make a suitable

For Examiner's Use

[3]

She used wires to connect the components shown in Fig. 10.1 to make a suitable circuit.




Fig. 10.1

(i) Using the correct symbols from Fig. 10.1, draw a diagram to show the circuit she made.

| (ii) | Explain why a variable resistor is used in the circuit. |     |
|------|---|-----|
|      |   |     |
|      |   | [1] |

| (                                     |   | During the investigations, she measured the voltage across the lamp as 3.0 V and the current passing through the lamp as 0.3 A. |  |                  |                                |     |  |  |
|---------------------------------------|---|---|--|------------------|--------------------------------|-----|--|--|
| Calculate the resistance of the lamp. |   |   |  |                  |                                |     |  |  |
|                                       |   | State th  | ne formula that you use an                 | ıd show your woı | rking.                         |     |  |  |
|                                       | formula used  |   |  |                  |                                |     |  |  |
|                                       | working   |   |  |                  |                                |     |  |  |
|                                       |   |   |  |                  |                                |     |  |  |
|                                       |   |   |  |                  | Ω                              | [2] |  |  |
| (b)                                   | Tabl<br>(20°  |   | shows some information                     | about six pieces | of wire, all at room temperatu | ıre |  |  |
|                                       |   |   | Tab  | ole 10.1         |                                |     |  |  |
|                                       | V   | wire  | metal composition                          | length/cm        | cross-sectional area/mm²       |     |  |  |
|                                       |   | Α   | copper                                     | 10               | 0.5                            |     |  |  |
|                                       |   | В   | nichrome                                   | 10               | 0.5                            |     |  |  |
|                                       |   | С   | copper                                     | 20               | 0.5                            |     |  |  |
|                                       |   | D   | nichrome                                   | 20               | 0.5                            |     |  |  |
|                                       |   | Е   | copper                                     | 10               | 1.0                            |     |  |  |
|                                       |   | F   | copper                                     | 20               | 1.0                            |     |  |  |
|                                       | (i) Which wire, <b>B</b> or <b>D</b> , will have the greater resistance?  Explain your answer.  [1] |   |  |                  |                                |     |  |  |
| 1                                     |   |   | wire, <b>A</b> or <b>E</b> , will have the |                  |                                |     |  |  |

[1]

| (c) | C) A plastic rod is rubbed with a cloth. The rod becomes charged.  There are two types of electric charge. |  |     | For Examiner's |
|-----|--|--|-----|----------------|
|     |  |  |     | Use            |
|     | (i)  | State the names of these charges.                            |     |                |
|     |  | 1  |     |                |
|     |  | 2  | [1] |                |
|     | (ii)   | Charged particles are transferred between the rod and cloth. |     |                |
|     |  | Name the charged particles transferred.                      | [1] |                |

## **BLANK PAGE**

Please turn over for Question 11.

**11** (a) Fig. 11.1 shows part of the human gas exchange system.






Fig. 11.1

Name the structures labelled A, B and C.

| A |    |
|---|----|
| В |    |
| С | [3 |

**(b)** State **two** ways in which the composition of expired air differs from the composition of inspired air.

| 1 |          |
|---|----------|
|   |          |
|   |          |
| 2 | [2]      |
| _ | <i> </i> |

- (c) A person with cystic fibrosis makes very thick mucus. This can form a thick covering over the inner surfaces of the alveoli in the lungs. This makes it difficult for oxygen to move from the alveoli into the blood.
  - (i) Name the process by which oxygen moves from the alveoli into the blood.

| <b>T</b> 1 | 1 |  |
|------------|---|--|
| <br>-      | 1 |  |

(ii) Name the blood vessel that transports blood from the lungs to the heart.

|  |  | [1] | ] |  |
|--|--|-----|---|--|
|--|--|-----|---|--|

| (d) | (d) Cystic fibrosis is caused by a recessive allele f. The normal allele, F, is dominant. |   |   |  |  |  |  |  |
|-----|---|---|---|--|--|--|--|--|
|     | A couple who were both heterozygous for cystic fibrosis wanted to have children.          |   |   |  |  |  |  |  |
|     | (i) State the probability that their first child would have cystic fibrosis.              |   |   |  |  |  |  |  |
|     |   | [1  | ] |  |  |  |  |  |
|     | (ii)  | Complete the genetic diagram to explain your answer to (i). |   |  |  |  |  |  |
|     |   | genotype of parents Ff                                      |   |  |  |  |  |  |
|     |   | gametes and and and   |   |  |  |  |  |  |
|     |   | gametes from woman  |   |  |  |  |  |  |
|     |   | gametes from man  |   |  |  |  |  |  |

[4]

12 Millions of tonnes of hydrocarbons are burnt every year to provide energy.

For Examiner's Use

- (a) Name the raw material that provides hydrocarbons. [1]
- (b) Fig. 12.1 shows apparatus a student used to investigate the products of complete combustion of the gaseous hydrocarbon methane, CH<sub>4</sub>.




Fig. 12.1

Before the methane gas is ignited, the limewater appears as a colourless solution and the U-tube contains no liquid.

| (i)  | Describe how the appearance of the limewater changes after the methane i ignited, and name the compound that causes this change.                                 | s  |
|------|--|----|
|      | change in appearance   |    |
|      | name of compound [2  | 2] |
| (ii) | Name the colourless liquid that forms inside the U-tube.   |    |
|      | [1   | ]  |
| iii) | State and explain briefly whether or not the observations made in the experiment shown in Fig. 12.1 would be different if ethanol was burned instead of methane. | nt |

| (c) | In the chemical industry, large quantities of ethanol are made from ethene. |   |  |  |  |  |  |
|-----|---|---|--|--|--|--|--|
|     | Nar   | ne the compound that reacts with ethene to form ethanol.  |  |  |  |  |  |
|     |   | [1]   |  |  |  |  |  |
| (d) |   | ene is a colourless gas. When ethene is heated and pressurised the white solid (ethene) is formed.                                  |  |  |  |  |  |
|     | (i)   | Name the type of reaction which occurs when poly(ethene) is formed from ethene.   |  |  |  |  |  |
|     |   | [1]   |  |  |  |  |  |
|     | (ii)  | Describe briefly how ethene molecules are converted into molecules of poly(ethene). You may use a diagram to help your explanation. |  |  |  |  |  |
|     |   |   |  |  |  |  |  |
|     |   |   |  |  |  |  |  |
|     |   |   |  |  |  |  |  |
|     |   |   |  |  |  |  |  |
|     |   |   |  |  |  |  |  |
|     |   |   |  |  |  |  |  |
|     |   |   |  |  |  |  |  |
|     |   | [2]   |  |  |  |  |  |

## **BLANK PAGE**

#### **BLANK PAGE**

Copyright Acknowledgements:

Question 3 Photograph

© B23WP8 cross section of a radish root;

Biodisc/Visuals Unlimited/Alamy.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

|       | 0 | Helium     | 20<br>Neon<br>10 Neon<br>40<br>Ar<br>Ar | Krypton 36 T31 Xe Xenon 54                                   | Radon<br>86                       |                      | Lutetium 71                          | <b>Lr</b><br>Lawrencium<br>103  |
|-------|---|------------|---|--|-----------------------------------|----------------------|--------------------------------------|---|
|       | = |            | 19 Fluorine 9 35.5 <b>C 1</b>           | 80  Bromine 35  127  I 27  I 26  I addine                    | At<br>Astatine<br>85              |                      | <b>Yb</b> Ytterbium 70               | Nobelium  |
|       | > |            | 16 Oxygen 8 32 Sulfur 16                | Se Setenium 34 128 Te Tellurium 52                           | Po<br>Polonium<br>84              |                      | 169 <b>Tm</b> Thulium 69             | <b>Md</b><br>Mendelevium<br>101   |
|       | > |            | Nitrogen 7 31 Phosphorus 15             | 75 <b>Ass</b> Arsenic 33 122 <b>Sb</b> Antimony 51           | 209 <b>Bi</b> Bismuth 83          |                      | 167<br><b>Er</b><br>Erbium<br>68     | Fm<br>Fermium<br>100  |
|       | ≥ |            | 12 Carbon 6 Silicon 14                  | 73 <b>Ge</b> Germanium 32 119 <b>Sn</b> Tin 50               | 207 <b>Pb</b> Lead 82             |                      | 165<br><b>Ho</b><br>Holmium<br>67    | <b>ES</b><br>Einsteinium<br>99  |
|       | = |            | 11 B Boron 5 27 A1 Aluminium 13         | 70 <b>Ga</b> Gallium 31 115 <b>In</b> Indium 49              | 204 <b>T 1</b> Thallium 81        |                      | 162<br><b>Dy</b><br>Dysprosium<br>66 | Californium   |
|       |   |            |   | 2nc<br>Znc<br>30<br>112<br>Cd<br>Cadmium<br>48               | 201 <b>Hg</b> Mercury 80          |                      | 159<br><b>Tb</b><br>Terbium<br>65    | Berkelium<br>97   |
|       |   |            |   | 64<br>Cu<br>Copper<br>108<br>Ag<br>Silver                    | 197<br><b>Au</b><br>Gold          |                      | 157 <b>Gd</b> Gadolinium 64          | Cm<br>Curium  |
| Group |   |            |   | 59 Nickel 28 106 Pd Palladium 46                             | 195 <b>P.t</b> Platinum 78        |                      | 152<br><b>Eu</b><br>Europium<br>63   | Am<br>Americium<br>95   |
| Ğ     |   |            |   | 59<br>Cobalt<br>27<br>103<br>Rh<br>Rhodium                   | 192 <b>Ir</b> Iridium             |                      | Sm<br>Samarium<br>62                 | <b>Pu</b> Plutonium 94  |
|       |   | T Hydrogen |   | 56<br>Fe Iron<br>26 Iron<br>101<br>Ru<br>Ruthenium<br>44     | 190<br><b>Os</b><br>Osmium<br>76  |                      | Pm<br>Promethium<br>61               | Neptunium   |
|       |   |            |   | Mn<br>Manganese<br>25<br>TC<br>Technetium<br>43              | 186 <b>Re</b> Rhenium 75          |                      | Neodymium 60                         | 238<br><b>U</b><br>Uranium<br>92  |
|       |   |            |   | Cr<br>Chromium<br>24<br>96<br>Mo                             | 184 <b>W</b> Tungsten 74          |                      | Pr<br>Praseodymium<br>59             | Pa<br>Protactinium<br>91  |
|       |   |            |   | Vanadium 23 93 Niobium 41                                    | 181 <b>Ta</b> Tantalum 73         |                      | 140 <b>Ce</b> Cerium 58              | <b>Th</b> Thorium   |
|       |   |            |   | Titanium 22 91 <b>Zr</b> Zirconium 40                        | 178 <b>Hf</b> Hafnium 72          |                      |                                      | nic mass<br>Ibol<br>nic) number   |
|       |   |            |   | Scandium 21 889  | La<br>Lanthanum<br>57 *           | Ac Actinium 1        | l series<br>eries                    | <ul> <li>a = relative atomic mass</li> <li>X = atomic symbol</li> <li>b = proton (atomic) number</li> </ul> |
|       | = |            | Beryllium 4 24 Magnesium 12             | Calcium 20 R8 88 Sr Strontium 38                             | 137<br><b>Ba</b><br>Barium<br>56  | 226 <b>Ra</b> Radium | *58-71 Lanthanoid series             | « <b>×</b> ₩  |
|       | _ |            | 23 Lithium 3 23 Na Sodium 11            | 39 R Potassium 19 85 R B R B R B A B A B A B A B A B A B A B | 133<br><b>Cs</b><br>Caesium<br>55 | Francium<br>87       | *58-71 L                             | Key   |

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).