



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

. 7 3 4 6 2 6 8 7 3 5

CO-ORDINATED SCIENCES

0654/32

Paper 3 (Extended)

October/November 2013

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 28 printed pages.



1 (a) Fig. 1.1 shows apparatus that can be used to test the electrical conductivity of the materials contained in beakers **P**, **Q** and **R**.

For Examiner's Use






Fig. 1.1

(i)	Explain, in terms of protons and electrons, why a sodium ion, Na ⁺ , has a single positive electrical charge.
	[2]
(ii)	The material in beaker R is a good electrical conductor.
	The materials in beakers P and Q are insulators.
	Explain these statements in terms of ions.
	[3]

(ii	The material in beaker R is tested using the apparatus in Fig. 1.1.
	Bubbles of gas form on the surfaces of both electrodes and the pH of the solution increases.
	Name the gas that forms at each electrode and explain briefly why the pH increases.
	gas formed at the negative electrode
	gas formed at the positive electrode
	reason for the increase in pH
	[4]
(b) F	ig. 1.2 represents the structure of solid sodium chloride.
	sodium ion chloride ion
	Fig. 1.2
E r	explain, in terms of its structure and bonding, why sodium chloride has a very high nelting point (801 °C).
	[3]

2 (a) Fig. 2.1 shows two means of communication between Singapore and Sydney.

For Examiner's Use




Fig. 2.1

Method 1 Microwave signals are sent by satellite.

Method 2 Infra-red waves carrying a signal are sent through an optical fibre cable.

Fig. 2.2 shows an infra-red ray entering an optical fibre.




Fig. 2.2

The infra-red ray travels all the way through the optical fibre.

(i)	Explain why the infra-red ray stays inside the optical fibre. You may draw on diagram if it helps your answer.	the
		131

(ii)	The length of an optical fibre cable between Singapore and Sydney is 6.3 x 10 ⁶ m.
	The speed of infra-red waves in an optical fibre is 2.1 x 10 ⁸ m/s.
	Calculate the time taken for the signal to travel from Singapore to Sydney.
	State any formula that you use, show your working and state the unit of your answer.
	formula
	working
	unit [2]
(iii)	The speed at which microwaves travel through space is greater than the speed at which infra-red waves travel through an optical fibre.
	Suggest why the time taken by infra-red signals is less than the time taken by the microwave signals to travel from Singapore to Sydney.
	[1]

(b) Fig. 2.3 shows a demonstration of sound transmission using a bell jar.






Fig. 2.3


As the air is removed from the bell jar, the ringing sound from inside the bell jar gets quieter. When all the air has been removed, the bell cannot be heard.

Explain these observations.	
	[2

3 Sodium hydrogencarbonate, NaHCO₃, is a white solid compound which is soluble in water.

For Examiner's Use

(a) A student adds some sodium hydrogencarbonate to a beaker which contains an aqueous solution of full range indicator (Universal Indicator).



When the sodium hydrogencarbonate dissolves, the solution changes colour from green to blue.

9. •	
(i)	State how the pH of the mixture changes when the sodium hydrogencarbonate dissolves.
	[1]
(ii)	The student then adds excess dilute hydrochloric acid to the solution.
	Apart from an increase in volume, state two observations that are made when the acid is added.
	1
	2

(b) Fig. 3.1 shows apparatus a teacher uses to demonstrate the heating of sodium hydrogencarbonate.

For Examiner's Use




Fig. 3.1

The solid sodium hydrogencarbonate is heated strongly for a few minutes and the following observations are made.

- The cobalt chloride paper changes colour from blue to pink.
- A gas bubbles out through the limewater, turning it cloudy.


After the reaction a white solid remains in the large test-tube.

(i)	-	lain l		the	obser	vation	s sh	now	that	both	wate	r and	carbon	diox	ide	are
																[1]
(ii)	The	teac	her te	ells h	er stu	dents t	hat									
		sodii com		•	genca	rbonat	e ha	as be	en d	ecom	posed	l (brok	en dowr	into	sim	pler
		the Na ₂ C		soli	d whi	ch rer	nain	ıs in	the	large	test-	tube is	s sodiun	n ca	rbon	ate,
		struc rogen				symb	ool	equa	ation	for	the	decom	position	of	sod	lium
																[2]

(iii) A student places a piece of paper into a solution of sodium hydrogencarbonate.

For Examiner's Use

She removes the paper and allows it to dry. She notices that crystals of solid sodium hydrogencarbonate are left on the paper.



The student finds that it is now difficult to set fire to the paper.

	Use the results of the experiment in Fig. 3.1 to suggest why the student finds it difficult to get the paper to burn.
	[2]
(iv)	Suggest, with a reason, whether the decomposition of sodium hydrogencarbonate is an exothermic or an endothermic reaction.
	[2]

	(i) Define the te	rm <i>mutation</i> .									
					[1]						
(ii) State one fac	ctor that increases	the chance of mutation.								
					[1]						
t I	the concentration Researchers gre concentrations of small area of the	of phosphate ions we normal and phosphate ions. roots, and also the	plants, and in plants with in the soil. mutant land cress place the mease mean length of the root	ants in soil with diffe an number of root hairs	erent						
-	Table 4.1 shows	their results.									
	Table 4.1										
	type of plant	phosphate concentration	mean number of root hairs per unit area	mean length of root hairs/micrometres							
	normal plants	low	1.26	175							
	normal plants	high	1.70	149							
	mutant nlants	low	1.41	225							
	mutant plants	high	1.85	52							
ļ	mutant plants (i) Describe how normal plants	high w the addition of		52	rs in						
	·										
					[2]						
		e effect of adding	phosphate ions to the so								

	(iii)	Predict and explain how a reduction in the length of its root hairs would affect the growth of a plant.
		[3]
(c)		mers often add fertilisers containing phosphate ions, potassium ions and nitrate s to the soil in which they grow crops.
	(i)	Explain why adding nitrate ions to the soil helps the crop plants to grow faster and larger.
		[2]
	(ii)	Explain how careless use of fertilisers can cause harm to living organisms in rivers and lakes.
		[4]

5 Fig. 5.1 shows a bicycle with a front light **A** and a rear light **B** powered by the same battery.

For Examiner's Use




Fig. 5.1

Fig. 5.2 shows how the lights are connected.




Fig. 5.2

(a) The resistance of light **A** is 10Ω and the resistance of light **B** is 5Ω .

Calculate the combined resistance of the two lights in this circuit.

State the formula that you use and show your working.

formula

working

Ω [3]

(b)	The voltage supplied by the battery is 9 V.
	Calculate the current passing through light A .
	State any formula that you use, show your working and state the unit of your answer.
	formula
	working
	unit [2]

6 Fig. 6.1 shows a fetus in the uterus just before it is born.

For Examiner's Use




Fig. 6.1

- (a) On Fig. 6.1, use the letters **A**, **B** and **C** to label these parts on the diagram:
 - A the placenta
 - **B** amniotic fluid
 - C the cervix [3]

(b)	Describe how the placenta and umbilical cord help to supply the fetus with oxygen.
	[3]

7

(a)	Fluorine is one of the halogens in Group 7 of the Periodic Table.
	Suggest the physical state at room temperature (solid, liquid or gaseous) of fluorine.
	Explain your answer in terms of the relative size of fluorine molecules in comparison with those of the other halogens.
	physical state of fluorine
	explanation
	[2]
(b)	Fluorine is the most reactive element in the Periodic Table. There are only three other elements that do not react with fluorine. These elements are all found in the same group of the Periodic Table.
	Suggest and explain which group of the Periodic Table contains the elements that do not react with fluorine.
	group
	explanation
	[3]
(c)	In some countries, drinking water contains low concentrations of compounds containing fluoride ions.
	One of the compounds found in drinking water is sodium fluoride, NaF.
	(i) Explain briefly why, although fluorine is very reactive, it is safe to drink water that contains fluoride ions.
	[2]

(ii)	A sample of drinking water contains sodium fluoride at a concentration of $0.000064\mathrm{mol/dm^3}$.
	Calculate the mass of sodium fluoride that must be dissolved in 10000 dm³ of water to obtain this concentration.
	Show your working.
	[3]

8

(a)	Dur	ing part of a journey, a car moves 1 km and the driving force is 10 000 N.		
	(i)	Calculate the work done by the driving force.		
		State any formula that you use, show your working and state the unit of your answer.		
		formula		
		working		
		unit [2]		
((ii)	This work is done in 100 s.		
		Calculate the useful power output from the car's engine during this time.		
		State any formula that you use, show your working and state the unit of your answer.		
		formula		
		working		
		unit [2]		

(b) When the car is stationary, each of its four tyres has an area of 150 cm² in contact with the road.

For Examiner's

The pressure exerted by the car on the road is 300 000 N/m².

Calculate the mass of the car.

State any formulae that you use, show your working and state the unit of your answer. (use g = 10 N/kg)

formula

working

unit _____ [4]

- (c) The cooling system of the car uses water to remove heat energy from the hot engine. The heated water goes into the radiator. Heat energy is lost from the radiator.
 - (i) Fig. 8.1 shows a car radiator.




Fig. 8.1

of cooling of hot water.

Explain how the features of the radiator that are shown in Fig. 8.1 increase the rate

© UCLES 2013 0654/32/O/N/13 Use

(ii)	The mass of water in the radiator is 5 kg.
	The specific heating capacity of water is 4200 J/kg °C.
	Calculate the energy released when the water in the radiator cools by 12°C.
	State any formula that you use, show your working and state the unit of your answer.
	formula
	working
	unit [3]

9 Rabbits are often kept as pets. People try to breed rabbits with unusual colours, such as himalayan colouring. Fig. 9.1 shows a rabbit with himalayan fur colour. The rabbit's fur is white with some black areas.

For Examiner's Use




Fig. 9.1

(a) Completely white fur and himalayan-coloured fur are produced by two alleles of a gene.

When a white rabbit and a himalayan rabbit are bred together, all the offspring are white.

When two of these white offspring are bred together, one quarter of their offspring are himalayan and three quarters are white.

(i) Identify which allele is dominant, and suggest suitable symbols for the two alleles.

dominant allele:				
colour produced		symbol		
recessive allele:				
colour produced		symbol		[2]

(ii) Two rabbits that are heterozygous for these alleles are crossed.

Construct a genetic diagram, using your symbols from (i), to explain the results of this cross.

(b)		obits, like humans, keep their internal body temperature constant. The body sperature of a rabbit is 38.5 °C.
	(i)	Explain how a rabbit generates heat within its body.
		ro1
		[2]
	(ii)	Suggest how the fur of a rabbit helps to maintain its body temperature higher than that of its environment.
		[2]
	(iii)	When himalayan rabbits are first born, they are white all over. The black colour develops gradually. The black pigment is produced by the action of an enzyme that is only active at temperatures below 25°C .
		Use this information to suggest a reason for the distribution of black fur on the body of a himalayan rabbit.
		[2]

10 Fig. 10.1 shows the structure of one molecule of a type of compound called a CFC (chlorofluorocarbon).

For Examiner's Use

Fig. 10.1

(a) (i)	State the number of electrons in the outer shells of chlorine and fluorine atoms.
	[1]
(ii)	State and explain briefly the number of electrons in the outer shells of the chlorine and fluorine atoms in the molecule shown in Fig. 10.1.
	number of electrons
	explanation

(b) Fig. 10.2 shows a cross-section through an aerosol spray can used to produce a paint spray.




Fig. 10.2

	(i)	Explain, in terms of molecules, how the gaseous CFC produces a force on the surface of the paint.
		[2]
	(ii)	Scientists have discovered that CFC molecules are causing damage to the atmosphere because they react with molecules of the gas ozone, O ₃ .
		Describe how a molecule of ozone differs from a molecule of gaseous oxygen, O ₂ .
		[1]
(c)		Cs have been replaced in most aerosol spray cans by gaseous hydrocarbons such propane and butane.
	(i)	Complete the molecular structure diagram of one molecule of propane.
		[2]
	(ii)	Suggest one disadvantage of using hydrocarbons in aerosol spray cans.
		[1]

11 (a) A mobile phone (cell phone) is powered by a rechargeable battery.

For Examiner's Use

Fig. 11.1 shows a mobile phone being charged. The charger contains a circuit which acts as a transformer.




Fig. 11.1

Link each description in Table 11.1 with one of the labelled parts shown in Fig. 11.1.

Write your answers next to the descriptions in Table 11.1

Table 11.1

description	part
This transforms electrical impulses into sound energy	
This transforms electrical energy to stored chemical energy	
This transforms electrical energy to light energy	
This reduces the mains voltage to a lower voltage.	

[4]

(b) A simple transformer is shown in Fig. 11.2.

For Examiner's Use




Fig. 11.2

(i)	Calculate the	number	of turns	on the	primary	coil.
-----	---------------	--------	----------	--------	---------	-------

State the formula that you use and show your working.

formula

working

	turns [3]
(ii)	State the function of the iron core in a transformer.
	[1]
(iii)	State how step-up transformers reduce the electrical energy lost in transmission through a grid from a power station to the point of use.
	ro.

(c) (i) Draw lines to show the magnetic field around the bar magnet in Fig. 11.3

For Examiner's Use



Fig. 11.3

[2]

(ii) Draw lines to show the shape of the magnetic field produced by the solenoid coil in Fig. 11.4, when an electric current passes through it.




Fig. 11.4

[1]

12

Cigarette smoke contains many harmful substances.							
(a)	List four harmful components of cigarette smoke.						
	1						
	2						
	3						
	4[2]						
(b)	Some of the components of cigarette smoke prevent cilia from working properly.						
	Explain how this can lead to an increase in infections of the lungs by bacteria.						
	[2]						
(c)	Describe the roles of white blood cells in defending the body against infections by bacteria.						
	[3]						

For Examiner's Use

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	20 Ne Neon 10	40 Ar Argon	84 K	Krypton 36	131	Xenon Xenon 54	ı	Rn Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103
Group	II/		19 F Fluorine	35.5 C1 Chlorine	80 D	Bromine 35	127	lodine 53		At Astatine 85		173 Yb Ytterbium 70	Nobelium
	>		16 Oxygen 8	32 S Sulfur	79 Se	Selenium 34	128	Tellurium 52	1	Po Polonium 84		169 Tm Thulium 69	Mendelevium
	^		14 N Nitrogen 7	31 P Phosphorus	₇₅ As	Arsenic 33	122	Sb Antimony 51	209	Bi Bismuth 83		167 Er Erbium 68	Fm Fermium 100
	2		12 C Carbon 6	28 Si Silicon		Germanium 32		So III	207	Pb Lead 82		165 Ho Holmium 67	ES Einsteinium 99
	=		11 B Boron 5	27 A1 Aluminium 13	70 Ga	Gallium 31	115	Indium	204	T t Thallium 81		162 Dy Dysprosium 66	Cf Californium 98
					65 Zn	Zinc 30	112	Cadmium 48	201	Hg Mercury 80		159 Tb Terbium 65	Bk Berkelium 97
					°54	Copper 29	108	Ag Silver 47		Au Gold 79		157 Gd Gadolinium 64	Cm Curium 96
					²⁸	Nickel 28	106	Palladium 46	195	Pt Platinum 78		152 Eu Europium 63	Am Americium 95
					°29	Cobalt 27	103	Khodium 45	192	lridium 77		Samarium 62	Pu Plutonium 94
		T Hydrogen			56 Fe	Iron 26	101	Ku Ruthenium 44	190	Osmium 76		Pm Promethium 61	Neptunium 93
					SS Mn	Manganese 25	ı	Technetium 43	186	Re Rhenium 75		144 Nd um Neodymium 60	238 U Uranium
					ن و	Chromium 24	96	Molybdenum 42	184	Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91
					55 >	Vanadium 23	63	Niobium 41	181	Ta Tantalum 73		140 Ce Cerium 58	232 Th Thorium
					⁴⁸	Titanium 22	91	Zirconium 40	178	Hatnium 72		ı	a = relative atomic mass X = atomic symbol b = proton (atomic) number
					Sc 55	Scandium 21	88	Yttrium 39	139	Lanthanum 57	Ac Actinium 89	d series series	a = relative atomic mass X = atomic symbol b = proton (atomic) numb
	=		9 Be Beryllium	24 Magnesium 12	6 Ca	Calcium 20	88 (Strontium 38	137	Ba Barium 56	226 Rad ium Radium	*58-71 Lanthanoid series 190-103 Actinoid series	æ ×
	_		7 Lithium 3	23 Na Sodium	® ¥	Potassium 19	85	Rubidium 37	133	Caesium 55	Fr Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.