

## **Cambridge Pre-U**

### CHEMISTRY

Paper 4 Practical

9791/04 May/June 2022

CONFIDENTIAL INSTRUCTIONS

This document gives details of how to prepare for and administer the practical exam.

The information in this document and the identity of any materials supplied by Cambridge International are confidential and must NOT reach candidates either directly or indirectly.

The supervisor must complete the report at the end of this document and return it with the scripts.

### INSTRUCTIONS

 If you have any queries regarding these confidential instructions, contact Cambridge International stating the centre number, the syllabus and component number and the nature of the query.
 email info@cambridgeinternational.org
 phone +44 1223 553554

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level 3 Pre-U Certificate.

This document has 8 pages. Any blank pages are indicated.

## General information about practical exams

Centres must follow the guidance on science practical exams given in the Cambridge Handbook.

## Safety

Supervisors must follow national and local regulations relating to safety and first aid.

Only those procedures described in the question paper should be attempted.

Supervisors must inform candidates that materials and apparatus used in the exam should be treated with caution. Suitable eye protection should be used where necessary.

The following hazard codes are used in these confidential instructions, where relevant:

- **C** corrosive
- **HH** health hazard**F** flammable

- MH moderate hazard
- T acutely toxic
- O oxidising
- N hazardous to the aquatic environment

Hazard data sheets relating to substances used in this exam should be available from your chemical supplier.

## Before the exam

- The packets containing the question papers must **not** be opened before the exam.
- It is assumed that standard school laboratory facilities, as indicated in the *Guide to Planning Practical Science*, will be available.
- Spare materials and apparatus for the tasks set must be available for candidates, if required.

## During the exam

- It must be made clear to candidates at the start of the exam that they may request spare materials and apparatus for the tasks set.
- Where specified, the supervisor must perform the experiments and record the results as instructed. This must be done out of sight of the candidates, using the same materials and apparatus as the candidates.
- Any assistance provided to candidates must be recorded in the supervisor's report.
- If any materials or apparatus need to be replaced, for example, in the event of breakage or loss, this must be recorded in the supervisor's report.

## After the exam

- The supervisor must complete a report for each practical session held and each laboratory used.
- Each packet of scripts returned to Cambridge International must contain the following items:
  - the scripts of the candidates specified on the bar code label provided
  - the supervisor's results relevant to these candidates
  - the supervisor's reports relevant to these candidates
  - seating plans for each practical session, referring to each candidate by candidate number
  - the attendance register.

## Specific information for this practical exam

During the exam, the supervisor (**not** the invigilator) must do the experiments and record the results on a spare copy of the question paper, clearly labelled 'supervisor's results'.

If chemicals are prepared in more than one batch, clearly labelled supervisor's results must be provided for each batch. The candidates using each batch must be listed on the supervisor's report.

### Apparatus

The apparatus listed must be provided to each candidate.

 $1 \times 50 \, \text{cm}^3$  burette

- 1 × pipette filler
- $1 \times 25 \, \text{cm}^3$  pipette
- 1 × stand and burette clamp
- 1 × funnel for filling burette
- $1 \times 150 \, \text{cm}^3$  or  $250 \, \text{cm}^3$  conical flask
- 1 × white tile
- $1 \times 100 \, \text{cm}^3$  beaker
- $1 \times 250 \, \text{cm}^3$  beaker
- $1 \times 50 \, \text{cm}^3$  measuring cylinder
- 1 × glass rod
- 1 × spatula
- 1 × foamed plastic (expanded polystyrene) cup
- 1 × weighing boat
- $1 \times$  thermometer (-10 °C to +110 °C at 1 °C intervals)
- 4 × test-tubes\*
- 2 × boiling tubes\*
- 1 × hard-glass test-tube
- 1 × test-tube rack
- 1 × test-tube holder
- 2 × teat/dropping pipette
- 1 × Bunsen burner
- 1 × heat-proof mat
- wash bottle containing distilled water
- pen for labelling glassware
- paper towels
- access to a balance, minimum accuracy 0.1g
- red and blue litmus papers
- aluminium foil for testing nitrate/nitrite
- wooden splints

the apparatus normally used in the centre for use with limewater in testing for carbon dioxide

\*Candidates are expected to rinse and re-use test-tubes and boiling tubes where possible. Additional tubes should be available.

## Where balance provision is limited, some candidates should be instructed to start the exam with different questions. See the current syllabus for balance:candidate ratio.

Materials
The materials listed in the table must be provided to each candidate.

lodel	per	i dentitv	notee
	candidate	Identity	631011
FA 1	150 cm <sup>3</sup>	0.00600 mol $dm^{-3}$ iodine, $I_2$	Dilute $60.0 \text{ cm}^3$ of 0.100 moldm <sup>-3</sup> $I_2$ to 1 dm <sup>3</sup> . To prepare 0.100 moldm <sup>-3</sup> $I_2$ dissolve 80g of KI <b>[MH]</b> and 25.38g of $I_2$ <b>[MH][N]</b> in each dm <sup>3</sup> of solution. The procedure will take time even with stirring and it may be useful to prepare and leave the solution (covered) overnight before making up to the final volume.
FA 2	180 cm <sup>3</sup>	0.0100 mol dm <sup>-3</sup> sodium thiosulfate	10-fold dilution of 0.100 mol dm <sup><math>-3</math></sup> Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> . For preparation of 0.100 mol dm <sup><math>-3</math></sup> Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> see <b>FA 6</b> .
FA 3 [MH]	10g	citric acid monohydrate	Provide 10.0±0.2g of $C_6H_8O_7$ +H_2O [MH] in a stoppered bottle.
FA 4 [O][MH]	2g	sodium nitrate	Provide 2.0±0.2g of NaNO <sub>3</sub> [O][MH] in a stoppered bottle.
FA 5 [MH]	10 cm <sup>3</sup>	acidified 0.10 mol dm <sup>-3</sup> iron(III) chloride	Dissolve 27.03 g of FeCl <sub>3</sub> •6H <sub>2</sub> O <b>[C][MH]</b> in each dm <sup>3</sup> solution of 1.00 mol dm <sup>-3</sup> hydrochloric acid. To prepare 1.00 mol dm <sup>-3</sup> hydrochloric acid, dilute 84 cm <sup>3</sup> of concentrated (35–37%; approximately 11 mol dm <sup>-3</sup> ) hydrochloric acid <b>[C][MH]</b> to 1 dm <sup>3</sup> .
FA 6	200 cm <sup>3</sup>	0.100 mol dm <sup>-3</sup> sodium thiosulfate	Dissolve 24.82g of $Na_2S_2O_3^{\bullet}5H_2O$ in each dm <sup>3</sup> of solution.
starch indicator	15 cm <sup>3</sup>	freshly prepared aqueous starch indicator (approx 2% solution w/v)	See preparation instructions in the current syllabus.
distilled water	50 cm <sup>3</sup>	distilled water	

9791/04/CI/M/J/22

label	per candidate	identity	notes
dilute hydrochloric acid	10 cm <sup>3</sup>	$2.0 \mathrm{mol}\mathrm{dm}^{-3}\mathrm{HC}l$	
dilute nitric acid [C]	10 cm <sup>3</sup>	$2.0 \mathrm{mol}\mathrm{dm}^{-3}\mathrm{HNO}_3$	
dilute sulfuric acid [MH]	10 cm <sup>3</sup>	$1.0 \mathrm{mol}\mathrm{dm}^{-3}\mathrm{H}_2\mathrm{SO}_4$	
aqueous ammonia <b>[C]</b> [MH][N]	10 cm <sup>3</sup>	2.0 mol dm <sup>-3</sup> NH <sub>3</sub>	
aqueous sodium hydroxide <b>[C]</b>	30 cm <sup>3</sup>	2.0 moldm <sup>-3</sup> NaOH	See preparation instructions in the current syllabus.
aqueous barium chloride or aqueous barium nitrate	10 cm <sup>3</sup>	0.1 moldm <sup>-3</sup> BaC <i>l</i> <sub>2</sub> or 0.1 moldm <sup>-3</sup> Ba(NO <sub>3</sub> ) <sub>2</sub>	If necessary, each of these reagents can be provided as a communal supply for groups of up to 6 candidates.
aqueous sodium carbonate <b>[MH]</b>	10 cm <sup>3</sup>	1.0 moldm <sup>-3</sup> Na <sub>2</sub> CO <sub>3</sub>	Invigilators must be alert to the risk of contamination and the opportunity for malpractice when using a communal supply.
limewater [MH]	10 cm <sup>3</sup>	saturated aqueous calcium hydroxide, Ca(OH) <sub>2</sub>	
aqueous silver nitrate	10 cm <sup>3</sup>	$0.05  \text{mol}  \text{dm}^{-3}  \text{AgNO}_{3}$	
acidified aqueous potassium manganate(VII) <b>[MH]</b>	10 cm <sup>3</sup>	0.01 moldm <sup>-3</sup> KMnO <sub>4</sub> in 0.5 moldm <sup>-3</sup> H <sub>2</sub> SO <sub>4</sub>	

- An excess of at least 10% of each material must be prepared to cover accidental loss.
  - All solutions should be thoroughly mixed.
- If you are unable to source any of these chemicals, you must contact Cambridge International as far as possible in advance of the exam for advice.
  - Material must be labelled only as specified in the 'label' column. The identities of chemicals labelled with letter codes, e.g. FA 1, may be different from their descriptions in the question paper. Candidates must use the descriptions given in the question paper.

5

**BLANK PAGE** 

6

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

## Supervisor's report

Syllabus and component number			/	
Centre number				
Centre name	 	 		 

Time of the practical session	
Time of the practical session	

Laboratory name/number .....

# Give details of any difficulties experienced by the centre or by candidates (include the relevant candidate names and candidate numbers).

You must include:

- any difficulties experienced by the centre in the preparation of materials
- any difficulties experienced by candidates, e.g. due to faulty materials or apparatus
- any specific assistance given to candidates.

If chemicals have been prepared in more than one batch, list the candidates using each batch.

### Declaration

- 1 Each packet that I am returning to Cambridge International contains all of the following items:
  - the scripts of the candidates specified on the bar code label provided
  - the supervisor's results relevant to these candidates
  - the supervisor's reports relevant to these candidates
  - seating plans for each practical session, referring to each candidate by candidate number
  - the attendance register.
- 2 Where the practical exam has taken place in more than one practical session, I have clearly labelled the supervisor's results, supervisor's reports and seating plans with the time and laboratory name/number for each practical session.
- 3 I have included details of difficulties relating to each practical session experienced by the centre or by candidates.
- 4 I have reported any other adverse circumstances affecting candidates, e.g. illness, bereavement or temporary injury, directly to Cambridge International on a *special consideration form*.

Signed	 /isor)
Name (in block capitals)	 

#### 9791/04/CI/M/J/22