

Cambridge O Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



CHEMISTRY 5070/22

Paper 2 Theory May/June 2023

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1	Cho	ose from the following oxides to answer the questions.	
		$\begin{array}{c} \text{CO} \\ \text{CO}_2 \\ \text{CaO} \\ \text{CuO} \\ \text{Fe}_2\text{O}_3 \\ \text{H}_2\text{O} \\ \text{SO}_2 \\ \text{SiO}_2 \\ \text{ZnO} \end{array}$	
	Eac	h oxide may be used once, more than once or not at all.	
	Stat	e which oxide:	
	(a)	is neutral	
	(b)	reacts with calcium oxide to form slag in the blast furnace	[1
	(c)	reacts with warm dilute hydrochloric acid to give a blue coloured solution	[1]
	(d)	is amphoteric	
	(e)	contains an ion with an oxidation number of +3	
	(f)	decolourises acidified aqueous potassium manganate(VII).	[1

[Total: 6]

2

Grou	ıp V	Il includes the elements fluorine, chlorine, bromine and iodine.	
(a)	Chl	orine is a green gas at room temperature and pressure.	
	Sta	te the appearance of iodine at room temperature and pressure.	[0]
(b)	Chl	orine reacts with aqueous potassium iodide in a displacement reaction.	[2]
		$Cl_2(aq) + 2I^-(aq) \rightarrow 2Cl^-(aq) + I_2(aq)$	
	(i)	Explain, in terms of electrons, why chlorine is an oxidising agent in this reaction.	
			[1]
((ii)	State the oxidation number of iodine in I ₂ .	
			[1]
(i	iii)	Describe what is observed during the displacement reaction.	
			[1]
		e rate of diffusion of fluorine gas is greater than that of chlorine gas under the sa ditions of temperature and pressure.	me
	(i)	State what is meant by the term diffusion.	
			[1]
((ii)	Explain why the rate of diffusion of fluorine is greater than that of chlorine under same conditions.	the
			[1]
(i	iii)	The rate of diffusion of fluorine increases as the temperature increases.	
		Suggest why using ideas about kinetic particle theory.	
			[1]
		[Total	: 8]

	3	This	auestion	is	about the	preparation	of	salt	S
--	---	------	----------	----	-----------	-------------	----	------	---

(a) Zinc nitrate is a soluble salt.

It is prepared by the reaction of an insoluble carbonate with a dilute acid.

The equation for this reaction is shown.

$$\mathrm{ZnCO_3(s)} \; + \; \mathrm{2HNO_3(aq)} \; \longrightarrow \; \mathrm{Zn(NO_3)_2(aq)} \; + \; \mathrm{H_2O(l)} \; + \; \mathrm{CO_2(g)}$$

A sample of 4.50 g of zinc carbonate is added to $50.0\,\mathrm{cm^3}$ of $1.30\,\mathrm{mol/dm^3}$ nitric acid.

(i) Show by calculation that the zinc carbonate is in excess.

	(ii)	Once the reaction has finished the mixture is filtered.
		State why the mixture is filtered.
		[1]
	(iii)	Describe how to make pure, dry zinc nitrate crystals from an aqueous solution of zinc nitrate.
		[3]
(b)	Lea	d chloride is an insoluble salt.
	It is	prepared using a precipitation reaction.
	Nan	ne two aqueous solutions that react together to give a precipitate of lead chloride.
		and

[3]

(C)	Ammonium sulfate is a soluble salt.
	It is prepared by the reaction of an alkali and an acid.
	Name the alkali and the acid used.
	alkali
	acid

[1]

[Total: 9]

- 4 This question is about compounds that contain magnesium and nitrogen.
 - (a) The formula for a nitride ion can be written as $^{15}_{7}$ N³⁻.

Complete Table 4.1 to show the number of particles in this nitride ion.

Table 4.1

particle	number of particles
electron	
neutron	
proton	

[3]

(b)	State why the formula for a magnesium ion is Mg ²⁺ rather than Mg ⁺ or Mg ³⁺ .	
(c)	The formula for a nitride ion is N^{3-} .	[1]
	Deduce the formula for magnesium nitride.	
		[1]
(d)	Magnesium nitrate, Mg(NO ₃) ₂ , is an ionic compound.	
	Predict two physical properties of magnesium nitrate.	
	1	
	2	 [2]
(e)	Calculate the percentage by mass of nitrogen in magnesium nitrate.	
	Give your answer to two significant figures.	

percentage by mass[2]

[Total: 9]

BLANK PAGE

5 Carbon reacts with steam to make carbon monoxide and hydrogen.

This reaction is reversible. The forward reaction absorbs thermal energy.

$$C(s) + H_2O(g) \rightleftharpoons CO(g) + H_2(g)$$

(a)	An	equilibrium mixture is formed when the reversible reaction happens in a closed system.
	(i)	Explain why the reversible reaction must be in a closed system for an equilibrium mixture to be formed.
		[1]
	(ii)	Predict what happens to the position of equilibrium when the temperature is decreased and the pressure remains constant.
		Explain your answer.
		prediction
		explanation
		[2]
	(iii)	Predict what happens to the position of equilibrium when the pressure is decreased and the temperature remains constant.
		Explain your answer.
		prediction
		explanation
		[2]

(b)	Predict what happens to the rate of the backward reaction when the temperature is decreased and the pressure remains constant.
	Explain your answer.
	prediction
	explanation
	[2]
(c)	Predict what happens to the rate of the backward reaction when the pressure is increased and the temperature remains constant.
	Explain your answer.
	prediction
	explanation
	[2]
	[Total: 9]

- **6** This question is about the energy changes that take place during chemical reactions.
 - (a) Nitrogen reacts with oxygen to make nitrogen monoxide.

The reaction is endothermic.

$$N_2(g) + O_2(g) \rightarrow 2NO(g)$$

Draw, on the axes provided in Fig. 6.1, the reaction pathway diagram for this reaction.

Include labels for the:

- axes
- reactants
- product
- enthalpy change of reaction, ΔH
- activation energy, E_a.




Fig. 6.1

[5]

(b) Hydrogen reacts with bromine to make hydrogen bromide.

$$H$$
— H + Br — Br \rightarrow $2H$ — Br

Calculate the enthalpy change of this reaction.

Use the bond energies in Table 6.1.

Table 6.1

bond	bond energy in kJ/mol
Н—Н	436
Br—Br	193
H—Br	366

enthalpy change of reactionkJ/mol [3]

[Total: 8]

7 Ethene, but-1-ene and but-2-ene are alkenes.

The displayed formulae of ethene and but-1-ene are shown in Fig. 7.1.




		Fig. 7.1	
(a)	Stat	te the general formula of the homologous series of alkenes.	[4]
(b)	But-	-1-ene and but-2-ene are structural isomers.	נין
	(i)	State the meaning of the term structural isomers.	
	(ii)	Draw the displayed formula for but-2-ene.	
			[1]
(c)	But-	-1-ene is an unsaturated hydrocarbon.	
	(i)	State why but-1-ene is an unsaturated compound.	
	(ii)	State why but-1-ene is a hydrocarbon.	

(d)	But-	-1-ene reacts with steam in the presence of a catalyst and reacts with bromine.	
	(i)	Draw the structural formula of the product of the reaction with steam in the prese catalyst.	nce of a
			[1]
	(ii)	Draw the structural formula of the product of the reaction with bromine.	
(0)	Eth	ano is a sovelent substance	[1]
(e)	⊏un•	ene is a covalent substance.	
	(i)	Draw a dot-and-cross diagram to show the bonding in a molecule of ethene.	
		Include only the outer shell electrons of each atom.	
			[2]
	(ii)	Explain why ethene has a low melting point.	
			[1]
		ТЈ	otal: 10]

- 8 This question is about electrolysis.
 - (a) The table shows some information about the electrolysis of three different electrolytes using graphite electrodes.

Complete Table 8.1 with the names of the products at each electrode.

Table 8.1

electrolyte	product at anode	product at cathode
concentrated aqueous potassium iodide		
dilute sulfuric acid		
molten lead(II) bromide		

		-			
]	

[Total: 6]

[3]

(b)	Give two reasons why graphite is a suitable material from which to make electrodes.
	1
	2
	[2]
(c)	Aluminium is manufactured by the electrolysis of aluminium oxide dissolved in molten cryolite.
	At the anode, oxide ions react to make oxygen molecules.
	Construct the ionic half-equation for this electrode reaction.
	[1]

9

As	ampl	e of clean, dry air contains 0.0400% carbon dioxide by volume.	
(a)		culate the number of molecules of carbon dioxide in 480 dm ³ of clean, dry air at roo perature and pressure.	m
	One	e mole of any gas contains 6.02×10^{23} molecules.	
		number of molecules	3]
<i>(</i> 1.)	0		υJ
(b)	Cor	nplete combustion of fuels such as gasoline makes carbon dioxide.	
	One	e of the hydrocarbons in gasoline has the molecular formula C ₉ H ₂₀ .	
	Cor	struct the equation for the complete combustion of $\mathrm{C_9H_{20}}$.	
		[1]
(c)	Hig	her levels of atmospheric carbon dioxide lead to increased global warming.	
	(i)	Give one adverse effect of global warming.	
	()		11
			_
	(ii)	Describe how the presence of gases such as carbon dioxide in the atmosphere cause global warming.	∋s
			2]
(d)	Car	bon dioxide is removed from the atmosphere by photosynthesis.	
	Sta	te the word equation for photosynthesis.	
			1]
			_
		[Total:	oJ

- 10 Proteins and PET are polymers made by a reaction called condensation polymerisation.
 - (a) The diagram in Fig. 10.1 shows the structure of a section of a protein.




Fig. 10.1

(i) Draw the general structure of the amino acid monomers used to make proteins.

(ii) Proteins are polyamides.

Name one **other** polyamide.

[1]

(b) PET is a polymer used to make plastic bottles.

The diagram in Fig. 10.2 shows the structure of PET.




Fig. 10.2

(i) Name the linkage present in PET.

.....[1]

(ii) Proteins and PET are both made by condensation polymerisation.

Describe the differences between condensation polymerisation and addition polymerisation.

(c)	Describe two environmental challenges caused by the disposal of plastics such as PET.
	1
	2
	[2]
	ITatal. 71
	[Total: 7]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	=	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon -	118	Og	oganesson -
	II/			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ä	bromine 80	53	Н	iodine 127	85	At	astatine -	117	<u>s</u>	tennessine -
	>			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъо	polonium -	116		livermorium —
	>			7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium -
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	92	S	tin 119	82	Ъ	lead 207	114	Fl	flerovium —
	≡			5	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	113	R	nihonium —
										30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	Ö	copernicium —
										29	Cn	copper 64	47	Ag	silver 108	6/	Αn	gold 197	111	Rg	roentgenium -
Group										28	ïZ	nickel 59	46	Pd	palladium 106	78	ᇁ	platinum 195	110	Ds	darmstadtium
D.										27	රි	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	¥	meitnerium —
		- I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	92	SO	osmium 190	108	Hs	hassium -
							,			25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	Ob	dubnium —
					atc	rek				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium —
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium —
	_			3	:=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	R _b	rubidium 85	55	S	caesium 133	87	ᇁ	francium -

71	ŋ	lutetium	175	103	ئـ	lawrencium	1
70	Υp	ytterbium	173	102	8	nobelium	1
69	T	thulium	169	101	Md	mendelevium	ı
89	Ē	erbium	167	100	Fm	ferminm	1
29	운	holmium	165	66	Es	einsteinium	1
99	ò	dysprosium	163	86	ర	califomium	ı
65	ТР	terbium	159	26	Æ	berkelium	ı
64	P ₉	gadolinium	157	96	CB	curium	1
63	En	europium	152	95	Am	americium	1
62	Sm	samarium	150	94	Pn	plutonium	1
61	Pm	promethium	ı	93	ď	neptunium	ı
09	PΝ	neodymium	144	92	\supset	uranium	238
29	Ą	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	드	thorium	232
25	La	lanthanum	139	68	Ac	actinium	1

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).